

Wisconsin Ed-Fi Data v3.5 - Student Parent Associations

Last Modified on 03/19/2024 8:46 am CDT

Tool Search: Ed-Fi

This association relates students to their parents, guardians or caretakers.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

| Action | Trigger |
|--------|---|
| Post | <p>When the Guardian check box is checked on the Relationships tab.</p> <ul style="list-style-type: none"> The guardian does NOT have to be a member of the same household as the student to report. Ed-Fi does not have relationship start or end dates, if a relationship is started anytime within a school year, the record will be added for that year. <ul style="list-style-type: none"> Start Date must be blank or on or before school year end date defined in the School Years editor. End Date must be blank or after school year end date defined in the School Years editor. Report the person from the related pair that does not have an enrollment for the Parent Reference and the person that has an enrollment as the student reference. A record will not send if the student they are associated with has an enrollment in a calendar or school marked as Exclude. |
| Put | <p>When any field not part of the natural key is change:</p> <ul style="list-style-type: none"> If the parent or student is removed from the household. |
| Delete | <p>When the Guardian check box is unchecked, relationship is end dated or deleted.</p> <ul style="list-style-type: none"> Ed-Fi does not have relationship start or end dates, if a relationship is ended within a school year, the record will be deleted for that year. <ul style="list-style-type: none"> End Date must be blank or after school year end date defined in the School Years editor. Records will delete when a student has only 1 Student School Association record for a specific School and Year that record is deleted for. <p>(Note: If a new Student School Association record is created, existing records will not re-post, a resync must be completed to resend the data)</p> When the State Exclude or No Show check boxes are checked. <p>(Note: if the boxes are unchecked the data will not re-post, a resync must be completed to resend the data)</p> |

School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

| Action | Trigger |
|--------|--|
| None | If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send. |
| Resync | If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table. |
| Resync | If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS. |
| Resync | If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes. |

Natural Key Changes, Cascading Updates, and Deletes

Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

| Action | Trigger |
|-------------|--|
| Delete/Post | Cascading Deletes: The logic for an Ed-FI ID change will update all resources impacted by this change. |

Scope Year Logic

This table describes scope year logic of this object.

| Business Rules |
|---|
| <p>A parent record will report when they are a guardian to a student with an enrollment aligned to a scoped year.</p> <ul style="list-style-type: none"> The related pair start date must be null or on/before the scope year end date to report. The related pair end date must be null or on/after the scope year end date to report. Data will only send for the years that have valid configuration. A resync must be completed on the Parents resource when a new scope year is connected in order for this data to send. |
| <p>When using data in Campus that has an effective date, the following logic will be applied to determine the scope year(s) to report the data to.</p> <ul style="list-style-type: none"> Current Year: The records start date must be on or before today's date and the records end date must be on or after today's date. Previous Years: The record's start date must be on or before the school year's end date and the record's end date must be after the school year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used. Future Years: The record's start date must be on or before the schools year's start date and the record's end date must be on or after the school year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used. |

Resource Preferences

This table describes the Resource Preferences of this object.

| Data Element Label | Mapping Needed |
|--------------------|---------------------|
| Relationship | Relation Descriptor |

Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

| campusObjectType | Object Key Data Source |
|------------------|---|
| RelatedPair | personID1-personID2 (personID1 is student, personID2 is parent) |

Event Queue Detail

This table describes the Event Queue Detail of this object.

| Campus Table | Ed-Fi Action | Fields |
|--------------|-----------------|--|
| relatedPair | Post/Put/Delete | The primary table used for sending data for this resource. |

Object Data Elements

This table describes data elements sent within the Student Parent Parent Association resource.

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|------------------------|---|--|-----------|---|-----------------|
| id | The unique identifier of the resource. | | M | | |
| parentReference | A reference to the related Parent resource. | Report the Ed-Fi LEA ID + '-' + personID. | M | | |
| studentReference | A reference to the related Student resource. | Report the reference from the Student record for the student being reported. | M | | |
| contactPriority | The numeric order of the preferred sequence or priority of contact. | Do not report, not collected in Campus. | O | | |
| contactRestrictions | Restrictions for student and/or teacher contact with the individual (e.g., the student may not be picked up by the individual). | Do not report, not collected in Campus. | O | | |
| emergencyContactStatus | Indicator of whether the person is a designated emergency contact for the student. | <ol style="list-style-type: none"> 1. Report True if there is a number entered in the Emergency Priority field for the parent being reported. 2. Else, report False. | O | Census> People> Relationships> Emergency Priority | relatedpair.sec |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|----------------------|--|---|-----------|--|-----------------|
| livesWith | Indicator of whether the student lives with the associated parent. | <ol style="list-style-type: none"> Report True if student is in the same household of the parent being reported <ul style="list-style-type: none"> Both Student and Parent Household dates must follow the Business Rules in the Scope year logic for this to report. Else, report False. | O | Census> People> Households | |
| primaryContactStatus | Indicator of whether the person is a primary parental contact for the student. | <ol style="list-style-type: none"> Report True if there is only 1 guardian being reported. <ul style="list-style-type: none"> If more than 1 guardian report the guardian with the earliest start date. If Start dates are the same or NULL on 1 or more guardians, report the person with the lowest personID. Else, report False. | O | Census> People> Relationships> Guardian | relatedpair.gua |
| relationDescriptor | The nature of an individual's relationship to a student; for example: Father Mother Step Father Step Mother Foster Father Foster Mother Guardia. | <ol style="list-style-type: none"> Report the Ed-Fi Code from the Ed-Fi Relation Type field that is mapped, if populated. Otherwise, report as Guardian based on the following (similar logic for WISEid extract and the Identity API: <ul style="list-style-type: none"> If Local Student Number is populated, report guardians based on the following logic: <ol style="list-style-type: none"> Find a person with Guardian checked (= TRUE) AND relationship is not ended as of the current date. <ul style="list-style-type: none"> Report first from the Primary Household Relationships, then from Secondary Household Relationships, finally from Non-Household Relationships. | O | Census > People > Relationships > Relationship | relatedpair.nan |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--------------------|--|----------------|-----------|----------------------|----------------|
| etag | A unique system-generated value that identifies the version of the resource. | | O | | |

Type/Descriptor

[Click here to expand...](#)

Relationship Descriptors

| Code Value | Description | Namespace | Short Description |
|-------------------------|-------------------------|------------------------------------|-------------------------|
| Aunt | Aunt | uri://ed-fi.org/RelationDescriptor | Aunt |
| Brother | Brother | uri://ed-fi.org/RelationDescriptor | Brother |
| BrotherInLaw | BrotherInLaw | uri://ed-fi.org/RelationDescriptor | BrotherInLaw |
| CourtAppointedGuardian | CourtAppointedGuardian | uri://ed-fi.org/RelationDescriptor | CourtAppointedGuardian |
| Cousin | Cousin | uri://ed-fi.org/RelationDescriptor | Cousin |
| Daughter | Daughter | uri://ed-fi.org/RelationDescriptor | Daughter |
| DaughterInLaw | DaughterInLaw | uri://ed-fi.org/RelationDescriptor | DaughterInLaw |
| Emergency | Emergency | uri://ed-fi.org/RelationDescriptor | Emergency |
| Employer | Employer | uri://ed-fi.org/RelationDescriptor | Employer |
| Father | Father | uri://ed-fi.org/RelationDescriptor | Father |
| Father, step | Father, step | uri://ed-fi.org/RelationDescriptor | Father, step |
| FatherInLaw | FatherInLaw | uri://ed-fi.org/RelationDescriptor | FatherInLaw |
| FathersCivilPartner | FathersCivilPartner | uri://ed-fi.org/RelationDescriptor | FathersCivilPartner |
| FathersSignificantOther | FathersSignificantOther | uri://ed-fi.org/RelationDescriptor | FathersSignificantOther |
| Fiance | Fiance | uri://ed-fi.org/RelationDescriptor | Fiance |

| Code Value | Description | Namespace | Short Description |
|-------------------------|-------------------------|------------------------------------|-------------------------|
| Fiancee | Fiancee | uri://ed-fi.org/RelationDescriptor | Fiancee |
| Foster parent | Foster parent | uri://ed-fi.org/RelationDescriptor | Foster parent |
| Friend | Friend | uri://ed-fi.org/RelationDescriptor | Friend |
| Godparent | Godparent | uri://ed-fi.org/RelationDescriptor | Godparent |
| Grandfather | Grandfather | uri://ed-fi.org/RelationDescriptor | Grandfather |
| Grandmother | Grandmother | uri://ed-fi.org/RelationDescriptor | Grandmother |
| Grandparent | Grandparent | uri://ed-fi.org/RelationDescriptor | Grandparent |
| Great aunt | Great aunt | uri://ed-fi.org/RelationDescriptor | Great aunt |
| Great Grandparent | Great Grandparent | uri://ed-fi.org/RelationDescriptor | Great Grandparent |
| Great uncle | Great uncle | uri://ed-fi.org/RelationDescriptor | Great uncle |
| Guardian | Guardian | uri://ed-fi.org/RelationDescriptor | Guardian |
| Husband | Husband | uri://ed-fi.org/RelationDescriptor | Husband |
| Mother | Mother | uri://ed-fi.org/RelationDescriptor | Mother |
| Mother, step | Mother, step | uri://ed-fi.org/RelationDescriptor | Mother, step |
| MotherInLaw | MotherInLaw | uri://ed-fi.org/RelationDescriptor | MotherInLaw |
| MothersCivilPartner | MothersCivilPartner | uri://ed-fi.org/RelationDescriptor | MothersCivilPartner |
| MothersSignificantOther | MothersSignificantOther | uri://ed-fi.org/RelationDescriptor | MothersSignificantOther |
| Neighbor | Neighbor | uri://ed-fi.org/RelationDescriptor | Neighbor |
| Nephew | Nephew | uri://ed-fi.org/RelationDescriptor | Nephew |
| Niece | Niece | uri://ed-fi.org/RelationDescriptor | Niece |
| Other | Other | uri://ed-fi.org/RelationDescriptor | Other |
| Parent | Parent | uri://ed-fi.org/RelationDescriptor | Parent |
| Parent, step | Parent, step | uri://ed-fi.org/RelationDescriptor | Parent, step |

| Code Value | Description | Namespace | Short Description |
|------------------|------------------|------------------------------------|-------------------|
| Relative | Relative | uri://ed-fi.org/RelationDescriptor | Relative |
| Sibling | Sibling | uri://ed-fi.org/RelationDescriptor | Sibling |
| SignificantOther | SignificantOther | uri://ed-fi.org/RelationDescriptor | SignificantOther |
| Sister | Sister | uri://ed-fi.org/RelationDescriptor | Sister |
| SisterInLaw | SisterInLaw | uri://ed-fi.org/RelationDescriptor | SisterInLaw |
| Son | Son | uri://ed-fi.org/RelationDescriptor | Son |
| SonInLaw | SonInLaw | uri://ed-fi.org/RelationDescriptor | SonInLaw |
| Spouse | Spouse | uri://ed-fi.org/RelationDescriptor | Spouse |
| Uncle | Uncle | uri://ed-fi.org/RelationDescriptor | Uncle |
| Unknown | Unknown | uri://ed-fi.org/RelationDescriptor | Unknown |
| Ward | Ward | uri://ed-fi.org/RelationDescriptor | Ward |
| Wife | Wife | uri://ed-fi.org/RelationDescriptor | Wife |