

Wisconsin Ed-Fi Data v3.5 - Student

Last Modified on 03/19/2024 8:48 am CDT

Tool Search: Ed-Fi

Provide a summary of what the report/function will cover and the logistics around the data collection or reporting.

A Student School Association record must be sent in order to see/access a Student record in the ODS. This is is the security protocol set by Ed-Fi, you cannot see the Student record until they are associated to a School through the SSA record.

The Student Resource is a shared record among all districts. If two districts have the same student in the same year, the last district to trigger data to Ed-Fi is the data stored in Ed-Fi.

For example, if one district put in a first name of "Robert" and the second district put in a first name of "Rob", the last district to update the student record is what will appear in Ed-Fi and on both District's reports. This is true for all field logic in the Student Resource.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

| Action | Trigger |
|--------|---|
| Post | When an enrollment is created and saved for a person and the enrollment overlaps a configured year.Do not send a student record for an enrollment that is marked as State Exclude, No Show, or WISE Exclude. |
| | Do not send a record if enrollment is in a calendar marked as State Exclude, Summer School, or in a School marked Exclude.' |
| | If Ed-Fi Configuration Profile = Choice + Opt in report a record for all eligible students if Choice = Yes or No on the student's enrollment. |
| | If Ed-Fi Configuration Profile = Choice AND Choice = No on Student enrollment, do not report a record |
| Put | When any student data is edited for the person in the Data Elements fields below. When the person's identity record is changed in one of the following fields: Birth Country, Birth Date, Date Entered US, First Name, Last Name, visas, multiple Birth Status |
| Delete | Student records are never deleted because Student records are a shared resource among all districts. |

School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

| Action | Business Rule |
|--------|---|
| None | If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send. |
| Resync | If an Ed-Fi Code mapping is changed to a new code or made NULL, a resync must be performed for the data to be updated in the ODS. |



Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

| Action | Business Rule |
|--------|---|
| Post | Natural Key change: Ed-Fi ID If an Ed-Fi ID is changed for a student, all data for the previous number will be deleted and resent under the new number. |
| Delete | Cascading Deletes: The following resources will be deleted and resent if the Ed-Fi ID is changed. Student Parent Associations, Student Education Organization Associations, Student School Associations, Student Section Associations, Graduation Plans, Student Program Associations, Student CTE Program Associations, Student Special Education Program Associations, Student Title 1 Part A Program Associations, Student Academic Records, Course Transcripts, Grades, Student Discipline Incident Associations, Discipline Actions, Student Cohort Associations, Student Section Attendance Events |

Scope Year Logic

This table describes scope year logic of this object.

Logic

A record will report when an enrollment is created and saved that is aligned to a configured year.

- The enrollment must overlap with the configured year to report.
- Data only sends for the years that have valid configuration.

When using data in Campus that has a single date, the following logic will be applied to determine the scope year(s) in which to report data:

- Current Year: The record must overlap the current year.
- Previous Years: The record's date must be on or before the schools year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.
- Future Years: The record's date must be on or after the schools year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.

When using data in Campus that have start and end dates, the following logic will be applied to determine the scope year(s) iin which to report data:

- Current Year: The record must overlap the current year.
- Previous Years: The record's start date must be on or before the school year's end date and the record's end date must be after the school year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.
- Future Years: The record's start date must be on or before the schools year's start date and the record's end date must be on or after the school year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.

Resource Preferences

This table describes the Resource Preferences of this object.



| Data Element Label | Mapping Needed | Database field | |
|------------------------|------------------------|-----------------------|--|
| birthCountryDescriptor | Birth Country Override | identity.birthcountry | |
| birthStateDescriptor | Birth State Override | identity.birthstate | |
| visaDescriptor | Visa Type Descriptor | identity.visatype | |

Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

| campusObjectType | Object Key Data Source | | | | |
|------------------|------------------------|--|--|--|--|
| Person | personID | | | | |

- If a Student and Student School Association record has been sent for a student, a Student and Student School Association record will be logged in the Ed-Fi Identity Mapping table. If the student's enrollment is deleted or their Ed-Fi ID is changed while the Student and/or Student School Association Resource Preference is turned off, the old record and resource id will remain in the table until the resource is turned back on and a resync is performed on either Students or Student School Associations.
- 2. The Students and Student School Associations records will be deleted from the identity mapping table if all enrollments that were sent to Ed-Fi are deleted.

Event Queue Detail

This table describes the Event Queue Detail of this object.

| Campus Table | Ed-Fi Action | Fields |
|-----------------|-----------------|---|
| enrollment | Post/Put/Delete | The primary table used for sending data for this resource. |
| identity | Put | birthCity, birthCountryDescriptor, birthDate, birthSexDescriptor, birthStateAbbreviationDescriptor, dateEnteredUS, firstName, lastSurname, generationCodeSuffix, middleName, otherNames |
| person | Post/Delete | studentUniqueID |

Object Data Elements

This table describes data elements sent within the Student resource.

| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|--------------------|---|------------------|---------------------|--|-------------------|
| id | The unique identifier of the resource. | | Μ | | |
| studentUniqueId | A unique alpha- numeric code assigned to a student. Reports the Ed-Fi ID. | Report Ed-Fi ID. | Μ | Census>People> Demographics> EdFi ID | person.edfiid |



| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|------------------------|---|--|---------------------|--|---------------------------|
| birthCity | The city the student was born in. | Report the Birth City if populated on the Demographics tab. | 0 | Census > People > Demographics > Birth City | identity. birthcity |
| birthCountryDescriptor | The country in which an individual is born. | Report the Country from the Birth Country saved on the student's current identity record. Look for a mapping saved to the Birth Country Descriptor Override section in preferences. If there is a mapped value, report that mapping. If an override is not there, look to see if the Code matches an Ed-Fi code, if yes report that value. Report default value if saved on the Attribute and the code matches an Ed-Fi code. | 0 | Census > People > Identities > Birth Country | identity. birthcountry |
| birthDate | The month, day, and year on which an individual was born. | Report the Birth Date from the student's current identity record. | М | Census >People > Identities > Birth Date | identity. birthdate |



| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|--------------------------------------|---|---|---------------------|--|--------------------------------|
| birthInternationalProvince | For students born outside of the U.S., the Province or jurisdiction in which an individual is born. | This is optional, does not report. | 0 | | |
| birthSexDescriptor | A person''s gender at birth. | This is optional, does not report. | 0 | Census > People > Identities > Gender | identity. Gender |
| birthStateAbbreviation Descriptor | The abbreviation for the name of the state (within the United States) or extra-state jurisdiction in which an individual was born., | Report the State from the Birth State saved on the student's current identity record. 1. Look for a mapping saved to the Birth State Abbreviation Type Override section in preferences. If there is a mapped value, report that mapping. 2. If an override is not there, look to see if the Code matches an Ed-Fi code, if yes report that value. 3. Report default value if saved on the Attribute and the code matches an Ed-Fi code. 4. Else, report NULL. | 0 | Census > People > Demographics > Birth State | identity. birthstate |
| citizenshipStatus Descriptor | An indicator of whether or not the person is a U.S. citizen. | This is optional, does not report. | 0 | | |
| dateEnteredUS | For students born outside of the US, the date the student entered the US. | Report the Date Entered US if date is entered. Do not report if date is blank. | 0 | Census > People > Identities > Date Entered US | identity. dateEntered US |



| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|--------------------|--|--|---------------------|--|--|
| firstName | A name given to an individual at birth, baptism, or during another naming ceremony, or through legal change. | Report from the current identity record. Check the Students Resource Preferences to see if the "Report Legal Identifies when provided" checkbox is selected: If yes, check to see if Legal First Name is populated. If yes, report the value of Legal First Name. If no, report the First Name value. If no, report the First Name value. | М | Census > People > Identities > Legal First Name OR Census > People > Identities > First Name | identity. legalFirstNam OR identity. firstName |



| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|-------------------------|--|---|---------------------|--|---|
| generationCodeSuffix | An appendage, if any, used to denote an individual's generation in his family (e.g., Jr., Sr., III) | Report from the current identity record. Check the Students Resource Preferences to see if the "Report Legal Identifies when provided" checkbox is selected If yes, check to see if Legal First Name and Legal Last Name are populated. If yes, report the value from Legal Suffix. If no, report the Suffix value. If no, report the Suffix value. If Null, do not report 4. Note: Remove any punctuation if it exists as part of the Suffix before sending | 0 | Census > People > Identities > Legal Suffix OR Census > People > Identities > Suffix | identity. legalSuffix OR identity.suffix |
| identificationDocuments | Describe the documentation of citizenship. | This is optional, does not report. | 0 | | |



| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|--------------------|--|--|---------------------|--|--|
| IastSurname | The name borne in common by members of a family. | Report from the current identity record, Check the Students Resource Preferences to see if the "Report Legal Identifies when provided" checkbox is selected. If yes, check to see if Legal First Name and Legal Last Name are populated. If yes, report the value from Legal Last Name. If no, report the Last Name value. If no, report the Last Name value. | Μ | Census > People > Identities > Legal Last Name OR Census > People > Identities > Last Name | identity. legalLastNam OR identity. lastName |
| maidenName | The person''s maiden name. | This is optional, does not report. | 0 | N/A | N/A |



| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|---------------------|---|---|---------------------|---|---|
| middleName | A secondary name given to an individual at birth, baptism, or during another naming ceremony. | Report from the current identity record. Check the Students Resource Preferences to see if the "Report Legal Identifies when provided" checkbox is selected. If yes, check to see if Legal First Name and Legal Last Name are populated. If yes, report the value from Legal Middle Name If no, report the Middle Name value If Null, do not report. | 0 | Census > People > Identities > Legal Middle Name OR Census > People > Identities > Middle Name | identity. legalMiddle Name OR identity. middleName |
| multipleBirthStatus | Indicator of whether the student was born with other siblings (i.e., twins, triplets, etc.) | Report from the current identity record, 1. Reports true or false | 0 | Census > People > Identities | identity. multipleBirth |
| otherNames | Other names (e.g., alias, nickname, previous legal name) associated with a person. | This is optional, does not report. | 0 | Census > People > Identities | |



| Data Element Label | Business Requirement | Business Rules | M, C, or O | Data Source GUI Path | Database Field |
|-------------------------------------|---|---|---------------------|--|-----------------------|
| personalldentification Documents | The documents presented as evident to verify one's personal identity; for example: drivers license, passport, birth certificate, etc. | This is optional, does not report. | 0 | | |
| personalTitlePrefix | A prefix used to denote the title, degree, position or seniority of the person. | This is optional, does not report. | 0 | N/A | N/A |
| visas | An indicator of a non- US citizen's Visa type. Only required when a Student has a 'Visa' Required for foreign exchange students. Pass visaDescriptor(string) in the array. | If the Enrollment determining the record is in a calendar in a school where Ed- Fi School Population is marked Choice or Choice + Private Opt in, do not report this field. If Enrollment is in a school where Ed-Fi School Population is marked Public and If populated on the person, report Visa Type. Otherwise, report blank. See Visas Array elements for logic. | С | Census > People > Identity > Visa Type | identity. visaType |
| _etag | A unique system- generated value that identifies the version of the resource. | | 0 | | |

Array Data Elements

This table describes the array data elements for the Visas element:



| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--------------------------|--------------------------|---|--------------|-------------------------------|-------------------|
| visaType | Indicates the visa type. | Report the Ed-Fi value for the visa type. | | Census > People > Identity | identity.visaType |