

MN v3.3 - Student Education Organization Association

Last Modified on 10/21/2024 8:22 am CDT

[Object Triggering Logic](#) | [Resource Toggle and Resync Logic](#) | [Natural Key Changes, Cascading Updates, and Deletes Logic](#) | [Scope Year Logic](#) | [Resource Preferences](#) | [Identity Mapping Object Key](#) | [Event Queue Detail](#) | [Object Data Elements](#) | [Array Data Elements](#) | [Type / Descriptors](#) | [Resource Preferences Continued](#)

This association represents student information that is specific to a student's relationship with an Education Organization.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	<p>When an enrollment is created and saved for a person and the enrollment overlaps a configured year.</p> <ul style="list-style-type: none"> Do not send a record if enrollment is in a calendar marked as State Exclude. Do not send a record if enrollment is in a School marked as State Exclude. Do not send a record if the No Show checkbox is checked on the enrollment. For all Enrollment-related data, if multiple Enrollments exist that overlap the SEOA record, report the data elements from the Enrollment record with the most recent start date. For all Identity-related data, if multiple Identity records exist that overlap the SEOA record, report the data elements from the Identity record with the most recent start date.
Put	<p>When any student data is edited for the person in the Data Elements fields below:</p> <ol style="list-style-type: none"> Identity Record <ul style="list-style-type: none"> Race / Ethnicity Home Primary Language LEP Information <ul style="list-style-type: none"> Program Status Identified Date LEP Exit Date Parent Refused Response To Intervention (RTI) Plan <ul style="list-style-type: none"> Locked /Unlocked Plan name changes Student Characteristics <ul style="list-style-type: none"> Refugee Immigrant US Entry Type Economic Disadvantaged <ul style="list-style-type: none"> SES FRAM Eligibility record overlaps the configured year and meets the criteria selected in the Economic Disadvantaged resource preferences Start / End Dates are changed so record no longer overlaps configured year, the record is deleted Parent in Military <ul style="list-style-type: none"> A Military Connections record exists for a Guardian of the student, Start/End Dates are changed so record no longer overlaps configured year, the Guardian checkbox is checked/unchecked, the record is deleted.
Delete	<p>This record will delete if:</p> <ul style="list-style-type: none"> Student no longer has an eligible enrollment in the District Enrollment is marked as a No Show

Resource Toggle and Resync Logic

This table describes the Resource Toggle and Trigger logic of this object.

Action	Business Rule
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

Natural Key Changes, Cascading Updates,

and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Business Rule
Post/Delete	Natural Key Changes <ul style="list-style-type: none"> If the District Number/Ed-Fi District Number changes, a delete/post will occur with the cascading deletes from the LEA ID Change triggers. If an Ed-Fi ID changes, this will happen with the cascading deletes from the Ed-Fi ID Change trigger.
Delete	Cascading Deletes: N/A - no dependent resources

Scope Year Logic

This table describes scope year logic of this object.

Logic
A record will send to the scope year for the school year the enrollment is associated with. <ul style="list-style-type: none"> The enrollment must overlap with the scope year to report. Data will only send for the years that have valid configuration.
When using data in Campus that has a single date, the following logic will be applied to determine the scope year(s) to report the data to. <ul style="list-style-type: none"> Current Year: Records will be compared to today's date to determine if the record is eligible to report. Previous Years: The record's date must be on or before the schools year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used. Future Years: The record's date must be on or after the schools year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.
When using data in Campus that have start and end dates, the following logic will be applied to determine the scope year(s) to report the data to. <ul style="list-style-type: none"> Current Year: The records start date must be on or before today's date and the records end date must be on or after today's date. Previous Years: The record's start date must be on or before the school year's end date and the record's end date must be after the school year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used. Future Years: The record's start date must be on or before the schools year's start date and the record's end date must be on or after the school year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.

Resource Preferences

This table describes the Resource Preferences of this object.

Data Element Label	Mapping Needed
Student Characteristic Descriptor	Career Tech Special Populations
	Economic Disadvantaged
	Foster Care
	Homeless
	Parents in Military
	US Entry Type
	Flags
Race Descriptor	Race/Ethnicity
Language Descriptor	Home Primary Language
Disability Descriptor	Disability
Limited English Proficiency Descriptor	EL Program Status

Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

campusObjectType	Object Key Data Source
Person	personID

Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
enrollment	Post/Put/Delete Put	The primary table used for sending data for this resource. Reports Disabilities
identity	Put	Reports Hispanic or Latino, Gender, Home Primary Language, US Entry Type.
person	Put	Reports the Ed-Fi ID.
contact	Put	Reports the Telephone and Email information.
householdlocation	Put	Determines if address is marked as Mailing or Private.
householdmember	Put	Determines household membership with Start Date, End Date, Private.
address	Put	PO Box, Number, Prefix, Street, Tag, Direction, Apt, City, State, Zip
raceethnicity	Put	Reports Races.
plantype	Put	Reports Indicators.
plan	Put	Reports Disabilities, Indicators.
planstate	Put	Reports Disabilities.
programs	Put	Reports any Characteristic created in Flags.
programparticipation	Put	Reports any Characteristic created in Flags.
Title1	Put	Reports Neglected or Delinquent.
ImpactAidEmployment	Put	Reports Parent in Military.
relatedpair	Put	Guardian checkbox for contact information and Parent in Military.
section504	Put	Reports Section 504 Handicapped.
homeless	Put	Reports Homeless, Unaccompanied Youth, Runaway.

Object Data Elements

This table describes data elements sent within the Student Education Organization Association resource. Data Element Labels in **bold** are part of the Natural Key and are required data elements for Data to send to Ed-Fi.

▶ [Click here to expand...](#)

Data Element Label	Business Requirement	Business Rules	M, C or O	Location

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
education Organization Id	The identifier assigned to an education organization.	<ol style="list-style-type: none"> Report the Ed-Fi School ID. If Ed-Fi School ID is NULL, report: <ul style="list-style-type: none"> ttdddssmmm where: <ul style="list-style-type: none"> tt = district type dddd = district number, left zero filled sss = school number, left zero filled mmm = 000 for all organizations reported in Ed-Fi 	M	<p>School & District Settings > School Information > school Information > Ed-Fi School ID</p> <p>tt: School & District Settings > District > District Information > district > Type</p> <p>dddd: School & District Settings > District > District Information > district > State District Number</p> <p>SSS: School & District Settings > Schools > School Information > school Information > State School Number</p> <p>School.entityID District.type District.number School.number</p>
disabilities	The disability condition(s) that best describes an individual's impairment, as determined by evaluation(s) conducted by the education organization.	This is optional, does not report.		
electronicMails	The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the individual or organization belongs.	This is optional, does not report.		
languages	The language(s) the individual uses to communicate. It is strongly recommended that entries use only ISO 639-3 language codes.	See Array section below for data logic for each field.		
limitedEnglishProficiencyDescriptor	An indication that the student has been identified as limited English proficient by the Language Proficiency Assessment Committee (LPAC), or English proficient.	This is optional, does not report.		
sexDescriptor	A person's gender.	<p>Report from the latest identity record overlapping the enrollment.</p> <ul style="list-style-type: none"> Check to see if the "Report Legal Identifies when provided" checkbox is selected. <ul style="list-style-type: none"> If yes, check to see if Legal Gender is populated. <ul style="list-style-type: none"> If yes, report the value. If no, report the Gender value. If no, report the Gender value. 	M	<p>Census > People > Identities > Gender</p> <p>identity.Gender</p>
characteristics	<p>Reflects important characteristics of the student's home situation:</p> <ul style="list-style-type: none"> Displaced Homemaker Immigrant Migratory Military Parent Pregnant Teen Single Parent Unaccompanied Youth 	See Array section for reporting logic.	C	

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
identificationCodes	A coding scheme that is used for identification and record-keeping purposes by schools, social services, or other agencies to refer to a student.	See Array section for reporting logic.	C	
studentIndicators	An unordered collection of studentEducation OrganizationAssociationStudent Indicators. Indicator(s) or metric(s) computed for the student (e.g., at risk) to influence more effective education or direct specific interventions.	See Array section for reporting logic.	C	
telephones	The 10-digit telephone number, including the area code, for the person.	This is optional, does not report.	O	
AncestryEthnicOrigin	An unordered collection of studentEducation OrganizationAssociationAncestryEthnicOrigins. The ancestry ethnic origins that pertain to the general racial categories with which the individual identifies.	<ol style="list-style-type: none"> 1. Report the mapped Ed-Fi Code value associated with any "More Detailed Ancestry/Ethnicity Codes" records saved in the student's record. <ul style="list-style-type: none"> ◦ If no mappings exist for the code, or no value exists, do not report. 2. If "Individual Hispanic/Latino" is marked as "Yes", report the mapped Ed-Fi Code value associated with any "More Detailed Hispanic/Latino Codes" records saved in the student's record. <ul style="list-style-type: none"> ◦ If "Individual Hispanic/Latino" is marked as "No", do not report any "More Detailed Hispanic/Latino Codes" records. ◦ If no mappings exist for the code, or no value exists, do not report. 	C	<p>Census > People > Id > More Detailed Ancestry/Ethnicity Codes</p> <p>Census > People > Id > More Detailed Hispanic/Latino Codes</p> <p>Identity.raceSubcategory Identity.hispanicSubcategory</p>
birthdate	The month, day, and year on which an individual was born.	Report the Birth Date value from the most recent Identity record.	M	<p>Census > People > Id > Birth Date</p> <p>identity.birthdate</p>
FirstName	A name given to an individual at birth, baptism, or during another naming ceremony, or through legal change.	<ol style="list-style-type: none"> 1. Report from the latest identity record overlapping the enrollment. 2. Check to see if the "Report Legal Identities when provided" checkbox is selected. <ul style="list-style-type: none"> ◦ If yes, check to see if Legal First Name is populated. <ul style="list-style-type: none"> ▪ If yes, report the value. ▪ If no, report the First Name value. ◦ If no, report the First Name value. 	M	<p>Census > People > Id > First Name</p> <p>Census > People > Id > Legal First Name</p> <p>identity.firstName</p>

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
Generation Code Suffix	An appendage, if any, used to denote an individual's generation in the family (e.g., Jr., Sr., III).	<ol style="list-style-type: none"> 1. Report from the latest identity record overlapping the enrollment. 2. Check to see if the "Report Legal Identities when provided" checkbox is selected. <ul style="list-style-type: none"> ◦ If yes, check to see if Legal First Name is populated. <ul style="list-style-type: none"> ▪ If yes, report the value from Legal Suffix. ▪ If no, report the Suffix value. ◦ If no, report the Suffix value. ◦ If Null, do not report. 	C	Census > People > Id > Suffix Census > People > Id > Legal Suffix Identity.suffix Identity.legalSuffix
LastName	The name borne in common by members of a family.	<ol style="list-style-type: none"> 1. Report from the latest identity record overlapping the enrollment. 2. Check to see if the "Report Legal Identities when provided" checkbox is selected. <ul style="list-style-type: none"> ◦ If yes, check to see if Legal First Name is populated. <ul style="list-style-type: none"> ▪ If yes, report the value from Legal Last Name. ▪ If no, report the Last Name value. ◦ If no, report the Last Name value. 	M	Census > People > Id > Last Name Census > People > Id > Legal Last Name identity.lastName

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
MiddleName	A secondary name given to an individual at birth, baptism, or during another naming ceremony.	<ol style="list-style-type: none"> Report from the latest identity record overlapping the enrollment. Check to see if the "Report Legal Identities when provided" checkbox is selected. <ul style="list-style-type: none"> If yes, check to see if Legal First Name is populated. <ul style="list-style-type: none"> If yes, report the value from Legal Middle Name. If no, report the Middle Name value. If no, report the Middle Name value. If Null, do not report. 	C	Census > People > Id > Legal Middle Name Census > People > Id > Middle Name identity.middleName
OptOutIndicatorsDescriptor	An unordered collection of studentEducationOrganizationAssociationOptOutIndicators.	<ol style="list-style-type: none"> Report 'MNC' if there is any FRAM record that: <ul style="list-style-type: none"> Has Start Date on or after July 1st of the Scope Year; and 'Opt Out SCHIP' is selected. Otherwise, do not report. 	M	FRAM > Application Processing > Eligibilit Start Date FRAM > Application Processing > Eligibilit OptOut SCHIP POSEligibility.optOutS

Array Data Elements

[Click here to expand...](#)

Student Characteristics

Data Element Label	Business Rules	M, C or O	Location
--------------------	----------------	-----------	----------

Data Element Label	Business Rules	M, C or O	Location																																
Active Duty Parent	<p>Report values where</p> <p>1. Branch is:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>Air Force</td></tr> <tr><td>2</td><td>Air Force Reserve</td></tr> <tr><td>3</td><td>Air National Guard</td></tr> <tr><td>4</td><td>Army</td></tr> <tr><td>5</td><td>Army Reserve</td></tr> <tr><td>6</td><td>Army National Guard</td></tr> <tr><td>7</td><td>Coast Guard</td></tr> <tr><td>8</td><td>Coast Guard Reserve</td></tr> <tr><td>9</td><td>Marine Corps</td></tr> <tr><td>10</td><td>Marine Corps Reserve</td></tr> <tr><td>11</td><td>Navy</td></tr> <tr><td>12</td><td>Navy Reserve</td></tr> </tbody> </table> <p>2. Status is:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>Active Duty, Deployed</td></tr> <tr><td>2</td><td>Active Duty, Not Deployed</td></tr> </tbody> </table> <p>3. Start Date / End Date overlaps the configured year...then report 'StudentCharacteristicDescriptor#1'.</p>	Code	Name	1	Air Force	2	Air Force Reserve	3	Air National Guard	4	Army	5	Army Reserve	6	Army National Guard	7	Coast Guard	8	Coast Guard Reserve	9	Marine Corps	10	Marine Corps Reserve	11	Navy	12	Navy Reserve	Code	Name	1	Active Duty, Deployed	2	Active Duty, Not Deployed	C	<p>Census > People > Military Connections</p> <p>ImpactAidEmployment.militaryBranch ImpactAidEmployment.militaryStatus ImpactAidEmployment.startDate ImpactAidEmployment.endDate RelatedPair.guardian</p>
Code	Name																																		
1	Air Force																																		
2	Air Force Reserve																																		
3	Air National Guard																																		
4	Army																																		
5	Army Reserve																																		
6	Army National Guard																																		
7	Coast Guard																																		
8	Coast Guard Reserve																																		
9	Marine Corps																																		
10	Marine Corps Reserve																																		
11	Navy																																		
12	Navy Reserve																																		
Code	Name																																		
1	Active Duty, Deployed																																		
2	Active Duty, Not Deployed																																		
Immigrant	<p>If Immigrant is checked, report 'StudentCharacteristicDescriptor2'.</p> <ul style="list-style-type: none"> Otherwise, do not report. <p>Calendar Override Mapping logic: If a student has an enrollment that is tied to a state-excluded grade level, but is mapped to a non-excluded grade level via the calendar override mapping tool, report the immigrant characteristics based on that enrollment.</p>	C	<p>Student Information > General > Enrollments > State Reporting > Immigrant</p> <p>Enrollment.immigrant</p>																																
Recently Arrived English Learner (RAEL)	<p>Report 'StudentCharacteristicDescriptor#5' if RAEL has an Identified Date on the EL editor.</p> <ul style="list-style-type: none"> Otherwise, do not report. 	C	<p>Student Information > English Learners > English Learners (EL) > "RAEL Identified Date"</p> <p>lep.raelIdentifiedDate</p>																																
SLIFE	<p>If SLIFE is checked, report 'StudentCharacteristicDescriptor#6'</p> <ul style="list-style-type: none"> Otherwise, do not report. Report beginDate from the EL Identified Date on the EL editor. 	C	<p>Student Information > English Learners > English Learners (EL) > "SLIFE"/"SLIFE Identified Date"</p> <p>Lep.slife Lep.slifeIdentifiedDate</p>																																
Migrant	Do not report.	O																																	
Ancestry	<p>If Race Ethnicity is marked as either '01' or '03', report 'StudentCharacteristicDescriptor#2'.</p> <ul style="list-style-type: none"> Otherwise, do not report. 	C	<p>Census > People > Identities/Demographics > Race Ethnicity</p> <p>Identity.raceEthnicity</p>																																

Student Identification Codes

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
studentIdentificationSystemDescriptor	A coding scheme that is used for identification and record-keeping purposes by schools, social services, or other agencies to refer to a student.	Report "Local".	M	N/A
assigningOrganizationIdentificationCode	The organization code or name assigning the StudentIdentificationCode.	Report "Assigning District ID".	M	N/A
identificationCode	A unique number or alphanumeric code assigned to a student by a school, school system, a state, or other agency or entity.	Report the personID.	M	Census > People > Demographics > personID Person.personID

Student Indicators

Data Element Label	Business Requirement	Business Rules	M, C or O	Location																					
indicatorName	The name of the indicator or metric.	<ol style="list-style-type: none"> If a Digital Equity record exists for the student that falls within the config year, report the following: <ul style="list-style-type: none"> "InternetAccessInResidence" as the Indicator Name for the first record in the array. Report "InternetAccessTypeInResidence" for the 2nd record. Report "InternetPerformance" for the 3rd record. Report "DigitalDevice" for the 4th record. Report "PrimaryLearningDeviceProvider" for the 5th record. Report "PrimaryLearningDeviceAccess" for the 6th record. If multiple Digital Equity records exist for the student, report the most recent record. If no record exists, do not report. 	C	Student Information > State Programs > Digital Equity <table border="1"> <thead> <tr> <th>EdFi endpoint</th> <th>Campus UI</th> <th>Campus d</th> </tr> </thead> <tbody> <tr> <td>InternetAccessInResidence</td> <td>Internet Access In Residence</td> <td>DigitalEqui</td> </tr> <tr> <td>InternetAccessTypeInResidence</td> <td>Primary Internet Access Type in Res</td> <td>DigitalEqui</td> </tr> <tr> <td>InternetPerformance</td> <td>Internet Performance</td> <td>DigitalEqui</td> </tr> <tr> <td>DigitalDevice</td> <td>Primary Digital Device</td> <td>DigitalEqui</td> </tr> <tr> <td>PrimaryLearningDeviceProvider</td> <td>Primary Learning Device Provider</td> <td>TBD</td> </tr> <tr> <td>PrimaryLearningDeviceAccess</td> <td>Primary Device Access</td> <td>DigitalEqui</td> </tr> </tbody> </table>	EdFi endpoint	Campus UI	Campus d	InternetAccessInResidence	Internet Access In Residence	DigitalEqui	InternetAccessTypeInResidence	Primary Internet Access Type in Res	DigitalEqui	InternetPerformance	Internet Performance	DigitalEqui	DigitalDevice	Primary Digital Device	DigitalEqui	PrimaryLearningDeviceProvider	Primary Learning Device Provider	TBD	PrimaryLearningDeviceAccess	Primary Device Access	DigitalEqui
EdFi endpoint	Campus UI	Campus d																							
InternetAccessInResidence	Internet Access In Residence	DigitalEqui																							
InternetAccessTypeInResidence	Primary Internet Access Type in Res	DigitalEqui																							
InternetPerformance	Internet Performance	DigitalEqui																							
DigitalDevice	Primary Digital Device	DigitalEqui																							
PrimaryLearningDeviceProvider	Primary Learning Device Provider	TBD																							
PrimaryLearningDeviceAccess	Primary Device Access	DigitalEqui																							
indicator	The value of the indicator or metric.	If a Digital Equity record exists for the student that falls within the configuration year, report the name for the value selected for each indicatorName.	C	Student Information > State Programs > Digital Equity																					
indicatorGroup	The name for a group of indicators.	If a Digital Equity record exists for the student that falls within the configuration year, report "DigitalEquity" for each indicatorName	C	N/A																					

Languages

Data Element Label	Business Requirement	Business Rule	M, C, or O	Location

languageDescriptor	The language(s) the individual uses to communicate. It is strongly recommended that entries use only ISO 639-3 language codes	Report the Language from the Home Primary Language saved on the student's current identity record. <ul style="list-style-type: none"> Look for a mapping saved to the Language Descriptor Override section in preferences. If there is a mapped value, report that mapping. If an override is not there, look to see if the language standard code matches an Ed-Fi code, if yes report that value. Report default value if saved on the Attribute and the standard code matches an Ed-Fi code. Otherwise, report blank. 	M	Census > People > Identities > Home Primary Language identity.homePrimaryLanguage
uses	A description of how the language is used (e.g. Home Language, Native Language, Spoken Language).		O	

Races

Data Element Label	Business Requirement	Business Rule	M, C, or O	Location
--------------------	----------------------	---------------	------------	----------

raceDescriptor	The general racial category which most clearly reflects the individual's recognition of his or her community or with which the individual most identifies.	<ol style="list-style-type: none"> 1. Determine the Race/Ethnicity(s) that are checked on the student's current identity record. <ul style="list-style-type: none"> ◦ Use the Identity Race Ethnicity table to determine all of the check boxes checked for the student's current identity id. 2. Report the Ed-Fi Code mapped to the corresponding Race Ethnicity. <ul style="list-style-type: none"> ◦ Report all races if the student has more than 1 selected. 3. Do not report if the person does not have a Race/Ethnicity checked or there is not a corresponding mapping. 	M	Census > People > Identities > Race/Ethnicity IdentityRaceEthnicity and racethnicity.raceid
-----------------------	--	--	---	--

Type / Descriptors

Student Characteristics

Code Value	Description	Namespace
1	Active Duty Parent (ADP)	uri://education.mn.gov/StudentCharacteristicDescriptor
2	American Indian - Alaskan Native (Minnesota)	uri://education.mn.gov/StudentCharacteristicDescriptor
3	Migrant	uri://education.mn.gov/StudentCharacteristicDescriptor
4	Immigrant	uri://education.mn.gov/StudentCharacteristicDescriptor
5	Recently Arrived English Learner (RAEL)	uri://education.mn.gov/StudentCharacteristicDescriptor
6	Student with Limited or Interrupted Formal Education (SLIFE)	uri://education.mn.gov/StudentCharacteristicDescriptor

Resource Preferences Continued

The Ed-Fi Configuration tool is used to establish Ed-Fi data resources.

The following describes how to set the resource preferences for the Student Education Organization Association resource. If the Configure or Edit buttons do not display, then the resource does not need to be mapped and the

toggle button can be used to turn the resource on or off.

If a mapping is changed, a resync must be performed on the resource in order for the new mappings to send correctly. Any item not mapped will not report to Ed-Fi.

1. Indicate if the resource should report Legal Identities.

Student Education Organization Associations

Active

Report Legal Identities when provided?

2. Set the Student Education Organization Association Descriptors:

Primary Learning Device Access Descriptors: Indicates whether the student shares the device with anyone else in the household.

Digital Equity Primary Device Access	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Digital Equity
UI Location	Student Information > State Programs > Digital Equity

Primary Learning Device Access

DigitalEquity Primary Device Access	Ed-Fi Code
S: Shared	Shared
NS: Not Shared	Not Shared
U: Unknown	Unknown

Primary Learning Device Provider Descriptors: Indicates if the primary learning device is a personal device or a school provided device.

Digital Equity Primary Learning Device Provider	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Digital Equity
UI Location	Student Information > State Programs > Digital Equity

Primary Learning Device Provider

DigitalEquity Primary Learning Device Provider	Ed-Fi Code
P: Personal	Personal
S: School	School
O: Other	Other

Digital Device Descriptors: Indicates the type of device the student most often uses to complete school work at home.

Digital Equity Primary Digital Device	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Digital Equity
UI Location	Student Information > State Programs > Digital Equity

Digital Device	
DigitalEquity Primary Digital Device	Ed-Fi Code
DL: Desktop/Laptop	Desktop/Laptop
TA: Tablet	Tablet
CB: Chromebook	Chromebook
SP: SmartPhone	SmartPhone
NA: None	None
OT: Other	Other

Race Descriptors: The general racial category which most clearly reflects the individual's recognition of his or her community or with which the individual most identifies.

Race Descriptors	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Identity > Race/Ethnicity
UI Location	Census > People > Identities

Race Descriptors	
Race Ethnicity	Ed-Fi Code
American Indian or Alaska Native	American Indian - Alaska Native: American
Asian	Asian: Asian
Black or African American	Black - African American: Black - African A
Native Hawaiian or Other Pacific Islander	Native Hawaiian - Pacific Islander: Native I
White	White: White

Student Language Override: The language the individual uses to communicate.

The Student Language Override mapping only needs to be populated if the code does not match a code that is in the Ed-Fi Code list.

Student Language Overrides	
UI Location	Census > People > Identities

Student Languages Override	
The code from the Language List Attribute Dictionary will report if it matches an Ed-Fi Code. Only add a record in this section if a Language List does not have a matching Ed-Fi Code and needs to be mapped to a non-matching Ed-Fi Code.	
Home Primary Language	Ed-Fi Code
No records mapped.	
<input type="button" value="Add"/>	

Ancestry Ethnic Origin Descriptors: The general category which most clearly reflects the individual's recognition of his or her ethnic ancestry.

Identity Race Subcategory	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Identity > Race Subcategory
UI Location	Census > People > Identities

Identity More Detailed Hispanic/Latino Codes	Ed-FI Code
hicolombian: Colombian	hl-colombian: Hispanic/Latino - Colombian ▼
hlecuadorian: Ecuadorian	hl-ecuadorian: Hispanic/Latino - Ecuadorian ▼
hlguatemalan: Guatemalan	hl-guatemalan: Hispanic/Latino - Guatemal: ▼
hlmexican: Mexican	hl-mexican: Hispanic/Latino - Mexican ▼
hlnotindicated: Decline to indicate	hl-notindicated: Hispanic/Latino - Decline to ▼
hlother: Other Hispanic/Latino	hl-other: Hispanic/Latino - Other ▼
hlpuertorican: Puerto Rican	hl-puertorican: Hispanic/Latino - Puerto Ric ▼
hlsalvadoran: Salvadoran	hl-salvadoran: Hispanic/Latino - Salvadoran ▼
hlspanish: Spaniard/Spanish/Spanish-American	hl-spanish: Hispanic/Latino - Spaniard/Spar ▼
hlunknown: Unknown	hl-unknown: Hispanic/Latino - Unknown ▼

Identity More Detailed Race/Ethnicity Codes	Ed-FI Code
aicherokee: American Indian - Cherokee	ai-cherokee: American Indian - Cherokee ▼
aidakota: American Indian - Dakota/Lakota	ai-dakota: American Indian - Dakota/Lakota ▼
ainotindicated: American Indian - Decline to indicate	ai-notindicated: American Indian - Decline to ▼
aiojibwe: American Indian - Anishinaabe/Ojibwe	ai-ojibwe: American Indian - Anishinaabe/Oj ▼
aiother: American Indian - Other North American Indian Tribal Affiliation	ai-other: American Indian - Other ▼
aiunknown: American Indian - Unknown	ai-unknown: American Indian - Unknown ▼
asburmese: Asian - Burmese	as-burmese: Asian - Burmese ▼
aschinese: Asian - Chinese	as-chinese: Asian - Chinese ▼
asfilipino: Asian - Filipino	as-filipino: Asian - Filipino ▼
ashmong: Asian - Hmong	as-hmong: Asian - Hmong ▼
asindian: Asian - Indian	as-indian: Asian - Indian ▼
askaren: Asian - Karen	as-karen: Asian - Karen ▼
askorean: Asian - Korean	as-korean: Asian - Korean ▼
asnotindicated: Asian - Decline to indicate	as-notindicated: Asian - Decline to indicate ▼
asother: Asian - Other	as-other: Asian - Other ▼
asunknown: Asian - Unknown	as-unknown: Asian - Unknown ▼
asvietnamese: Asian - Vietnamese	as-vietnamese: Asian - Vietnamese ▼

Internet Access In Residence Descriptors: Indicates if the student can access the internet on their primary learning device at home.

Digital Equity Primary Internet Access in Residence	
Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Digital Equity
UI Location	Student Information > State Programs > Digital Equity

Internet Access in Residence	
DigitalEquity Internet Access In Residence	Ed-FI Code
Yes: Yes	Yes ▼
NA: No - Not Available	No - Not Available ▼
No: No - Not Affordable	No - Not Affordable ▼
Other: No - Other	No - Other ▼

Internet Access Type In Residence Descriptors: Indicates the type of internet access the student has at home.

Digital Equity Primary Internet Access Type in Res

Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Digital Equity
UI Location	Student Information > State Programs > Digital Equity

Internet Access Type in Residence

DigitalEquity Primary Internet Access Type in Res	Ed-Fi Code
RB: ResidentialBroadband (DSL, Cable, Fiber)	Residential Broadband (DSL, Cable, Fiber) ▼
CN: CellularNetwork	Cellular Network ▼
HS: SchoolProvidedHotSpot	School-Provided Hot Spot ▼
SA: Satellite	Satellite ▼
DU: Dial-up	Dial-up ▼
OT: Other	Other ▼
NA: Unknown	Unknown ▼

Internet Performance Descriptors: Indicates the performance of the student's internet service.

Digital Equity Internet Performance

Attribute Dictionary	System Settings > Custom Data and Links > Core Attribute/Dictionary > Digital Equity
UI Location	Student Information > State Programs > Digital Equity

Internet Performance

DigitalEquity Internet Performance	Ed-Fi Code
Yes: Yes - No issues	Yes - No issues ▼
NC: Yes - But not consistent	Yes - But not consistent ▼
No: No	No ▼

3. Click **Save**.