

# Enrollment Start Status Setup


Last Modified on 02/02/2026 3:58 pm CST

[Enrollment Status Types in Ad hoc Query Wizard](#) | [System Preferences](#) | [Start Status Type](#) | [Modifications for Other Campus Tools Using Enrollment Start Statuses](#)

Tool Search: Start Status Type

Districts can map local enrollment statuses to state enrollment statuses when local statuses are very specific to a situation or to that district, but still need to be included in state reports. For districts that use very granular enrollment statuses, this lets the district continue to use those values, but still report the state mandated enrollment statuses.

**These tools are optional and are used at the district-level. Any Start and End Statuses created apply to all schools within the district.**



The screenshot shows the 'Enrollment Start Status Setup' interface. At the top, there's a green header with the Infinite Campus logo and a search icon. Below the header, the title 'Enrollment Start Status Setup' is followed by a star icon. A toolbar contains buttons for 'New', 'Save', 'Delete', and an 'Active' dropdown menu. The main area is divided into two sections. The top section, 'Start Status Type Editor', is a table with columns: 'Default', 'Code', 'Name', 'Start School Year', and 'End School Year'. The bottom section, 'Start Status Type Detail', contains form fields for '\*Start School Year', 'End School Year', '\*Code', '\*Name', '\*State Start Status Code (Mapping)', and a 'Default' checkbox.

Default	Code	Name	Start School Year	End School Year
X	CM1	Enrolled	21-22	
	CM4	Transferred in from another country	21-22	
	CM2	Transferred in from another district	21-22	
	CM3	Transferred in from another state	21-22	
	08	From priv relig sch, diff state dist	22-23	
	09	From priv relig sch, different state	22-23	
	10	From a school outside of the US	22-23	
	15	Continuous within same school	22-23	
	16	Re-entry after vol. withdrawal	22-23	
	17	Re-entry after invol. withdrawal	22-23	

**Start Status Type Detail**

\*Start School Year: 21-22 (dropdown)      End School Year: (dropdown)


\*Code: CM1      \*Name: Enrolled

\*State Start Status Code (Mapping): 15: Continuous within same school (dropdown)      Default: ☒


Enrollment Start Status Setup




See the [Enrollment Start Status Setup/End Status Setup Tool Rights](#) article for information about rights needed to use this tool.

The Student Enrollment editor lists the Local Start Status as well as the mapped State Start Status. The State Statuses report in the appropriate state extracts.



**Enrollments** ☆

Student, Maren  Grade: 11 #123456 DOB: 09/15/05 Counselor: Joy Counselor

 Medical Condition(s)  NHS  Computer Science Pathway

[Save](#) [Delete](#) [New](#) [Print Enrollment History](#) [New Enrollment History](#) [Documents](#)

**General Enrollment Information**

Calendar: 22-23 High School Schedule (read only): Main  \*Grade: 11  Class Rank Exclude: ☐ External LMS Exclude: ☐

\*Start Date: 07/01/2022  No Show: ☐ End Date:  End Action:  \*Service Type: P: Primary

**\*Local Start Status** Local End Status

CM1: Enrolled   E222: Changed Grade Levels!

State Start Status: 15: Continuous within same school State End Status: E155: Year End Grade Level Exit

Start Comments:  End Comments:

CRDC School of Accountability:


Student Enrollment Record - Local Start/End Statuses

All existing state start statuses have been added to the Start Status editors with a Start School Year value of 1993-1994.

These tools are not available for South Dakota districts or for Montana Edition.

## Enrollment Status Types in Ad hoc Query Wizard

Enrollment Status Types are available in the Query Wizard for Student data types in the **Student > Learner > Active Enrollment > Core Elements** and **All Enrollments > Core Elements** folder.




## System Preferences

Two system preferences are tied to the Enrollment mapping process - **Enrollment Start Status Type Updates** and **Enrollment End Status Type Updates**. These preferences determine whether users (districts) maintain the mapped status types or if Campus maintains the mapped status types.

- When set to *User Maintained*, no auto-maintenance process occurs with Campus and users (districts) are expected to manually create all necessary enrollment start and end status mappings.
- When set to *Campus Maintained*, the auto-maintenance process occurs within Campus and users (districts) do not need to manually create enrollment start and end status mappings. This is the default selection.

See the [System Preference](#) article for more information.

 Save

**District Preferences**

Search Screen Field Order	Student Number AFTER Name Fields
Enrollment Overlap Behavior	Centralized Enrollment: Auto-End overlapping Primary Enrollments
Default Enrollment Local End Status	99: Enrollment Status changed (Valid 1993-94 thru curre
Enrollment Start Status Type Updates	Campus Maintained
Enrollment End Status Type Updates	Campus Maintained
Allow GPA Bonus Points	Yes
Turn on Federal Impact Aid Tracking	No
Search Limit	No Limit (not recommended)

*Enrollment Mapping System Preferences*

## Start Status Type

[Start Status Fields](#) | 
 [Create Start Status Types](#) | 
 [Mark a Start Status as Inactive](#) | 
 [Delete a Start Status Type](#)

Create local Start Status Types to assign to students in the district. These codes can be assigned a specific year in which they were active, and an end year. For example, a code may only be necessary for one school year due to the construction at one school building, where all students in that building are temporarily placed at another building for the year.

☰
🔍
Infinite Campus

## Enrollment Start Status Setup ☆

+ New
 💾 Save
 ✕ Delete
 

Active ▾

Start Status Type Editor				
Default	Code	Name	Start School Year	End School Year
X	CM1	Enrolled	21-22	
	CM4	Transferred in from another country	21-22	
	CM2	Transferred in from another district	21-22	
	CM3	Transferred in from another state	21-22	
	08	From priv relig sch, diff state dist	22-23	
	09	From priv relig sch, different state	22-23	
	10	From a school outside of the US	22-23	
	15	Continuous within same school	22-23	
	16	Re-entry after vol. withdrawal	22-23	
	17	Re-entry after invol. withdrawal	22-23	

Start Status Type Detail	
<div style="margin-bottom: 5px;"> <div style="display: flex; justify-content: space-between;"> <span style="color: red;">*Start School Year</span> <span>End School Year</span> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <div style="border: 1px solid #ccc; padding: 2px;">21-22 ▾</div> </div> <div style="width: 45%;"> <div style="border: 1px solid #ccc; padding: 2px;">▾</div> </div> </div> </div> <div style="margin-bottom: 5px;"> <div style="display: flex; justify-content: space-between;"> <span style="color: red;">*Code</span> <span>*Name</span> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <div style="border: 1px solid #ccc; padding: 2px;">CM1</div> </div> <div style="width: 45%;"> <div style="border: 1px solid #ccc; padding: 2px;">Enrolled</div> </div> </div> </div> <div> <div style="display: flex; justify-content: space-between;"> <span style="color: red;">*State Start Status Code (Mapping)</span> <span>Default</span> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <div style="border: 1px solid #ccc; padding: 2px;">15: Continuous within same school ▾</div> </div> <div style="width: 45%;"> <div style="border: 1px solid #ccc; padding: 2px;"><input checked="" type="checkbox"/></div> </div> </div> </div>	

Enrollment Start Status Setup Editor

## Start Status Fields

Field	Description
<b>Start School Year</b> <i>Required</i>	Indicates the first school year the code is valid.
<b>End School Year</b>	Indicates the last school year the code is valid.
<b>Code</b> <i>Required</i>	Indicates the local code value to be mapped to the indicated state value.  When modified, all enrollments are updated to the new value. A warning message displays upon saving the change.
<b>Name</b> <i>Required</i>	Indicates the local name to be mapped to the indicated state value.
<b>State Start Status Code (Mapping)</b> <i>Required</i>	Indicates the state defined code for reporting purposes.

Field	Description
<b>Default</b>	<p>When marked, indicates the default value for Local Status on the enrollment record.</p> <p>Only one record can be marked as Default at a time. If another status is marked as default and a new status is then marked as default, the original status is modified to no longer be the default.</p>

## Create Start Status Types


1. Click the **New** icon. The **Start Status Type Detail** editor displays.
2. Select the **Start School Year** from the dropdown list.
3. Enter the **Code** assigned to the new start status.
  - The Code assigned to a start status determines the order in which the code appears in the Start Status dropdown list on the Enrollment tab. This applies only to numeric codes.
  - Code assignments, active or inactive, may only be used once.
4. Enter the **Name** assigned to the new start status.
  - Codes can be used in the naming convention to ease user searches of the dropdown list.
5. Select the **State Start Status** Code to which this new status is mapped.
6. If this is the default **Start Status** to be used, mark the Default checkbox.
7. Click the **Save** icon when finished. The new status is listed in the Start Status Type Editor list in code order.

Once a Start Status is saved, modifications to the Start School Year and State Start Status Code fields cannot be made.

## Mark a Start Status as Inactive

1. Locate and select the Start Status that is no longer to be used from the Start Status Type Editor.
2. Select an **End School Year** from the dropdown list. This means the code is no longer used as of the end of the selected school year.
3. Click the **Save** icon when finished.

Depending on the year selected from the dropdown, that start status no longer displays as an Active status, but can be found by switching the filter to Inactive or to All (lists both active and inactive statuses together).



A status becomes inactive as of the end of that school year (when the Active Year is changed). If a new status is added with a Start School Year of 2021-22 and the Active School Year has not been changed yet, that status is considered inactive as well.

## Delete a Start Status Type

If assigned correct tool rights, locate and select the start status to delete and click the **Delete** icon. A warning message displays indicating the start status will be completely removed. Click to continue (or cancel).

Start statuses can only be deleted if it is not assigned to a student enrollment.

## Modifications for Other Campus Tools Using Enrollment Start Statuses

The following lists the updates that have been made to other Campus tools that use enrollment start and end status.

Campus Tool	Description of Change	Campus Location
<a href="#">Combine Person</a>	State Start and End Statuses continue to function as currently designed. Local codes tied to a chosen record carry forward just like the state codes.	System Administration > Data Utilities > Combine Person

Campus Tool	Description of Change	Campus Location
<a href="#">Student Locator</a>	When creating a new student, the Enrollment Detail section displays the Local Start Status and Local End Status fields like the Enrollment Editor, and also lists the mapped State Start and End Status values.	Student Information > Student Locator
<a href="#">Records Transfer</a>	<p><b>Enrollment History</b> The Start Status lists both the Local Start and End Statuses and the State Start and End Statuses.</p> <p><b>Enrollment History Import</b> The Start Status lists both the Local Start and End Statuses and the State Start and End Statuses. State statuses are read only.</p> <div> <p>The State Status is included when the transfer is within the same geographic state; however, the Local Status is available for districts to populate with the start and end status used at their location.</p> </div>	System Administration > Data Utilities > Student Records Transfer > Release Records/Transfer Complete > Transfer Documents > Enrollment History Records Transfer > Transfer Released > Transfer Documents > Enrollment History Import Wizard
<b>State Edition</b>	<p>State Start and End Statuses continue to sync as designed from District Edition to State Edition.</p> <p><b>Enrollment Editor</b></p> <ul style="list-style-type: none"> <li>Only state codes display.</li> <li>The Start Status field is now State Start Status; the End Status field is now State End Status.</li> <li>When generating the Print Enrollment History, the Start Status field is now State Start Status; the End Status field is now State End Status.</li> </ul>	Student Information > General > Enrollments
<a href="#">Enrollment Roll Forward</a>	<p>The Select Start Status field now uses the Local Start Status values and has been renamed Select Local Start Status.</p> <p>When saving new enrollment records, both the Local code and the Start code are saved.</p>	System Administration > Student > Enrollment Roll Forward



Campus Tool	Description of Change	Campus Location
<a href="#">Enrollment History</a>	Start Status and End Status fields now display as Local Start Status and Local End Status fields, and the mapped State Start and End Statuses are listed.	Student Information > General > Enrollments > Enrollment History
<a href="#">Enrollment History Import Wizard</a>	<p>When a record is transmitted <b>with</b> a State Start Status or a local State End Status, the Local Start or End Status remains blank. This needs to be added before importing can occur. Or, click Delete to remove all imported State Start Statuses.</p> <p>When a record is transmitted <b>without</b> a State Start or End Status, the Local Start or End Status remains blank.</p>	System Administration > Data Utilities > Student Records Transfer
<a href="#">Enrollment End Batch</a>	The End Status field has been renamed to Local End Status. Available options are the Local End Status values.	System Administration > Student > Enrollment End Batch
<a href="#">Enrollment Overlap System Preference</a>	<p>When the <b>Default Enrollment Local End Status System Preference</b> is set to one of the following, the <b>Default Enrollment End Status</b> value lists the Local End Status values. When enrollments are ended, the selected local end status is assigned.</p> <ul style="list-style-type: none"> <li>Centralized Enrollment: Auto-End Overlapping Primary Enrollments</li> <li>Overlap Warning: Auto-end overlapping primary enrollment. Warn the user.</li> </ul>	System Administration > Preferences > System Preferences > Enrollment Overlap Behavior
<a href="#">School Choice</a>	The Post Applications tool for new enrollments uses the Local Start Status values.	System Administration > School Choice > Post Applications
<a href="#">Post Diplomas</a>	When posting diplomas using the Course Plan Admin tool, the end status fields populate the student's Local End Status and the mapped selection for the State End Status.	Program Admin > Course Plan Admin > Post Diplomas