

Organization General Information (DN) (Ohio Extracts) [.2211 - .2239]

Last Modified on 01/13/2026 3:56 pm CST

[Report Logic](#) | [Generating the Extract](#) | [Extract Layout](#)

You are viewing a previous version of this article. See [Organization General Information \(DN\) \(Ohio Extracts\)](#) for the most current information.

PATH: *OH State Reporting > OH Extracts > Organization General Information (DN)*

The Ohio Organization General Information (DN) extract is used to report groups of information regarding building and district information including a school's calamity days. Records in the Calamity group are required to be reported for each building within a city, local, exempted village school district as well as each community school and each STEM district. In addition, Calamity building records are required for each Joint Vocational School (JVS) within a joint vocational school district (JVSD), the Ohio School for the Deaf (OSD), and the Ohio School for the Blind (OSB).




Image 1: Organization General Information (DN) Extract Editor

Report Logic

Each attribute within each group will report a record. Records should be sorted by group and by calendar. Calendar and state exclude will report. Currently, only the Calamity, Count Week Days, and Calendar extract groups are reported.

A record reports for each day with a Date Event, for each State Grade. Duplicate records are not reported for days with multiple events.

Calamity Group Attribute Codes

Code	Description
CLMTYMDEUP	Calamity Day Made Up
CLMTYTAKEN	Calamity Day Taken
SHORTENOTH	Shortened Day Due to Other
SHORTENWEA	Shortened Day Due to Weather

Calendar Group Attribute Codes

For Day Events of DBLZZARD, a record reports for each Day with that Event. A separate record reports for each Grade Level that is not marked as State Exclude. If an Attendance Pattern is entered, a record reports for each Attendance Pattern entered for a Grade Level.

For all other attributes, for each Day Event of the reported attribute, each grade level not marked state exclude reports a record, and within that a record reports for each unique Attendance Pattern.

Code	Description
C_DCMTYTKN	Full day taken for calamity situations.
C_DNOTPLAN	Full unplanned day not in session, excluding calamity days.
C_DPLANNED	Full planned day not in session, such as holidays and breaks.
C_HRSLNGTH	Can be used for a calamity makeup day added to a scheduled day, or for other reasons.
C_HSHRTNOP	Hours in session when the day was shortened for an unplanned reason other than weather, such as early dismissals, late starts, or mid-day interruptions.
C_HSHRTPLN	Hours in session when the day was shortened for a planned reason other than weather, such as teacher professional days and parent-teacher conference days. Reports days where both students and staff are expected to attend. If a day only includes staff, hours report in Teacher Days code.
C_HSHRTWEA	Hours in session when the day was interrupted by weather.
C_PRFLMEET	Staff professional meeting day, full or partial.
C_PTCONFRC	Parent-teacher conference day, full or partial.
C_YWKDAYMN	For students who are not expected to be in attendance every Monday during the school year.
C_YWKDAYTU	For students who are not expected to be in attendance every Tuesday during the school year.

Code	Description
C_YWKDAYWD	For students who are not expected to be in attendance every Wednesday during the school year.
C_YWKDAYTH	For students who are not expected to be in attendance every Thursday during the school year.
C_YWKDAYFR	For students who are not expected to be in attendance every Friday during the school year.
C_YWKDAYSA	For students who are expected to be in attendance every Saturday during the school year.
C_YWKDAYSU	For students who are expected to be in attendance every Sunday during the school year.
C_HRSWKEND	For students who attend on a Saturday or Sunday that is not in the regular schedule, such as make up days.

Generating the Extract

1. Select the Organization General Information (DN) **Extract Type**.
2. Select the appropriate **Group** from the dropdown list, indicating the type of attributes generated on the report. Each attribute within each group will report a record. Records are sorted by group and by calendar.
3. Select the appropriate **Reporting Period** for the selected Group.
4. Enter the desired **Date Range** in *mmddyyyy* format or by clicking the calendar icons and selecting dates. Indicates date range from which the report will extract data.
5. Select the extract **Format**. For submission to the state, select the State Format (Fixed width) option. To review data before submission to the state, select any of the other available formats.
6. Select which **calendar(s)** to include within the extract. Information regarding the selected group for the school(s) in the selected calendar(s) will appear in the report. Calendars may be listed by active year, school or year by selecting the appropriate radio button.
7. Click **Generate Extract** to generate the report in the indicated format or **Submit to Batch** to schedule when the report will generate. If generating multiple extracts at a time (after Campus.1921), requests can only be submitted to the Batch Queue.

Users have the option of submitting a Organization General Information (DN) report request to the batch queue by clicking **Submit to Batch** instead of Generate Extract. This process will allow larger reports to generate in the background, without disrupting the use of Campus. For more information about submitting a report to the batch queue, see the [Batch Queue](#) article.

DN 2012K043794000094CLMTYMDUEP00000000	00000000000
DN 2012K043794000094CLMTYTAKEN00000000	00000000020
DN 2012K043794000094SHORTENOTH00000000	00000000000
DN 2012K043794000094SHORTEWEA00000000	00000000000
DN 2012K043794000093CLMTYMDUEP00000000	00000000000
DN 2012K043794000093CLMTYTAKEN00000000	00000000020
DN 2012K043794000093SHORTENOTH00000000	00000000000
DN 2012K043794000093SHORTEWEA00000000	00000000000
DN 2012K043794000049CLMTYMDUEP00000000	00000000000
DN 2012K043794000049CLMTYTAKEN00000000	00000000020
DN 2012K043794000049SHORTENOTH00000000	00000000000
DN 2012K043794000049SHORTEWEA00000000	00000000000

Image 2: Organization General Information (DN) Extract - State Format (Fixed Width)

OH Organization General Information Records:124										
Filler1	SortTypeCode	Filler2	FiscalYear	ReportingPeriodCode	DistrictIRN	OrganizationIRN	AttributeName	AttributeDate	AttributeText	AttributeNumber
	DN		2012	K	043794	000094	CLMTYMDUEP	00000000		0000000000
	DN		2012	K	043794	000094	CLMTYTAKEN	00000000		0000000020
	DN		2012	K	043794	000094	SHORTENOTH	00000000		0000000000
	DN		2012	K	043794	000094	SHORTEWEA	00000000		0000000000
	DN		2012	K	043794	000093	CLMTYMDUEP	00000000		0000000000
	DN		2012	K	043794	000093	CLMTYTAKEN	00000000		0000000020
	DN		2012	K	043794	000093	SHORTENOTH	00000000		0000000000
	DN		2012	K	043794	000093	SHORTEWEA	00000000		0000000000

Image 3: Organization General Information (DN) Extract - HTML

A	B	C	D	E	F	G	H	I	J	K	
1	Filler1	SortTypeCode	Filler2	FiscalYear	ReportingPeriodCode	DistrictIRN	OrganizationIRN	AttributeName	AttributeDate	AttributeText	AttributeNumber
2	DN			2012	K	43794	94	CLMTYMDUEP	0		0
3	DN			2012	K	43794	94	CLMTYTAKEN	0		20
4	DN			2012	K	43794	94	SHORTENOTH	0		0
5	DN			2012	K	43794	94	SHORTEWEA	0		0
6	DN			2012	K	43794	93	CLMTYMDUEP	0		0
7	DN			2012	K	43794	93	CLMTYTAKEN	0		20
8	DN			2012	K	43794	93	SHORTENOTH	0		0
9	DN			2012	K	43794	93	SHORTEWEA	0		0
10	DN			2012	K	43794	49	CLMTYMDUEP	0		0

Image 4: Organization General Information (DN) Extract - CSV

```

</User>
</Header>
- <ExtractOrganizationGeneralInformation>
- <Extract name="OH Organization General Information">
<record Filler1="" SortTypeCode="DN" Filler2="" FiscalYear="2010" ReportingPeriodCode="K" DistrictIRN="043794"
OrganizationIRN="000094" AttributeName="CLMTYMDUEP" AttributeDate="00000000" AttributeText=""
AttributeNumber="0000000000" />
<record Filler1="" SortTypeCode="DN" Filler2="" FiscalYear="2010" ReportingPeriodCode="K" DistrictIRN="043794"
OrganizationIRN="000094" AttributeName="CLMTYTAKEN" AttributeDate="00000000" AttributeText=""
AttributeNumber="0000000020" />
<record Filler1="" SortTypeCode="DN" Filler2="" FiscalYear="2010" ReportingPeriodCode="K" DistrictIRN="043794"
OrganizationIRN="000094" AttributeName="SHORTENOTH" AttributeDate="00000000" AttributeText=""
AttributeNumber="0000000000" />
<record Filler1="" SortTypeCode="DN" Filler2="" FiscalYear="2010" ReportingPeriodCode="K" DistrictIRN="043794"
OrganizationIRN="000094" AttributeName="SHORTEWEA" AttributeDate="00000000" AttributeText=""
AttributeNumber="0000000000" />
<record Filler1="" SortTypeCode="DN" Filler2="" FiscalYear="2010" ReportingPeriodCode="K" DistrictIRN="043794"
OrganizationIRN="000093" AttributeName="CLMTYMDUEP" AttributeDate="00000000" AttributeText=""
AttributeNumber="0000000000" />
<record Filler1="" SortTypeCode="DN" Filler2="" FiscalYear="2010" ReportingPeriodCode="K" DistrictIRN="043794"
OrganizationIRN="000093" AttributeName="CLMTYTAKEN" AttributeDate="00000000" AttributeText=""
AttributeNumber="0000000020" />

```

Image 5: Organization General Information (DN) Extract - XML

Extract Layout

Element Name	Description & Format	Campus Location
Filler	Filler - 8 characters	N/A
Sort Type Code	Identifies the record type. This will always report as DN for the Organization General Information extract. <i>Alphanumeric, 2 characters</i>	Not Dynamically Stored
Filler 2	Filler - 1 character	N/A
Fiscal Year	Identifies the end of the school year. The fiscal year is July 1st through June 30th. <i>Date Field, 4 characters, CCYY</i>	System Administration > Calendar > School Years > End Year calendar.endDate
Reporting Period Code	The reporting period from which the data is being pulled. <i>Alphanumeric, 1 character</i>	OH State Reporting > OH Extracts > Reporting Period Not Dynamically Stored
District IRN	Identifies the state assigned six-digit information retrieval number of the district. <i>Numeric, 6 digits</i>	System Administration > Resources > District Information > State District Number district.number
Organization IRN	Identifies the six-digit information retrieval number of the organization. <i>Numeric, 6 digits</i>	System Administration > Resources > School > State School Number school.number

Element Name	Description & Format	Campus Location
Attribute Name	<p>Identifies an attribute of the group selected on the extract editor. Each attribute within the selected group reports for the selected calendar(s). Will report as CWDAYSOPEN for Count Week Days Group and as follows for Calamity Group or Calendar Group.</p> <p>This field is reused and can have multiple meanings dependent upon the group selected on the extract editor.</p> <p><i>Alphanumeric, 10 characters</i></p>	<p>System Administration > Calendar > Calendar > Days > Day > Day Events</p> <p>Day.eventType</p>
Attribute Date	<p>Identifies the attribute's date of occurrence.</p> <p><i>Date Field, 8 characters, CCYYMMDD</i></p>	<p>System Administration > Calendar > Calendar > Days > Day > Day Detail > Date</p> <p>day.date</p>
Attribute Text	<p>Identifies additional text associated with the reported attribute name.</p> <p>For the Count Week Day Group, reports based on the Count Week entered. Reports as Y If the Count Week Start Date is marked as Instructional and there is no event with a Standard Code of CLMTYTAKEN, SHORTENWEA or SHORTENOTH. Otherwise reports as N.</p> <p>For the Calendar Group, attributes report the State Grade Level + the Attendance Pattern Code. If Attendance Pattern is null, reports as **.</p> <p><i>Alphanumeric, 6 characters</i></p>	<p>System Administration > Calendar > Calendar > Days > Day > Day Detail > Comments</p> <p>day.comments</p>

Element Name	Description & Format	Campus Location
Attribute Number	<p>Indicates the sum of days where a day event has one of the following codes for the Calamity Group:</p> <ul style="list-style-type: none"> • CLMTYMDEUP • CLMTYTAKEN • SHORTENOTH • SHORTENWEA <p>Reports as 0000000000 for the Count Week Day Group.</p> <p>For the Calendar Group, the DBLZZARD attribute calculates as follows: If the Day Event has Instruction Minutes entered, reports the Instruction Minutes entered divided by 60. If Instruction Minutes is null, reports as described below.</p> <p>For the Calendar Group, the DBLZZARD, HRSNGTH, HSHRTNOP, HSHRTPLN, and HRSWKEND attributes calculate as the Start Time of the day minus the End Time of the day minus Lunch Minutes, divided by 60. For the HSHRTNOP, HRSNGTH, HSHRTWEA, and HSHRTPLN calendar events, if the Day Event has Instructional Minutes entered, reports that value divided by 60, otherwise based on the calculation above.</p> <p>For the Calendar Group, the PRFLMEET and PTCONFRC attributes calculate as the day event Duration divided by 60.</p> <p>Values report with an implied 4 place decimal. For example, 2.25 hours reports as 0000022500.</p> <p>All other attributes report as 0000000000.</p> <p><i>Alphanumeric, 10 characters</i></p>	System Administration > Calendar > Calendar > Days > Day > Day Events day.eventType