Technical Information - Release Pack Campus.2247

Last Modified on 12/22/2025 4:24 pm CST

These cases are included in the Campus.2247 release pack.

Data Definition Language Scripts (DDL)

This section lists data structures that were created, altered, or dropped, based on the vocabulary used to define data structures in SQL Server.

New Tables

Case Number	Table	Description
SIS-155023	TermAndConditionAgreement	A record of a portal user accepts or declines to sign a document electronically on portal. one record per person per document.
SIS-155023	PlanESignPersonIDs	Linking table that associates plan to personIDs of selected guardians to eSign the plan.
SIS-155023	PlanESignature	Linking table that associates plan to eSignature.
SIS-158336	CustomPtech	User extended data on the ptech table defined by campusattributes.
SIS-158336	CustomSmartProgram	User extended data on the smart program table defined by campusattributes.
SIS-158336	Ptech	Ptech related data.
SIS-158336	PtechCriteria	Ptech criteria multi-select related data.
SIS-158336	SmartProgram	Smart program related data.
SIS-158336	SmartProgramCriteria	Smart program criteria multi-select related data.

Modified Tables

Added | Deprecated

Added

Case Number	Table	Column	Description
SIS-155023	DocumentFile	isEsign	Indicates whether this document is an esign copy
SIS-155023	DocumentFile	eSignedBy	Current name of the esign user
SIS-155023	ESignature	description	Description of the additional data
SIS-155023	ESignature	eSignField	Identifier of esignfield for documents with multiple esign fields
SIS-155023	ESignature	fontSize	Font size of the esignature
SIS-155023	ESignature	payload	Additional data associated with the esignature
SIS-155023	Plan	submittedFromPortal	Indicates if document is signed or declined and submitted by portal user when not locked --nv only.
SIS-155023	Plan	sentForEsignTimestamp	The timestamp when the status of sentforesign was last toggled. --nv only
SIS-155023	Plan	sentForEsign	Indicates if document is sent to portal for esignature when not locked --nv only.
SIS-155023	PlanEditorStatus	eSignField	Name of the corresponding esign field.
SIS-155023	PlanEditorStatus	validationCompletePendingEsign	Indicates the editor will be valid when esigned.
SIS-155023	PortalDisplayOptions	documentsIEPeSign	Flag to display ieps should be available for esignature on the portal. --nv only
SIS-157530	EarlyLearning	elProgramAddress	Early learning program address, hi
SIS-157530	EarlyLearning	attended	Indicates wheather student attended an early learning program, hi
SIS-157530	EarlyLearning	programCode	Dictionary code of an early learning program, hi
SIS-157530	EarlyLearning	elProgramName	Custom early learning program name, hi

Case Number	Table	Column	Description
SIS-157530	EarlyLearning	noProgramStartAndOrEnd	Indicates when no program start and/or end date was provided
SIS-157530	EarlyLearning	nameNotProvided	Indicates when no early learning program name was provided, hi
SIS-157530	EarlyLearning	addressNotProvided	Indicates when no early learning program address was provided, hi
SIS-158074	EnrollmentIN	dualEnrollmentInstrMin	Indicates how many instructional minutes a day the dual enrolled student receives.
SIS-158381	PACTE	baccaDegreeAwarded	Indicates if a bacca degree was awarded
SIS-158381	PACTE	certificateOfApprenticeshipPre	Indicates if a certificate of apprenticeship pre was awarded
SIS-158381	PACTE	adultCumulativeCreditEquiv2	Indicates that adult cumulative credit was awarded
SIS-158381	ProgramParticipationCTE	baccaDegreeAwarded	Indicates if a bacca degree was awarded
SIS-158381	ProgramParticipationCTE	certificateOfApprenticeshipPre	Indicates if a certificate of apprenticeship pre was awarded
SIS-158381	ProgramParticipationCTE	adultCumulativeCreditEquiv2	Indicates that adult cumulative credit was awarded
SIS-159802	SEPTestAccommodationsWI	varChar5	Generic field for comment text.
SIS-160204	RecordsTransfer	homelessServDocumentXML	Xml representation of the released student's homeless services documents.
SIS-160204	RecordsTransfer	homelessServDocumentFOP	The homeless services rendering object intended to be used in conjunction with the associated xml data.
SIS-160408	PlanState	editorRefreshed	Bit field to track if the refresh button has been pressed on the editor.

Deprecated

Case Number	Table	Column	Description
SIS-160583	AdHocFilter	text	Deprecated: stores the text representation of the filter elements selected by the user defining the filter
SIS-160583	AdHocFilter	sectionID	Deprecated: never used. reference to the section table for filter use by teachers
SIS-160583	BehaviorEvent	staffName	Deprecated: name of staff involved
SIS-160583	BehaviorEvent	teacher	Deprecated: indicates if violence was directed at teacher(s) in a behavior event.
SIS-160583	BehaviorEvent	other	Deprecated: indicates if violence was directed at other person(s) in a behavior event.
SIS-160583	BehaviorEvent	student	Deprecated: indicates if violence was directed at student(s) in a behavior event.
SIS-160583	BehaviorEvent	offenderReferral	Deprecated: text field indicating the referral of the offender. was used in ks.
SIS-160583	BehaviorEvent	victimReferral	Deprecated: indicates whether behavior event was a violence indication. was used in ks
SIS-160583	BehaviorEvent	incidentDescription	Deprecated: lists the details of the incident.
SIS-160583	BehaviorEvent	staff	Deprecated: indicates if violence was directed at non-teaching staff in a behavior event.
SIS-160583	BehaviorEvent	referralDate	Deprecated: the values have been moved to behaviorincident.referraltimestamp.
SIS-160583	BehaviorEvent	civilProceedings	Deprecated: indicates whether civil proceedings resulted from the behavior event.
SIS-160583	BehaviorEvent	referralName	Deprecated: name of referring staff
SIS-160583	BehaviorEvent	boardViolation	Deprecated: classifies behavior event as specific type of school violation.

Case Number	Table	Column	Description
SIS-160583	BehaviorPreference	sped	Deprecated: displaying special ed option on reports setup. this is now a record with element='sped'
SIS-160583	BehaviorPreference	notify	Deprecated: default administrators to notify. this is now a record with element='notify'
SIS-160583	BehaviorPreference	calendarID	Deprecated: not used.
SIS-160583	BehaviorPreference	gender	Deprecated: display gender option on reports setup. this is now a record with element='gender'
SIS-160583	BehaviorPreference	race	Deprecated: display race and ethnicity option on reports setup. this is now a record with element='race'
SIS-160583	BehaviorResolution	discAssignDate	Deprecated: date the resolution was assigned to the student.
SIS-160583	BehaviorResolution	altPlacementSped	Deprecated: indicates the special education student was placed in an alternative setting as part of the behavior resolution.
SIS-160583	BehaviorRole	medicalServiceProvided	Deprecated: indicates if medical service was provided as a result of this incident.
SIS-160583	BehaviorRole	campusIDofResponsibility	Deprecated: name of the school in which the student is enrolled.
SIS-160583	CampusAttribute	verticalAlignment	Deprecated: controls the vertical alignment of the label for this campus attribute inside of the campuside (top, middle, bottom)
SIS-160583	CampusAttribute	keepHistory	Deprecated: tells campus ide to keep record of all changes made to each corresponding campusattributevalue record
SIS-160583	CampusAttribute	planEnabled	Deprecated: this column is not currently being used, but will be implemented in future campus versions as part of the custom learner planning feature.

Case Number	Table	Column	Description
SIS-160583	CampusAttribute	key	Deprecated: name of the primary key of 'object' example:personid
SIS-160583	CampusAttribute	horizontalAlignment	Deprecated: controls the horizontal alignment of the label for this campus attribute of the campuside (left, center, right)
SIS-160583	ConstraintCourseRoom	minSections	Deprecated: unused.
SIS-160583	ConstraintCourseRoom	maxSections	Deprecated: unused.
SIS-160583	Course	lock	Deprecated: indicates the course is locked.
SIS-160583	Course	highlyQualified	Deprecated: designates the course as needing to be taught by a teacher who is considered highly qualified, based on employment credentials associated with the teacher.
SIS-160583	Course	pseoCredit	Deprecated: stores the pseo credit total for which the course is worth
SIS-160583	Course	standardsBased	Deprecated: indicates the courses uses standards as a measure of performance
SIS-160583	CoursePlan	alternateRank	Deprecated: replaced with courseplanalternate.
SIS-160583	EmploymentAssignment	schoolID	Deprecated: reference to the school table. moved to employmentassignmentlocation but this field is still populated for legacy purposes.
SIS-160583	EmploymentCredential	activeDuty	Deprecated: indicates if the staff person is active in the military full time
SIS-160583	Enrollment	gradYear	Deprecated: this value has migrated to graduation.gradyear.
SIS-160583	Enrollment	diplomaPeriod	Deprecated: this value has migrated to graduation.diplomaperiod.

Case Number	Table	Column	Description
SIS-160583	Enrollment	lep	Deprecated: indicates the student is participating in lep programming. migrated to the el module (the lep tables).
SIS-160583	Enrollment	diplomaDate	Deprecated: this value has migrated to graduation.diplomadate.
SIS-160583	Enrollment	postGradPlans	Deprecated: this value has migrated to graduation.postgradplans.
SIS-160583	Enrollment	englishProficiency	Deprecated: indicates the student becoming proficient in english. migrated to the el module (the lep tables).
SIS-160583	Enrollment	childCountStatus	Deprecated: tracks child count levels. was used in wi and is used in co but stored in customstudent.
SIS-160583	Enrollment	language	Deprecated: notes the language most often spoken at home by the student and family. migrated to the el module (the lep tables). communication languages on identity.
SIS-160583	Enrollment	cohortYear	Deprecated: indicates the year in which the student's cohort began education, mostly indicated for 9th grade usage. migrated to graduation table.
SIS-160583	Enrollment	mealStatus	Deprecated: indicates whether the student receives free or reduced meals. migrated to poseligibility table and the fram(free reduced application management) tables.
SIS-160583	Enrollment	localStudentNumber	Deprecated: assigned when the enrollment record is created. school/district identifier for the student. this is on person.studentnumber.
SIS-160583	Enrollment	englishProficiencyDate	Deprecated: notes the date the student became proficient in english. migrated to the el module (the lep tables).

Case Number	Table	Column	Description
SIS-160583	Enrollment	diplomaType	Deprecated: this value has migrated to graduation.diplomatype.
SIS-160583	Enrollment	esl	Deprecated: indicates the student is designated as english as a second language. migrated to the el module (the lep tables).
SIS-160583	Enrollment	attendanceGroup	Deprecated: indicates student is in a special attendance group used to record attendance, was used in ky moved to enrollmentky, attendancegroupky
SIS-160583	Enrollment	projectedGraduationDate	Deprecated: the date the student is expected to graduate. migrated to graduation table.
SIS-160583	Enrollment	postGradLocation	Deprecated: this value has migrated to graduation.postgradlocation.
SIS-160583	EnrollmentIA	swvppHours	Deprecated
SIS-160583	FormDocument	active	Deprecated: historic flag to indicate this document is active. active is now calculated based on start and end date. use v_formdocument for active status.
SIS-160583	Graduation	followUpCourse	Deprecated: course number used in following up with student on graduation plan.
SIS-160583	Graduation	followUpZip	Deprecated: zip code of student's placement status. this is only collected for an adult student taking special adult programs.
SIS-160583	Graduation	followUpSection	Deprecated: section number used in following up with student on graduation plan.
SIS-160583	HealthContact	timestamp	Deprecated: not used
SIS-160583	HealthContact	referralID	Deprecated: not used
SIS-160583	HealthContact	initiatedPersonID	Deprecated: not used

Case Number	Table	Column	Description
SIS-160583	HealthContact	facilityID	Deprecated: not used
SIS-160583	HealthObservation	observationTypeID	Deprecated: use healthobservationtypeitem.
SIS-160583	HealthVisit	treatmentID	Deprecated: use healthvisit_treatment for a 1 to many.
SIS-160583	HouseholdMember	guardian	Deprecated: flag determines whether this member is a guardian of the household. moved exclusively to relatedpair.guardian.
SIS-160583	Identity	birthStateNoSIF	Deprecated: the state in which the person was born.
SIS-160583	ImmComplianceStatus	lastChecked	Deprecated. date when the table was last checked for compliance. populated after all other check/logic has been done
SIS-158381	PACTE	adultCumulativeCreditEquiv	Indicates that adult cumulative credit was awarded
SIS-160583	ProgramParticipation	ellInstructionalSupport	Deprecated: indicates ell support as part of the program
SIS-158381	ProgramParticipationCTE	adultCumulativeCreditEquiv	Indicates that adult cumulative credit was awarded
SIS-160583	Request	teacherPreference	Deprecated: stores the student's preferred teacher in their schedule request
SIS-160583	Request	conflictReason	Deprecated: stores the reason code for a scheduling conflict
SIS-160583	Roster	stateUseFlag	Deprecated: checkbox for state use
SIS-160583	School	gradeType5	Deprecated: type of grade associated with school. not viewable in all states
SIS-160583	School	gradeTypeHigh4	Deprecated: type of high grade associated with school. not viewable in all states
SIS-160583	School	aypStatus	Deprecated: indication of school's ayp school status
SIS-160583	School	gradeType2	Type of grade associated with school. not viewable in all states

Case Number	Table	Column	Description
SIS-160583	School	gradeTypeHigh3	Deprecated: type of high grade associated with school. not viewable in all states
SIS-160583	School	eden	Deprecated: indicates school eden status.
SIS-160583	School	gradeTypeHigh5	Deprecated: type of high grade associated with school. not viewable in all states
SIS-160583	School	gradeTypeHigh	Deprecated: type of high grade associated with school. not viewable in all states
SIS-160583	School	alternateFramework	Deprecated: indicates if the school classifies as apf.
SIS-160583	School	gradeTypeHigh2	Deprecated: type of high grade associated with school. not viewable in all states
SIS-160583	School	gradeType3	Deprecated: type of grade associated with school. not viewable in all states
SIS-160583	School	victory	Deprecated: indicates school victory status.
SIS-160583	School	gradeType4	Deprecated: type of grade associated with school. not viewable in all states
SIS-160583	Section	lock	Deprecated:indicates the section is locked and cannot be modified. split into lockbuild, lockroster.
SIS-160583	SectionStaffHistory	sectionStaffID	Deprecated: links to sectionstaff
SIS-160583	UserAccount	allModules	Deprecated: being phased out. if flagged, checkbox indicates user has one or more security roles.
SIS-160583	UserAccount	hideBanner	Deprecated - was: if flagged, checkbox indicates user will see the banner in the browser.
SIS-160583	UserNotice	banner	Deprecated: was - banner option is turned on (1) or off (2).

Data Manipulation Language Scripts (DML)

This section lists scripts to add, modify, query, or remove data from a SQL Server database.

Case Number	State	Description
SIS-98647	ME	Immunization Rule Update
SIS-151226		Added require DOB in student locator to preferences
SIS-156319	IN	Created Resync Scheduled Task
SIS-158074		Converted dualEnrollmentInstrMin from CustomStudent to EnrollmentIN
SIS-158081	NJ	EmploymentCredential license type conversion
SIS-158616	NM	Immunization Rule Update
SIS-158675	CA	Immunization Rule Update
SIS-159092	WY	Immunization Rule Update
SIS-159316	NV	Deleted from SCEDConcentrator table
SIS-159409	CO	Immunization Rule Update
SIS-159642	MN	Immunization Rule Update
SIS-159643	IL	Immunization Rule Update
SIS-159660	IA	District List Updated
SIS-160204		Added new Homeless Services form
SIS-160317	MO	Immunization Rule Update
SIS-160361	NJ	Added District
SIS-160503	ID	SPED - Converted state reporting field to new location
SIS-160535		Removed special characters in CTPE