

# Immunization Rules (Michigan) [.2307 and previous]

Last Modified on 02/07/2023 1:09 pm CST

You are viewing a previous version of this article. See [Immunization Rules \(Michigan\)](#) for the most current information.

[Immunization Rules](#) | [DTap](#) | [Tdap](#) | [Hepatitis B](#) | [MMR](#) | [Varicella](#) | [Polio](#) | [Pneumococcal](#) | [HIB](#) | [Meningococcal](#)

**Classic Path:** System Administration > Health > Vaccines

**Search Terms:** Vaccines

Health vaccines and their associated compliance listings are based on state guidelines. While Infinite Campus maintains standard guidelines for all states, districts have the ability to enter additional compliances. The following information describes vaccine compliance rules as defined by the Michigan State Department of Health.

For more information on the creation, modification or deletion of vaccine compliances, see the [Vaccines](#) page.

## Immunization Rules

The following tables describe all Michigan immunization requirements per vaccine.

### DTap

Doses Needed	Age and Requirements
<b>Preschool/Childcare</b>	
No doses	0-1 month
1 dose	2-3 months
2 doses	4-5 months
3 doses	6-18 months
<b>Kindergarten and Older</b>	
4 doses	19 months and older
4 doses	Last dose on or after age 4

Doses Needed	Age and Requirements
4 doses	7 and older
3 doses	Td compliant with first dose after age 6

## Tdap

1 Dose is required for students 11 years and older if 5 years have past since the last dose of D/T containing vaccine.

## Hepatitis B

Doses Needed	Age
No doses	0-1 month
1 dose	2-3 months
2 doses	4-18 months
3 doses	19 months and older

## MMR

Doses Needed	Age and Requirements
<b>Preschool/Childcare</b>	
No doses	0-15 months
1 dose	16 months and older (on or after 12 months of age)
<b>Kindergarten and Older</b>	
2 doses	On or after 12 months of age

## Varicella

Doses Needed	Age and Requirements
<b>Preschool/Childcare</b>	
No doses	0-15 months
1 dose	16 months and older (on or after 12 months of age)
<b>Kindergarten and Older</b>	
2 doses	On or after 12 months of age

# Polio

Doses Needed	Age and Requirements
<b>Preschool/Childcare</b>	
<b>No doses</b>	0-1 month
<b>1 dose</b>	2-3 months
<b>2 doses</b>	4-18 months
<b>3 doses</b>	19 months and older
<b>Kindergarten and Older</b>	
<b>*4 doses</b>	4-6 years
<b>3 doses</b>	Last dose on or after age 4
<b>3 doses</b>	7-18 years

# Pneumococcal

Doses Needed	Age and Requirements
<b>Preschool/Childcare</b>	
<b>No doses</b>	0-1 month
<b>1 dose</b>	2-3 months
<b>2 doses</b>	4-5 months
<b>3 doses</b>	6-15 months
<b>4 doses</b>	16 months and older
<b>1 dose</b>	19 months - 4 years, on or after 24 months
<b>No requirement</b>	5 years and older

# HIB

Doses Needed	Age and Requirements
<b>Preschool/Childcare</b>	
<b>No doses</b>	0-1 month
<b>1 dose</b>	2-3 months
<b>2 doses</b>	4-15 months

Doses Needed	Age and Requirements
<b>1 or 2 doses</b>	16 months - 4 years <ul style="list-style-type: none"> <li>• 1 dose required if given on or after 15 months of age</li> <li>• otherwise, 2 doses are required</li> </ul>
<b>No requirement</b>	5 years and older

## Meningococcal

One dose is required for Grades 6-12 or Ages 11-18.

---