

Core SIF - Assessment

Last Modified on 12/14/2025 8:45 pm CST

Tool Search: SIF

The current version of SIF is v2.7.

An assessment measures a student's progress and learning on specific academic standards.

SIF_Events are **NOT** reported for this object.

Batch SIF Condition elements:

1. @RefId

Object Triggering

SIF Events are NOT reported for this object.

Object Population and Business Rules

| Requirement |
|---|
| <p>The SIF Agent and Zone must have access rights assigned to Assessment.</p> <p>Reports 1 object per <u>parent</u> assessment (does not have a parent test) when:</p> <ul style="list-style-type: none"> • The assessment Year (Assessment>Test Setup>Tests>Test Detail>Year) is either: <ol style="list-style-type: none"> 1. Matching the SIF Zone Year selected OR 2. Is Null • When the assessment has a parent (Assessment>Test Setup>Tests>Test Detail>Parent Test), this assessment (subtest) must NOT report. • When the assessment has a Year NOT = Null AND NOT matching the SIF Zone Year selected, this assessment must NOT report. |

Object Data Elements

| Data Element Label | Description | Business Rules | Data Source GUI Path | Database Field | M, C or O |
|--------------------|--|----------------|----------------------|----------------|-----------|
| @RefId | The GUID that uniquely identifies this object. | | | | M |

| Data Element Label | Description | Business Rules | Data Source GUI Path | Database Field | M, C or O |
|--------------------|-------------------|------------------------------------|---|----------------|--------------------|
| Name | Name of the test. | Report the Name of the Assessment. | Assessment > Test Setup >Tests > Test Detail > Name | Test.name | M |

| Data Element Label | Description | Business Rules | Data Source GUI Path | Database Field | M, C or O |
|------------------------|---|--|---|--|--------------------|
| AssessmentId | The state, local or publisher unique Id for the assessment. | <p>Look at parent assessment only:</p> <ol style="list-style-type: none"> When Code field (Assessment>Test Setup>Tests>Test Detail>Code) = NOT Null, report the value entered in the field. When Code field = Null, AND State Test = Checked, report the code selected in the State Code dropList when State Code = NOT Null. When Code field = Null, AND National Test = Checked, report the code selected in the National Code dropList when National Code = NOT Null. When none of the above criteria apply, report a null value in this element. | Assessment > Test Setup> Tests > Test Detail > Code | Test.code Test.stateCode Test.nationalCode | O |
| AssessmentPackageRefId | The authentication information for one system. | Optional. Does Not Report. | | | O |

| Data Element Label | Description | Business Rules | Data Source GUI Path | Database Field | M, C or O |
|-----------------------|--|----------------------------|-------------------------|----------------|--------------------|
| AssessmentDescriptors | Describes what type of assessment this represents. | Optional. Does Not Report. | | | O |