SSRS Server Configuration

Last Modified on 09/15/2026 2:53 pm CDT

Tool Search: SSRS Server Configuration

The SSRS Server Configuration tool allows districts to set up an SSRS connection in Infinite Campus to run custom reports. Standard Infinite Campus hosting models include access to an SSRS server upon request.



See the Custom Data and Links Tool Rights article for information about tool rights for this and related tools.

SSRS Server Configuration Fields

Field	Description
Server Name	The display name of the SSRS Server.
Execution URL	Base URL called when executing reports. See below for how you would get this value.
Management URL	Base URL called when managing reports. See below for how you would get this value.
Username	The username used to log into the SSRS Server.
Password	The password used to log into the SSRS Server.

Test Connection	Used to test the connection of the server. If the test is successful, continue to SSRS Report Configuration. If not, reenter your credentials and try again.

Setting Up SSRS Server Configuration

1. Click **New**.
2. Enter **Server Name**.
3. Enter the **Execution URL**.
4. Enter the **Management URL**.
5. Enter **Username**.
6. Enter **Password**.
7. Click **Test Connection** to verify the information entered is correct.
8. Click **Save**. You'll be taken back to the server list, and a green confirmation will appear in the top right-hand corner.

Establishing Execution and Management URLs

To get the execution and management URLs for the SSRS server configuration tool, you start with the login URL for your campus site:

```
https://my-district.infinitecampus.org/campus/mydistrict.jsp
```

Take base URL:

```
https://my-district.infinitecampus.org
```

For the Execution URL, add:

```
:82/ReportServer/ReportExecution2005.asmx
```

For the Management URL, add:

```
:82/ReportServer/ReportService2010.asmx
```

Your Execution and Management URL should look like this, respectively:

```
https://my-district.infinitecampus.org:82/ReportServer/ReportExecution2005.asmx
```

```
https://my-district.infinitecampus.org:82/ReportServer/ReportService2010.asmx
```

The values should be assumed to be case-sensitive.

If you have configured your own server, the value for ‘ReportServer’ may have been changed and can be found in Reporting Services Configuration Manager > Web Service URL > Virtual Directory on the SSRS report server itself.