

Student Special Education Association Events (New Mexico v3.5)

Last Modified on 04/03/2024 7:33 am CDT

Tool Search: Ed-Fi

The student's special education events.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	<p>When an Event Date is within the config year AND the related IEP overlaps the config year AND the student has an enrollment in the config year.</p> <ul style="list-style-type: none"> Do not send a record if the Event Date is not in the config year. Do not send a record if enrollment is in a school marked as State Exclude. Do not send a record if enrollment is in a Grade marked as State Exclude. Do not send a record if enrollment is State Excluded. Do not send a record if Primary Area of Exceptionality = '3: Gifted Only'. Only report 'Active' events that correspond to the reported IEP where Event Date falls on or before the current date and SPED Data Plan Participation End Date is null or falls on or after current date in the config year.
Delete/Post	When any field part of the natural key is changed.
Put	When any field not part of the natural key is changed.
Delete	The IEP is deleted for a student.
Delete	If the student's enrollment is marked as No Show.
Delete	If the IEP no longer overlaps the configured year.
Delete	If the active, reportable Event is deleted for a student.

Scope Year Logic

This table describes scope year logic of this object.

Business Rules
Student Special Education Association Event records will only send to the school year they are aligned to
Data will only send for the years that have valid configuration.

Resource Preferences

This table describes the Resource Preferences of this object.

Data Element Label	Mapping Needed
Special Education Event Type Descriptors	Plan Event Type Code
Special Education Event Reason Descriptors	Plan Event Reason Code 1
Special Education Non Compliance Reason Descriptors	Plan Non-compliance Reason

Object Data Elements

This table describes data elements sent within the Student Special Education Program Associations resource.

Data Element Label	Business Requirement	Logic	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.		M		
specialEducationEventPropertyDescriptor	Provide the code that represents the type of special education event.	Report the Event Type Code.	M	Student Information > Special Ed > General > Dcouments (NM Exceptionaltiy (state reporting) > Event Detail > *Event Type Code	
eventDate	Provide the date on which the event took place. Note: Event Date needs to be in the configuration year. Special Education Event records from previous school years that weren't end dated do not need to be delivered to Nova.	<ol style="list-style-type: none"> 1. If the record's Event Date is not within the config year, do not report. 2. Else, report the Event Date. 	M	Student Information > Special Ed > General > Dcouments (NM Exceptionaltiy (state reporting) > Event Detail > *Event Date	

Data Element Label	Business Requirement	Logic	M, C or O	Data Source GUI Path	Database Field
specialEducationEventReasonDescriptor	Special education event reason.	<ol style="list-style-type: none"> 1. Report code IF selected from 'Event Reason Code 1' on the Event Detail Editor for the reporting event of record. 2. Else leave null/blank. 	C	Student Information > Special Ed > General > Documents (NM Exceptionality (state reporting) > Event Detail > Event Reason Code 1	
specialEducationNonComplianceReasonDescriptor	Delay of initial placement IEP or IFSP	<ol style="list-style-type: none"> 1. Report code IF selected from 'Non-compliance Reason' on the Event Detail Editor for the reporting event of record. 2. Else leave null/blank. 	C	Student Information > Special Ed > General > Documents (NM Exceptionality (state reporting) > Event Detail > Non-compliance Reason	
studentSpecialEducationProgramAssociationReference	Reference to existing student Special Education Program Associations record: begin date, educationOrganizationId, programEducationOrganizationId, programName, programTypeDescriptor, studentUniqueid		M		
etag	A unique system-generated value that identifies the version of the resource				

Type/Descriptor

▶ [Click here to expand...](#)