

# Student Education Organization Responsibility Associations (Indiana v3.6)

Last Modified on 06/06/2024 12:45 pm CDT

This association represents the student funding mechanism.

## Object Triggering Logic

Action	Trigger
Post	<p>When an enrollment is created and saved for a person and the enrollment overlaps a configured year.</p> <ul style="list-style-type: none"> <li>Do not send a record if enrollment is in a calendar marked as State Exclude.</li> <li>Do not send a record if enrollment is in a School marked as State Exclude.</li> <li>Do not send a record if the No Show checkbox is marked on the enrollment.</li> <li>Do not send a record if students enrollmentType = N: Special Ed Services AND the Membership Exclude box on enrollment is marked.</li> </ul>
Put	<p>When any student data is edited for the person in the Data Elements fields below.</p> <p>When a student's enrollment information changes on any of the following fields:</p> <ul style="list-style-type: none"> <li>Start Date</li> <li>Local Start Status</li> <li>End Date</li> <li>Local End Status</li> <li>Resident District</li> <li>Resident School</li> <li>Serving District</li> <li>ADM Type</li> <li>Corpotation of Legal Settlement</li> <li>Accountable School</li> <li>Service Type</li> <li>Membership Exclude</li> </ul>
Delete	This record will delete if the student no longer has an eligible enrollment in the District.
Delete	If the enrollment is marked as a no show.

## Scope Year

Business Rules
<p>A record reports when an enrollment is created and saved that is aligned to a scoped year.</p> <ul style="list-style-type: none"> <li>The enrollment must overlap with the scope year to report.</li> <li>Data only sends for the years that have valid configuration.</li> <li>Enrollment must be enrollmentType = S or P.</li> <li>Enrollment with enrollmentType = N and 'Membership Exclude' checked does NOT report.</li> </ul>
<p>When using data in Campus that has a single date, the following logic is applied to determine the scope year(s) to which to report the data.</p> <ul style="list-style-type: none"> <li>Current Year: Records will be compared to today's date to determine if the record is eligible to report</li> <li>Previous Years: The record's date must be on or before the schools year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used</li> <li>Future Years: The record's date must be on or after the schools year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used</li> </ul>

### Business Rules

When using data in Campus that have start and end dates, the following logic is applied to determine the scope year(s) to which to report the data.

- **Current Year:** The records start date must be on or before today's date and the records end date must be on or after today's date.
- **Previous Years:** The record's start date must be on or before the school year's end date and the record's end date must be after the school year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.
- **Future Years:** The record's start date must be on or before the schools year's start date and the record's end date must be on or after the school year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.

## Object Data Elements

Data Element Labels in bold are part of the Natural Key and are required data elements for Data to send to Ed-Fi.

Data Element Label	Business Requirement	Logic	M, C or O	Location
id	The unique identifier of the resource	N/A	M	N/A
<b>beginDate</b>	Month, day, and year of the start date of an education organization's responsibility for a student.	<ol style="list-style-type: none"> <li>1. Reports the student's Enrollment start date.</li> <li>2. If the student's enrollment starts with a startStatus = '000-SEOA Start', reports the new start date of the enrollment. <ul style="list-style-type: none"> <li>◦ '000-SEOA Start' is specifically for changes in the SEOA. This start status should not send for SSA.</li> </ul> </li> </ol>	M	Enrollment > Start Date enrollment.startDate

Data Element Label	Business Requirement	Logic	M, C or O	Location
<b>responsibilityDescriptor</b>	This descriptor defines types of responsibility an education organization may have for a student (e.g., accountability, attendance, funding).	<ol style="list-style-type: none"> <li>1. If the Resident and Serving District are the same as the reporting district, reports 'Funding'</li> <li>2. If only Resident District has a value and Serving District is NULL/Blank, reports 'Attendance'</li> <li>3. If only Serving District has a value and Resident District is NULL/Blank, reports 'Funding'</li> </ol>	M	
<b>educationOrganizationReference</b>	A reference to the related EducationOrganization resource.	See the array/reference data elements section below.	M	State District Number Connection Credential District Number  district.stateDistrictNum
<b>studentReference</b>	A reference to the related Student resource.	<p>Reports the student's Student State ID.</p> <p>See the array/reference data elements section below.</p>	M	person.edFiID

Data Element Label	Business Requirement	Logic	M, C or O	Location
endDate	Month, day, and year of the end date of an education organization's responsibility for a student.	<ol style="list-style-type: none"> <li>1. Reports the student's Enrollment end date.</li> <li>2. If the student's enrollment ends with an endStatus = '000-SEOA End', reports the enrollment end date. <ul style="list-style-type: none"> <li>◦ '000-SEOA End' is specifically for changes in the SEOA. This end status should not send for SSA.</li> </ul> </li> </ol>	C	Enrollment > End Date  enrollment.endDate
_etag	A unique system-generated value that identifies the version of the resource.	N/A	M	N/A
_ext	IDOE extension array.	See the array/reference data elements section below.	M	N/A

## Arrays / References

[▶ Click here to expand...](#)

## Descriptors

[▶ Click here to expand...](#)