

# Class Periods (Indiana v3.6)

Last Modified on 12/23/2024 12:48 pm CST

You are viewing a previous version of this article. See the [Indiana Ed-Fi article](#) for the most current information.

[Object Triggering Logic](#) | [School Exclude, Calendar Exclude, Resource Toggle and Resync Logic](#) | [Natural Key Changes, Cascading Updates, and Deletes Logic](#) | [Scope Year Logic](#) | [Identity Mapping Object Key](#) | [Event Queue Detail](#) | [Error Log](#) | [Object Data Elements](#) | [Arrays](#)

This entity represents the designation of a regularly scheduled series of class meetings at designated times and days of the week.

## Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	When a Period Schedule is created and saved. <ul style="list-style-type: none"> <li>• A separate record will be sent for each Period Schedule/Period Name/Schedule Structure ID combination created.</li> <li>• Do not send records if the Calendar Exclude checkbox is marked.</li> <li>• Do not send a record if the School Exclude checkbox is marked.</li> </ul>
Put	When any field not part of the Natural Key is changed: <ul style="list-style-type: none"> <li>• Period Start</li> <li>• Period End</li> </ul>
Delete	When a Period Schedule or Period Name is updated and saved.  Cascading updates allow this change to PUT instead of Delete/Post.
Delete/Post	When a Period Schedule or Period is deleted.

## School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Delete	If a resource is toggled to 'OFF' after data has sent and an action is performed that would trigger a delete, that data will remain in the ODS until a resync is done.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

## Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
Delete/Post	If any of the following changes in the Schools resource: <ul style="list-style-type: none"> <li>If the School Number/Ed-Fi School Number changes, a delete/post will occur with the cascading deletes from the School ID change triggers.</li> </ul>
Put	If the Period Schedule Name or Period Name Changes all resources that reference Class Periods will be updated: Section, Student Section Associations, Staff Section Associations, Grades, Student Section Attendance Events, Bell Schedules

## Scope Year Logic

This table describes scope year logic of this object.

Logic
Class Periods will only send for the school year to which they are aligned. <ul style="list-style-type: none"> <li>Data only sends for years that have valid configuration.</li> </ul>

## Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

<b>campusObjectType</b>	<b>Object Key Data Source</b>
Period	periodID

## Event Queue Detail

This table describes the Event Queue Detail of this object.

<b>Campus Table</b>	<b>Ed-Fi Action</b>	<b>Fields</b>
periodschedule	Post/Put/Delete	The primary tables used for sending data for this resource.
period	Post/Put/Delete	The primary tables used for sending data for this resource.

## Error Log

<b>Error</b>	<b>Possible Causes/How to Fix</b>
409: Failed to delete classPeriods resource. [message:The resource (or a subordinate entity of the resource) cannot be deleted because it is a dependency of the 'sectionClassPeriod' entity.]	There are dependent resources in the Ed-Fi ODS so the Class Period record cannot be deleted. Use the delete tool to remove any dependent data before the course can be removed.

## Object Data Elements

This table describes data elements sent within the Class Periods resource.

<b>Data Element Label</b>	<b>Business Requirement</b>	<b>Business Rules</b>	<b>M, C or O</b>	<b>Location</b>
id	The unique identifier of the resource.		M	

Data Element Label	Business Requirement	Business Rules	M, C or O	Location
<b>classPeriodName</b>	An indication of the portion of a typical daily session in which students receive instruction in a specified subject (e.g., morning, sixth period, block period, or AB schedules).	Reports the Period Schedule Name + Period Name + Schedule Structure ID <ul style="list-style-type: none"> <li>• Reports a space between each value.</li> </ul>	M	System Administration > Calendar > Calendar > Periods  System Administration > Calendar > Calendar > Schedule Structure  periodschedule.name + period.name + schedulestructure.structureID
<b>schoolReference</b>	A reference to the related School resource.	Reports the fields that are part of the Natural Key for the Schools resource.	M	System Administration > Resources > School > State School Number  school.number
meetingTimes	The meeting time(s) for a class period.	Reports if the Period being reported has both a start and end time populated. <ul style="list-style-type: none"> <li>• If blank or one is not populated, does not report.</li> <li>• See Array section below for logic.</li> </ul>	O	
officialAttendance Period	Indicator of whether this class period is used for official daily attendance.	This field is optional, does not report.	O	

# Arrays

## Meeting Times

Data Element Label	Business Requirement	Business Rules	M, C, or O	Location
<b>endTime</b>	An indication of the time of day the meeting time ends.	Reports the end time of the period being reported.	M	System Administration > Calendar > Calendar > Periods  period.endTime
<b>startTime</b>	An indication of the time of day the meeting time begins.	Reports the start time of the period being reported.	M	System Administration > Calendar > Calendar > Periods  period.startTime