

Calendars (Nebraska v3.6)

Last Modified on 12/14/2025 8:45 pm CST

[Object Triggering Logic](#) | [School Exclude, Calendar Exclude, Resource Toggle and Resync Logic](#) | [Natural Key Changes, Cascading Updates, and Deletes Logic](#) | [Scope Year Logic](#) | [Resource Preferences](#) | [Identity Mapping Object Key](#) | [Event Queue Detail](#) | [Error Log](#) | [Object Data Elements](#) | [Arrays](#) | [Type/Descriptor](#)

This entity represents a set of dates associated with an organization.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

| Action | Trigger |
|-------------|--|
| Post | <p>A Calendars record will be created for each Calendar/Schedule Structure combination.</p> <ul style="list-style-type: none"> • When a new Calendar and Schedule Structure is created and saved via the Calendar Wizard. • When a new Schedule Structure in an existing Calendar is created and saved. • Do not send a record if the Calendars resource is toggled 'OFF' in the Calendars Resource Preferences. • When the Secondary School field is populated, report the student's information from this new school as an override to the current school. |
| Put | <p>When fields that are not part of the natural key are changed.</p> <ul style="list-style-type: none"> • Type - if the type is changed on the Calendar tab. • Grade Levels - when a grade level is deleted from the Grade Levels tab it will be removed from the array. • Grade Levels - when a grade level is added to the Grade Levels tab and a mapping exists already for that grade level. • When Grade Level on Calendar Day Event is changed or added. • When Start of calendar or end of calendar codes are used on Calendar Day Event. |
| Delete | If a calendar and/or schedule structure is deleted. |
| Delete/Post | Delete if a 2nd Schedule Structure is added after 1st Calendar is sent. |

School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

| Action | Trigger |
|--------|---|
| None | No data will send if the School or Calendar is marked as Exclude. |
| Delete | If the Calendar is marked as exclude after the Calendar or any dependent data is sent, the calendar and all dependent data will delete upon a resync even if the resource is toggled 'OFF'. |
| None | If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send. |
| Resync | If a Calendar record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table. |
| Resync | If a Calendar record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS. |
| Resync | If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes. |

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

| Action | Trigger |
|-------------|--|
| Post/Delete | <p>Natural Key change: If a 2nd schedule structure is added after data is sent, the first Calendar record will need to be Deleted/Posted with new Calendar Code logic to be Calendar ID + Schedule Structure ID.</p> <ul style="list-style-type: none"> If a calendar or schedule structure is moved via script, all data sent to the ODS will remain and the Delete tool will need to be used to remove all data sent. If the School ID changes, all data will remain under the old number and a resync will need to be completed to populate data under the new number. The delete tool would need to be used to remove all data from the old School ID. |

Scope Year Logic

This table describes scope year logic of this object.

Logic

Calendar Dates will only send for the school year to which they are aligned.

- Data will only send for years that have valid configuration.
- A resync must be completed on the resource when a new scope year is connected in order for this data to send.

Resource Preferences

This table describes the Resource Preferences of this object.

| Data Element Label | Mapping Needed |
|------------------------|----------------|
| calendarTypeDescriptor | calendar.type |

Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

| campusObjectType | Object Key Data Source |
|-------------------|------------------------|
| ScheduleStructure | structureID |

Event Queue Detail

This table describes the Event Queue Detail of this object.

| Campus Table | Ed-Fi Action | Fields |
|--------------|-----------------|---|
| calendar | Post/Put/Delete | The primary table used for sending data for this resource. |
| gradelevel | Put | Will update the Grade Levels field if a grade level is added/removed to the school and a mapping exists for that grade level. |

Error Log

| Error | Possible Causes/How to Fix |
|--|---|
| 403 Forbidden: {"message": "Access to the resource could not be authorized for the requested action 'http://ed-fi.org/odsapi/actions/create'."} | This is usually caused by a security set up error in the ODS. Contact the Ed-Fi Alliance for assistance on correct security setup in the ODS |
| Error code return from Ed-Fi. 400: [message:Validation of 'Calendar' failed. CalendarTypeDescriptorId is required.] | The Type field is not selected on the Calendar that is being sent or the Type selected on the Calendar is not mapped to an Ed-Fi Code in Resource Preferences |

Object Data Elements

This table describes data elements sent within the Calendars resource.

| Data Element Label | Business Requirement | M, C or O | Data Source GUI Path Database Field |
|---------------------|--|-----------|--|
| id | The unique identifier of the resource. | M | |
| CalendarCode | <p>CalendarCode is a required key. We will be concatenating the schoolNumber, calendarID, scheduleStructureID and gradeLevel. example: School Number 004, calendarID 1855, structure ID 21055, grade level 12. CalendarCode = 00418552105512</p> <p>Report the following values in the following order:</p> <ol style="list-style-type: none"> 1. School number 2. calendar ID 3. Schedule Structure ID 4. Grade level | M | <ol style="list-style-type: none"> 1. Index> Sys Admin> Resources> School> School Number 2. Index> Sys Admin> Calendar> calendar> CalendarID 3. Index> Sys Admin> Calendar> Calendar> Schedule Structure> scheduleStructureID 4. Index> Sys Admin> Calendar> Calendar> gradeLevel> State Grade Level |

| Data Element Label | Business Requirement | M, C or O | Data Source GUI Path Database Field |
|--------------------------------|---|-----------|--|
| SchoolReference | <p>A reference to the related School resource.</p> <p>Reports the fields that are part of the Natural Key for the Schools resource.</p> | M | |
| SchoolYearTypeReference | <p>A reference to the related School Year resource.</p> <p>Reports the End Year the calendar is associated.</p> | M | |
| calendarTypeDescriptor | <p>Indicates the type of Calendar.</p> <p>Reports the Ed-Fi Code the Calendar Type is mapped to in Calendar Resource Preferences</p> <p>If the Type is not selected on the Calendar or not mapped, an error will occur.</p> | M | <p>System Administration> Calendar> Calendar> Type</p> <p>calendar.type</p> |
| gradeLevels | <p>Indicates the Grade Level associated with the Calendar.</p> <p>See array logic below.</p> | O | |

Arrays

► [Click here to expand...](#)

Grade Levels

| Data Element Label | Business Requirement | M, C or O | Data Source GUI Path Database Field |
|--------------------|----------------------|-----------|-------------------------------------|
| | | | |

| Data Element Label | Business Requirement | M, C or O | Data Source GUI Path Database Field |
|----------------------|---|-----------|--|
| gradeLevelDescriptor | <p>Indicates the GradeLevel associated with the Calendar.</p> <p>Report all unique Grade Levels for the Calendar/Schedule Structure.</p> <ul style="list-style-type: none"> Do not report if the Grade Level is in a Calendar marked as Exclude. | M | <p>System Administration> Calendar> Calendar> Grade Levels</p> <p>gradelevel.name</p> |

Type/Descriptor

► [Click here to expand...](#)

Calendar Type Descriptor

| Code Value | Description | Namespace | Short Description |
|------------------|------------------|--|-------------------|
| Student Specific | Student Specific | uri://ed-fi.org/CalendarTypeDescriptor | Student Specific |
| IEP | IEP | uri://ed-fi.org/CalendarTypeDescriptor | IEP |