

# Class Periods (Nebraska v3.6)

Last Modified on 06/11/2024 10:00 am CDT

[Object Triggering Logic](#) | [School Exclude, Calendar Exclude, Resource Toggle and Resync Logic](#) | [Natural Key Changes, Cascading Updates, and Deletes Logic](#) | [Scope Year Logic](#) | [Identity Mapping Object Key](#) | [Event Queue Detail](#) | [Object Data Elements](#) | [Arrays](#)

This entity represents the designation of a regularly scheduled series of class meetings at designated times and days of the week.

## Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	When a Period Schedule is created and saved. <ul style="list-style-type: none"> <li>A separate record will be sent for each Period Schedule/Period Name/Schedule Structure ID combination created.</li> <li>Do not send records if the Calendar Exclude check box is checked.</li> <li>Do not send a record if the School Exclude checkbox is checked.</li> </ul>
Put	When any field not part of the Natural Key is changed: <ul style="list-style-type: none"> <li>Period Start</li> <li>Period End</li> </ul>
Delete	When a Period Schedule or Period Name is updated and saved.
Delete/Post	When a Period Schedule or Period is deleted.

## School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Delete	If a resource is toggled to 'OFF' after data has sent and an action is performed that would trigger a delete, that data will remain in the ODS until a resync is done.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.

Action	Trigger
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

## Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
Delete/Post	If any of the following changes in the Schools resource: <ul style="list-style-type: none"> <li>If the School ID changes, all data will remain under the old number and a resync will need to be completed to populate data under the new number. The delete tool would need to be used to remove all data from the old School ID.</li> </ul>
Delete/Post	If Period Schedule Name or Period Name Changes.

## Scope Year Logic

This table describes scope year logic of this object.

Logic
Class Periods will only send for the school year to which they are aligned. <ul style="list-style-type: none"> <li>Data will only send for years that have valid configuration.</li> </ul>

## Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

campusObjectType	Object Key Data Source
Period	periodID

## Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
periodschedule	Post/Put/Delete	The primary tables used for sending data for this resource.
period	Post/Put/Delete	The primary tables used for sending data for this resource.

## Object Data Elements

This table describes data elements sent within the Class Periods resource.

Data Element Label	Business Requirement	M, C or O	Data Source GUI Database Field
id	Id  The unique identifier of the resource	M	
<b>classPeriodName</b>	An indication of the portion of a typical daily session in which students receive instruction in a specified subject (e.g., morning, sixth period, block period, or AB schedules).  Report the Period Schedule Name + Period Name + Schedule Structure ID.  Report a space between each value.	M	System Administration> Calendar> Calendar> Periods System Administration> Calendar> Calendar> Schedule Structure  periodschedule.name + period.name + schedulestructure.structureID
<b>schoolReference</b>	A reference to the related School resource.  Reports the fields that are part of the Natural Key for the Schools resource.	M	System Administration> Resources> School> State School Number  school.number

Data Element Label	Business Requirement	M, C or O	Data Source GUI Database Field
meetingTimes	<p>The meeting time(s) for a class period.</p> <p>Report if the Period being reported has both a start and end time populated</p> <p>If blank or one is not populated, do not report.</p> <p>See <a href="#">Array</a> section below for logic.</p>	O	
officialAttendancePeriod	<p>Indicator of whether this class period is used for official daily attendance.</p> <p>Field is optional, does not report</p>	O	

## Arrays

▶ [Click here to expand...](#)