

# KIDS TASC Extract (Kansas) [.2231 - .2335]


Last Modified on 08/31/2023 11:26 am CDT

[Report Logic](#) | [Generate the Report](#) | [Report Layout](#)

**Classic View:** *KS State Reporting > KIDS TASC*

**Search Terms:** TASC

The Teacher and Student Connection (TASC) data collection is used to report a connection between students and teachers for use in creating rosters in other Kansas applications like K-FIT.



The screenshot shows the 'KIDS TASC' report generation page. It includes a header with the Infinite Campus logo and a navigation breadcrumb: 'Reporting > KS State Reporting > KIDS TASC'. Below this is a section titled 'KS KIDS TASC Extract' with a description of the TASC data collection. The main area contains two columns of options: 'Extract Options' and 'Select Calendars'. The 'Extract Options' column includes fields for 'Effective Date' (04/23/2021), 'Student Ad Hoc Filter', 'Course Ad Hoc Filter', 'Format' (State Format(Tab Delimited)), and 'Maximum Students Per File (Batch only)' (2000). The 'Select Calendars' column has radio buttons for 'active year', 'list by school', and 'list by year'. A dropdown menu is open, showing a list of schools for the 20-21 school year, including Abbott Elementary, Baird Elementary, Chowen Middle, Drew Middle, Ewing High, and Fremont High. At the bottom of the form are buttons for 'Generate Extract' and 'Submit to Batch'.

*KIDS TASC Extract*

## Report Logic

Only one record per student per course/section reports. Students must have a State ID number in order to report. Students with state, grade or calendar exclude marked do not report.

Records are not reported when the student has dropped the course/section.

## Generate the Report

1. Enter the **Effective Date** in *mmddyy* format or by clicking the calendar icon and selecting a date.
2. If desired, select a **Student Ad Hoc Filter** from the dropdown. Only students included in the selected filter are included on the report.
3. If desired, select a **Course Ad Hoc Filter** from the dropdown.

4. Select the **Format** from the dropdown. Available formats include State Format (Tab Delimited), HTML and CSV.
5. Input the **Maximum Records Per File** into the field. The default is 20000. When a number is added to this field, only that number of records are returned. Multiple files should be generated to accommodate all reporting records.
6. Select which **Calendar(s)** to include in the report.
7. Click **Generate Extract**.

Records:1

RecordType	ExtractDate	ExtractTime	TransmissionID	Version	Character
TH	06/13/2022	10:11:21	1655133081	18.0	Delimiter=0X09

Records:12257

Record Type	Student School Identifier	Students legal last name	Students legal first name	Students legal middle name	Students Generation Code	Student's gender	Students Date of Birth	Students current Grade Level	Students local ID	Students Hispanic Ethnicity	Sta Stude
TASC	5136	Student	Adam	T		1	07/14/2005	16	12345	N	123456
TASC	5136	Student	Adam	T		1	07/14/2005	16	12345	N	123456
TASC	5136	Student	Adam	T		1	07/14/2005	16	12345	N	123456
TASC	5136	Student	Adam	T		1	07/14/2005	16	12345	N	123456
TASC	5136	Student	Adam	T		1	07/14/2005	16	12345	N	123456
TASC	5136	Student	Adam	T		1	07/14/2005	16	12345	N	123456
TASC	5136	Student	Adam	T		1	07/14/2005	16	12345	N	123456
TASC	5136	Student	Benjamin	Andrew		1	01/05/2006	15	23456	N	234567
TASC	5136	Student	Benjamin	Andrew		1	01/05/2006	15	23456	N	234567
TASC	5136	Student	Benjamin	Andrew		1	01/05/2006	15	23456	N	234567
TASC	5136	Student	Benjamin	Andrew		1	01/05/2006	15	23456	N	234567
TASC	5136	Student	Benjamin	Andrew		1	01/05/2006	15	23456	N	234567
TASC	5136	Student	Benjamin	Andrew		1	01/05/2006	15	23456	N	234567
TASC	5136	Student	Benjamin	Andrew		1	01/05/2006	15	23456	N	234567
TASC	5136	Student	Benjamin	Andrew		1	01/05/2006	15	23456	N	234567

KIDS TASC Extract - HTML Format

\*KIDS\_TASC(1) - Notepad

File Edit Format View Help

TH 06/13/2022 10:19:36 1655133110 18.0 Delimiter=0X09

TASC	5136	Student	Adam	T	1	07/14/2005	16	12345	N	1234567890	2022	10
TASC	5136	Student	Adam	T	1	07/14/2005	16	12345	N	1234567890	2022	10
TASC	5136	Student	Adam	T	1	07/14/2005	16	12345	N	1234567890	2022	10
TASC	5136	Student	Adam	T	1	07/14/2005	16	12345	N	1234567890	2022	10
TASC	5136	Student	Adam	T	1	07/14/2005	16	12345	N	1234567890	2022	10
TASC	5136	Student	Adam	T	1	07/14/2005	16	12345	N	1234567890	2022	10
TASC	5136	Student	Adam	T	1	07/14/2005	16	12345	N	1234567890	2022	10
TASC	5136	Student	Benjamin	Andrew	1	01/05/2006	15	23456	N	2345678912	2022	10
TASC	5136	Student	Benjamin	Andrew	1	01/05/2006	15	23456	N	2345678912	2022	10
TASC	5136	Student	Benjamin	Andrew	1	01/05/2006	15	23456	N	2345678912	2022	10
TASC	5136	Student	Benjamin	Andrew	1	01/05/2006	15	23456	N	2345678912	2022	10

KIDS TASC Extract - State Format (Tab Delimited)

RecordType	ExtractDate	ExtractTime	TransmissionID	Version	Character	Student's gender	Students Date of Birth	Students current Grade Level	Students local ID	Students
TH	6/13/2022	10:34:39	1655134479	18	Delimiter=0X2C					
TASC	5136	Student	Adam	T		1	7/14/2005	16	12345	N
TASC	5136	Student	Adam	T		1	7/14/2005	16	12345	N
TASC	5136	Student	Adam	T		1	7/14/2005	16	12345	N
TASC	5136	Student	Adam	T		1	7/14/2005	16	12345	N
TASC	5136	Student	Adam	T		1	7/14/2005	16	12345	N
TASC	5136	Student	Adam	T		1	7/14/2005	16	12345	N
TASC	5136	Student	Adam	T		1	7/14/2005	16	12345	N
TASC	5136	Student	Benjamin	Andrew		1	1/5/2006	15	23456	N
TASC	5136	Student	Benjamin	Andrew		1	1/5/2006	15	23456	N
TASC	5136	Student	Benjamin	Andrew		1	1/5/2006	15	23456	N
TASC	5136	Student	Benjamin	Andrew		1	1/5/2006	15	23456	N
TASC	5136	Student	Benjamin	Andrew		1	1/5/2006	15	23456	N
TASC	5136	Student	Benjamin	Andrew		1	1/5/2006	15	23456	N

KIDS TASC Extract - CSV Format

## Report Layout

## Report Header

Element	Description
<b>Record Type</b>	2 bytes, must contain the characters TH.
<b>Extract Date</b>	10 bytes, date the export file was created; MM/DD/YY format
<b>Extract Time</b>	8 bytes, time export file was created; HH:MM:SS format
<b>Transmission ID</b>	10 bytes, must match the Transmission ID field in the Footer Record.
<b>Version</b>	10 bytes, always 18.0
<b>Delimiter Character</b>	25 bytes, 0X09 for tab; 0X2C for CSV

## Report Body

Element	Description	Location
<b>Record Type</b>	Reports as TASC.  <i>Alphanumeric, 4 characters</i>	Not dynamically stored
<b>Student School Identifier</b>	Reports the student's accountability school identifier from the enrollment override location. If null, the State School number reports.  <i>Alphanumeric, 4 characters</i>	<p>System Administration &gt; Resources &gt; School &gt; School Editor &gt; School Detail &gt; State School Number</p> <p>School.number</p> <hr/> <p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; AYP Override 1</p> <p>Enrollment.schoolAYP1</p>

Element	Description	Location
<b>Student's Legal Last Name</b>	<p>Reports the last name of the student.</p> <p>If the Legal Last Name field is populated, information reports from that field.</p> <p><i>Alphanumeric, 60 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Last Name</p> <p>Identity.legalLastName</p>
<b>Student's Legal First Name</b>	<p>Reports the student's first name.</p> <p>When the Legal First Name field is populated, information reports from that field.</p> <p><i>Alphanumeric, 60 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; First Name</p> <p>Identity.firstName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal First Name</p> <p>Identity.legalFirstName</p>
<b>Student's Legal Middle Name</b>	<p>Reports the student's middle name.</p> <p><i>Alphanumeric, 60 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Middle Name</p> <p>Identity.middleName</p>
<b>Student Generation Code</b>	<p>Reports the student's suffix.</p> <p><i>Alphanumeric, 10 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Suffix</p> <p>Identity.suffix</p>

Element	Description	Location
<b>Student's Gender</b>	<p>Indicates the student being either male or female.</p> <p>When the Legal Gender field is populated, information reports from that field.</p> <p><i>Numeric, 1 character</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Gender</p> <p>Identity.gender</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Gender</p> <p>Identity.legalGender</p>
<b>Student's Date of Birth</b>	<p>Reports the student's date of birth.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Birth Date</p> <p>Identity.birthDate</p>
<b>Student's Current Grade Level</b>	<p>Reports the student's current grade level.</p> <p>This field reports the mapped State Grade Level value, as follows:</p> <ul style="list-style-type: none"> <li>• 00 - Birth to two years old</li> <li>• 01 - 3 year old preschooler</li> <li>• 02 - 4 year old preschooler</li> <li>• 03 - 5 year old preschooler</li> <li>• 04 - 4 year old at risk</li> <li>• 05 - Kindergarten</li> <li>• 06 - First Grade</li> <li>• 07 - Second Grade</li> <li>• 08 - Third Grade</li> <li>• 09 - Fourth Grade</li> <li>• 10 - Fifth Grade</li> <li>• 11 - Sixth Grade</li> <li>• 12 - Seventh Grade</li> <li>• 13 - Eighth Grade</li> <li>• 14 - Ninth Grade</li> <li>• 15 - Tenth Grade</li> <li>• 16 - Eleventh Grade</li> <li>• 17 - Twelfth Grade</li> <li>• 18 - Not Graded</li> </ul> <p><i>Alphanumeric, 2 characters</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information &gt; Grade</p> <p>Enrollment.grade</p>

Element	Description	Location
<b>Student's Local ID</b>	Lists the student's local student identification number.  <i>Alphanumeric, 20 characters</i>	Census > People > Demographics > Person Identifiers > Local Student Number  Person.studentNumber
<b>Student's Hispanic Ethnicity</b>	Identifies whether the student is identified as Hispanic/Latino.  <i>Alphanumeric, 1 character</i>	Census > People > Demographics > Person Information > Race Ethnicity > Hispanic/Latino  Identity.hispanicLatino
<b>State Student ID</b>	Lists the student's state identification number.  <i>Numeric, 10 digits</i>	Census > People > Demographics > Person Identifiers > Student State ID  Person.stateID
<b>School Year</b>	Indicates the end year of the selected calendar.  <i>Numeric, 4 digits (YYYY)</i>	System Administration > Calendar > School Years > School Years Detail  Calendar.year
<b>Student's Race</b>	Lists the student's race/ethnicity.  <i>Numeric, 5 digits</i>	Census > People > Person Information > Federal Race  Identity.raceEthnicityFed
<b>State Subject Area</b>	Reports the state subject area.  <i>Numeric, 2 digits</i>	Course/Section > Course Editor > Subject Area Code  Course.subjectArea
<b>State Course Area</b>	Indicates the state course area code.  <i>Alphanumeric, 3 digits</i>	Course/Section > Course Editor > State Code  Course.stateCode
<b>Local Course ID</b>	Reports the local course identification number.  <i>Numeric, 50 digits</i>	Course/Section > Course Editor > Number  Course.Number

Element	Description	Location
<b>Course Status</b>	<p>Indicates the student's course progress. Progress is determined by the letter grade ONLY that is assigned to the student; percentage values are not used in the calculation.</p> <p>See the <a href="#">Course Status</a> logic for more information.</p> <p><i>Numeric, 2 digits</i></p>	Data not stored
<b>Educator Identifier</b>	<p>Lists the staff identification number of the primary teacher. If staff ID is null, the 9999999999 reports.</p> <p><i>Numeric, 10 digits</i></p>	<p>Census &gt; Demographics &gt; Person Identifiers &gt; Staff State ID, SSN</p> <p>Person.staffStateID</p>
<b>Educator's Last Name</b>	<p>Reports the educator's last name.</p> <p>When the Legal Last Name field is populated, information reports from that field.</p> <p><i>Alphanumeric, 60 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Last Name</p> <p>Identity.legalLastName</p>
<b>Educator's First Name</b>	<p>Reports the educator's first name.</p> <p>When the Legal First Name field is populated, information reports from that field.</p> <p><i>Alphanumeric, 60 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; First Name</p> <p>Identity.firstName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal First Name</p> <p>Identity.legalFirstName</p>

Element	Description	Location
<b>Educator's Middle Name</b>	Reports the educator's middle name.  <i>Alphanumeric, 60 characters</i>	Census > People > Demographics > Person Information > Middle Name  Identity.middleName
<b>Educator's Email</b>	Reports the educator's email address.  <i>Alphanumeric, 100 characters</i>	Census> People> Demographics> Personal Contact Information> Email  Identity.email
<b>User Field 1</b>	N/A	N/A
<b>User Field 2</b>	N/A	N/A
<b>User Field 3</b>	N/A	N/A