

# Restraint Events (Michigan 3.1)

Last Modified on 07/30/2024 10:13 am CDT

This event entity represents actions taken by an education organization after a discipline incident where a student is restrained in a response. This is specifically for CRDC reporting.

## Object Triggering Logic

This table describes logic for triggering syncing of this object.

| Action      | Trigger   |
|-------------|---|
| Post        | <p>Reports a behavior incident's Behavior Response when the incident's Status is marked and saved as "Complete"</p> <p>Student must have at least 1 behavior response associated</p> <p>Response must be one of the following Response Types</p> <ul style="list-style-type: none"> <li>Physical Restraint</li> <li>Seclusion</li> </ul> <p>Posting can occur if a new response is added after Incident is marked as "Complete"</p> <p>Do not send if the student's enrollment is marked as No Show or State Exclude</p> <p>Do not send if the student is in a calendar marked as Exclude</p> <p>Do not send if the student's enrollment is in a school marked as Exclude</p> |
| Delete/Post | <p>When data that is part of the Natural Key is changed</p> <p>If the Date of Incident is changed and saved</p> <p>If the Event Type is changed and saved</p>   |
| Delete/Post | <p>When the Incident's status is changed</p> <p>Delete when the status is changed from Completed to In Progress</p> <p>Post when the status is changed from In Progress to Completed</p>  |
| Delete      | <p>When an incident is deleted</p> <p>When all non-excluded enrollments in the school and year are deleted</p>  |

## Scope Year Logic

This table describes scope year logic of this object.

| Logic  |
|--|
| <p>Discipline records will only send to the school year that the incident date is aligned to based on the School Year Start and End dates</p> <ul style="list-style-type: none"> <li>If School Year Start Date is NULL, 7/1/xxxx will be the default start date used</li> <li>If School Year End Date is NULL, 6/30/xxxx will be the default end date used</li> <li>Data will only send for the years that have valid configuration</li> </ul> |

## Object Data Elements

This table describes data elements sent within the Schools resource.

| Data Element Label | Business Requirement                   | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--------------------|--|----------------|-----------|----------------------|----------------|
| id                 | The unique identifier of the resource. |                | M         |                      |                |

| Data Element Label         | Business Requirement   | Business Rules  | M, C or O | Data Source GUI Path                               | Database Field             |
|----------------------------|--|---|-----------|--|----------------------------|
| schoolReference            | A reference to the related Student resource.   | Reports the fields that are part of the Natural Key for the School resource | M         |  |                            |
| studentReference           | A unique alpha-numeric code assigned to a student.   | Reports the data that is part of the Natural Key for the Student resource   | M         |  |                            |
| identifier                 | A unique number or alphanumeric code assigned to a restraint event by a school, school system, a state, or other agency or entity. | Reports Incident ID   | O         | Behavior > Behavior Management > Incident ID       | Behavior Incident.incident |
| eventDate                  | Month, day, and year of the RestraintEvent.  | Reports the Date of Incident  | O         | Behavior > Behavior Management > Date of Incident  | Behavior Incident.timesta  |
| educationalEnvironmentType | The setting where the RestraintEvent was exercised.  | This is optional, does not report   | O         |  |                            |
| programs                   | An unordered collection of restraintEventPrograms. The Special Education program associated with the restraint event.              | This is optional, does not report   | O         |  |                            |
| reasons                    | An unordered collection of restraintEventReasons. The items of categorization of the circumstances or reasons for the restraint.   | This is optional, does not report   | O         |  |                            |
| restraintCategories        | An unordered collection of restraintEventRestraintCategories. (MI EXT) Additional details of seclusion and/or restraint event.     | See array section for field details.  | O         | Behavior > Behavior Management > Behavior Response |                            |

| Data Element Label | Business Requirement   | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--------------------|--|----------------|-----------|----------------------|----------------|
| etag               | A unique system-generated value that identifies the version of the resource. |                | O         |                      |                |

## Arrays

[Click here to expand...](#)

### Restraint Event Restraint Category

| Data Element Label          | Business Requirement   | Business Rules  | M,C, or O | Data Source GUI                                    | Database Field |
|-----------------------------|--|---|-----------|--|----------------|
| restraintCategoryDescriptor | Indicates the type of event: seclusion or restraint  | <ol style="list-style-type: none"> <li>If Response Type = Seclusion, report 01.</li> <li>If Response Type = Physical Restraint, report 02.</li> </ol> | M         | Behavior > Behavior Management > Behavior Response |                |
| eventCount                  | Indicates the total number of times the RestraintCategory event occurred on the EventDate. | SUM of Response Types = 01 or 02 that occur on the same Incident.   | O         |  |                |

### Restraint Event Program

| Data Element Label | Business Requirement                         | Business Rules | M,C, or O | Data Source GUI | Database Field |
|--------------------|--|----------------|-----------|-----------------|----------------|
| programReference   | A reference to the related Program resource. | Not reported.  | O         |                 |                |

### Restraint Event Reason

| Data Element Label | Business Requirement   | Business Rules | M,C, or O | Data Source GUI | Database Field |
|--------------------|--|----------------|-----------|-----------------|----------------|
| type               | The categorization of the circumstances or reason for the restraint. | Not reported.  | O         |                 |                |

# Type/Descriptors

[▶ Click here to expand...](#)

## Restraint Event Reason Type

| Code Value                                   | Short Description                            | Description                                  |
|--|--|--|
| Imminent Serious Physical Harm to Themselves | Imminent Serious Physical Harm to Themselves | Imminent Serious Physical Harm to Themselves |
| Imminent Serious Physical Harm To Others     | Imminent Serious Physical Harm To Others     | Imminent Serious Physical Harm To Others     |
| Imminent Serious Property Destruction        | Imminent Serious Property Destruction        | Imminent Serious Property Destruction        |

## Restraint Category Descriptor

| Code Value | Short Description | Description     |
|------------|-------------------|-----------------|
| 01         | Seclusion Event   | Seclusion Event |
| 02         | Restraint Event   | Restraint Event |