

Restraint Events (Michigan 3.1)

Last Modified on 07/30/2024 10:13 am CDT

This event entity represents actions taken by an education organization after a discipline incident where a student is restrained in a response. This is specifically for CRDC reporting.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	<p>Reports a behavior incident's Behavior Response when the incident's Status is marked and saved as "Complete"</p> <p>Student must have at least 1 behavior response associated</p> <p>Response must be one of the following Response Types</p> <ul style="list-style-type: none"> Physical Restraint Seclusion <p>Posting can occur if a new response is added after Incident is marked as "Complete"</p> <p>Do not send if the student's enrollment is marked as No Show or State Exclude</p> <p>Do not send if the student is in a calendar marked as Exclude</p> <p>Do not send if the student's enrollment is in a school marked as Exclude</p>
Delete/Post	<p>When data that is part of the Natural Key is changed</p> <p>If the Date of Incident is changed and saved</p> <p>If the Event Type is changed and saved</p>
Delete/Post	<p>When the Incident's status is changed</p> <p>Delete when the status is changed from Completed to In Progress</p> <p>Post when the status is changed from In Progress to Completed</p>
Delete	<p>When an incident is deleted</p> <p>When all non-excluded enrollments in the school and year are deleted</p>

Scope Year Logic

This table describes scope year logic of this object.

Logic
<p>Discipline records will only send to the school year that the incident date is aligned to based on the School Year Start and End dates</p> <ul style="list-style-type: none"> If School Year Start Date is NULL, 7/1/yyyy will be the default start date used If School Year End Date is NULL, 6/30/yyyy will be the default end date used Data will only send for the years that have valid configuration

Object Data Elements

This table describes data elements sent within the Schools resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.		M		

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
schoolReference	A reference to the related Student resource.	Reports the fields that are part of the Natural Key for the School resource	M		
studentReference	A unique alpha-numeric code assigned to a student.	Reports the data that is part of the Natural Key for the Student resource	M		
identifier	A unique number or alphanumeric code assigned to a restraint event by a school, school system, a state, or other agency or entity.	Reports Incident ID	O	Behavior > Behavior Management > Incident ID	Behavior Incident.identifier
eventDate	Month, day, and year of the RestraintEvent.	Reports the Date of Incident	O	Behavior > Behavior Management > Date of Incident	Behavior Incident.timestamp
educationalEnvironmentType	The setting where the RestraintEvent was exercised.	This is optional, does not report	O		
programs	An unordered collection of restraintEventPrograms. The Special Education program associated with the restraint event.	This is optional, does not report	O		
reasons	An unordered collection of restraintEventReasons. The items of categorization of the circumstances or reasons for the restraint.	This is optional, does not report	O		
restraintCategories	An unordered collection of restraintEventRestraintCategories. (MI EXT) Additional details of seclusion and/or restraint event.	See array section for field details.	O	Behavior > Behavior Management > Behavior Response	

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
etag	A unique system-generated value that identifies the version of the resource.		O		

Arrays

▶ [Click here to expand...](#)

Restraint Event Restraint Category

Data Element Label	Business Requirement	Business Rules	M,C, or O	Data Source GUI	Database Field
restraintCategoryDescriptor	Indicates the type of event: seclusion or restraint	1. If Response Type = Seclusion, report 01. 2. If Response Type = Physical Restraint, report 02.	M	Behavior > Behavior Management > Behavior Response	
eventCount	Indicates the total number of times the RestraintCategory event occurred on the EventDate.	SUM of Response Types = 01 or 02 that occur on the same Incident.	O		

Restraint Event Program

Data Element Label	Business Requirement	Business Rules	M,C, or O	Data Source GUI	Database Field
programReference	A reference to the related Program resource.	Not reported.	O		

Restraint Event Reason

Data Element Label	Business Requirement	Business Rules	M,C, or O	Data Source GUI	Database Field
type	The categorization of the circumstances or reason for the restraint.	Not reported.	O		

Type/Descriptors

► [Click here to expand...](#)

Restraint Event Reason Type

Code Value	Short Description	Description
Imminent Serious Physical Harm to Themselves	Imminent Serious Physical Harm to Themselves	Imminent Serious Physical Harm to Themselves
Imminent Serious Physical Harm To Others	Imminent Serious Physical Harm To Others	Imminent Serious Physical Harm To Others
Imminent Serious Property Destruction	Imminent Serious Property Destruction	Imminent Serious Property Destruction

Restraint Category Descriptor

Code Value	Short Description	Description
01	Seclusion Event	Seclusion Event
02	Restraint Event	Restraint Event