

Paperless Assessment Reporting (California) [.2243 - .2339]

Last Modified on 10/20/2023 8:43 am CDT

You are viewing a previous version of this article. See Paperless Assessment Reporting (California) for the most current information.

Tool Rights for Paperless Assessment Reporting | CAASPP Configuration | Campus Parent and Campus Student Access | Assessment Reporting in Student Information

The Paperless Assessment Reporting tools provide a new capability for LEAs to opt into an electronic student score reporting process for assessment administration. Participating LEAs no longer receive printed student score reports from ETC; instead, access is provided through their SIS vendor that allows the score reports to be accessed by parent/guardians and school administrators.

The following tools are available for CAASPP Paperless Reporting:

- CAASPP Configuration (System Settings)
- Assessment Reporting in Student Information (Student)
- Student California Paperless Reporting (Campus Student/Campus Parent)

≡	Q	Infinite Campus
	, .	Derless Assessment Reporting 🏠 Ient, Lawrence 🗈 Grade: 10 #123456 DOB: 10/07/05
scor	e report. Th	Assessment Reporting Tab allows an Admin to run the tool to generate a student e tool is primarily for use in trouble shooting and replicating data that Parent have found to be inaccurate.
Test	CAASPP	▼ Language Español ▼ Year 2022 ▼ Get Score Report
_		Paperless Assessment Reporting - Student Information

Tool Rights for Paperless Assessment Reporting

The following tool rights are needed:

Classic Navigation

- R rights to Student Information > General > Paperless Assessment Reporting
- RWAD rights to System Administration > CAASPP Configuration

E Campus Tools R W A D	User Account	User Groups	Tool Rights
R W D Image: Standard Structure Image: Structure Image: Structure	User Account	User Rights Sum 	mary unication inistration ce eue Configuration
Image: Constraint of the second stransfer		Census Counsel Counsel Counsel Counsel Coustom	ning Tools rchange ties epository nt wok Guest Access & Standards
Image: Constraint of the second se	System Adminis	stration CAASPP C	

New Navigation

Infinite Campus

- Read rights to Student Information > State Programs > Paperless Assessment Reporting
- Read, Write, Add, Delete rights to System Settings > Portal Preferences > CAASPP Configuration

rch Campus Tools	Select Tag Filt	ers				
earch Campus Tools	Non Admin	×				
Instruction 🖿	None	Read	Write	Add	Delete	
Student Information 🕿	None	Read	Write	Add	Delete	
 General 	None	Read	Write	Add	Delete	
 Academic Planning 	None	Read	Write	Add	Delete	
 Activity Registration 	None	Read	Write	Add	Delete	
 Assessment Administration 	None	Read	Write	Add	Delete	
 Counseling 	None	Read	Write	Add	Delete	
 English Learners 	None	Read	Write	Add	Delete	
 Federal Programs 	None	Read	Write	Add	Delete	
 Health 	None	Read	Write	Add	Delete	
 Medicaid 	None	Read	Write	Add	Delete	
▶ PLP	None	Read	Write	Add	Delete	
 Program Administration 	None	Read	Write	Add	Delete	
 Response to Intervention 	None	Read	Write	Add	Delete	
 Special Ed 	None	Read	Write	Add	Delete	
 State Programs 	None	Read	Write	Add	Delete	
CTE	None	Read	Write	Add	Delete	
Work-Based Learning (ELO)	None	Read	Write	Add	Delete	
Paperless Assessment Reporting	None	Read	Write	Add	Delete	
 Reports 	None	Read	Write	Add	Delete	
Attendance Office 🖿	None	Read	Write	Add	Delete	

ement > User Accounts > Tool Rights					
Reporting 🔤	None	Read	Write	Add	
Scheduling & Courses 🖿	None	Read	Write	Add	
School & District Settings 🖴	None	Read	Write	Add	Delete
School Store Settings	None	Read	Write	Add	Delete
	None	Read	Write	Add	Delete
 Custom Data and Links 	None	Read	Write	Add	Delete
 Data Defining Tools 	None	Read	Write	Add	Delete
 Data Interchange Setup 	None	Read	Write	Add	Delete
 Data Interchange Administration 	None	Read	Write	Add	Delete
 Data Utilities 	None	Read	Write	Add	Delete
 Data Warehouse 	None	Read	Write	Add	Delete
 Digital Repository 	None	Read	Write	Add	Delete
 Payments 	None	Read	Write	Add	Delete
 Portal Preferences 	None	Read	Write	Add	Delete
CAASPP Configuration	None	Read	Write	Add	Delete
Display Options	None	Read	Write	Add	Delete
Mobile Options	None	Read	Write	Add	Delete
Portal Request Summary Report	None	Read	Write	Add	Delete
Portal Usage Report	None	Read	Write	Add	Delete
Self Service Options	None	Read	Write	Add	Delete
Translation Language Setup	None	Read	Write	Add	Delete
Translation Setup	None	Read	Write	Add	Delete
 System Preferences 	None	Read	Write	Add	Delete
 System Processes 	None	Read	Write	Add	Delete

Tool Rights for CAASPP Configuration



CAASPP Configuration

Classic View: System Administration > CAASPP Configuration

Search Terms: CAASPP Configuration

Districts are sent a **Client Key** and a **Client Secret** from the Department of Education (CDE) and/or Education Testing Service (ETS). This information is hidden and encrypted when entered into the CAASPP Configuration editor. The key and secret connect the district server to the ETS Server, which then returns student scores. Data is not stored in Infinite Campus. The URL Authentication End Point is needed for the authentication process to work properly.

Infinite Campus does NOT have access to the Client Key, the Client Secret, or to the ETS Server.

DO NOT DELETE the CAASPP configuration.

CAASPP Configuration Add Configuration Save Delete CAASPP Configurations Configuration Name CAASPP Configuration CAASPP Name CAASPP Configuration CAASPP Name CAASPP Name CAASPP VRL Endpoint /api/v1/students/ yscore-reports/ URL Authentication Image: Client Key ************************************	Add Configuration Save Delete CAASPP Configurations Configuration Name CAASPP CAASPP New CAASPP Configuration Select specific schools for new configuration to override district fineeded VRL Endpoint 1 /apivr1/students/ VRL Endpoint 2 /score-reports/ VRL Authentication End Point /apivr1/students/ Client Key ****m1j Client Secret ************************************	= Q	Infinite Campus	
CAASPP Configuration CAASPP CAASPP CAASPP CAASPP Configuration CAASPP CAASPP CAASPP CAASPP Select specific schools for new configuration to override district Name CAASPP Select specific schools for new configuration Name CAASPP Select specific schools for new configuration to override district Name VBL Endpoint 1 1 2 /score-reports/ Select specific schools for High Client Key ****m1j Client Secret	CAASPP Configurations CAASPP CAASPP New CAASPP Configuration Configuration CAASPP Select specific schools for new configuration to override district in needed VRL Mame VRL Abott Elementary Bryant Elementary Orfax Middle Drew Middle Drew Middle Termont High Client Key ************************************	CAASPP (Configuration 🏠	
Configuration Name CAASPP Configuration Configuration CAASPP Configuration CAASPP CAASPP URL Endpoint /apiV1/students/ URL Endpoint 2 /score-reports/ URL Authentication Ind Point (apiV1/token End Point Client Key ************************************	Configuration Name CAASPP Configuration Configuration CAASPP Select specific schools for new configuration to override district if needed URL Endpoint /api/v1/students/ URL Endpoint /score-reports/ URL Authentication /api/v1/token End Point Client Key ************************************	Add Configura	ation Save Delete	
CAASPP New CAASPP Configuration Configuration CAASPP CAASPP URL Endpoint /apiV1/students/ URL Endpoint 2 /score-reports/ URL Authentication (apiV1/token End Point (apiV1/token End Point Client Key ************************************	CAASPP New CAASPP Configuration Configuration CAASPP Name CAASPP URL Endpoint /api/v1/students/ URL Endpoint /score-reports/ URL URL Authentication /api/v1/token End Point Client Key ************************************	CAASPP	Configurations	
Configuration Name CAASPP Select specific schools for new configuration to override district if needed URL Endpoint 1 /api/v1/students/ Abbott Elementary Bryant Elementary URL Endpoint 2 /score-reports/ Olfax Middle Drew Middle URL Authentication End Point /api/v1/token Emerson High Fremont High Client Key ************************************	Configuration Name CAASPP Select specific schools for new configuration to override district if needed URL Endpoint 1 /apiv1/students/ Abbott Elementary Bryant Elementary Colfax Middle URL 2 /score-reports/ Drew Middle URL Authentication End Point /api/v1/token Client Key ****m1j Client Secret *****6C_^		lame	
Name CAASPP URL Endpoint 1 /api/v1/students/ URL Endpoint 2 /score-reports/ URL Authentication End Point /api/v1/token Client Key *****m1j Client Secret ************************************	Name CAASPP configuration to override district URL Endpoint /api/v1/students/ Abbott Elementary URL Endpoint /score-reports/ Bryant Elementary URL Authentication End Point /api/v1/token Emerson High Client Key ****m1j Fremont High		onfiguration	^
URL Endpoint 1 /api/v1/students/ Abbott Elementary Bryant Elementary Colfax Middle Drew Middle Emerson High Fremont High URL Authentication End Point /api/v1/token Emerson High Fremont High Client Key ************************************	URL Endpoint /apiiv1/students/ Abbott Elementary URL Endpoint /score-reports/ Colfax Middle URL /apiiv1/token Drew Middle Client Key ****m1j ************************************		CAASPP	configuration to override district
URL Endpoint 2 /score-reports/ Colfax Middle Drew Middle Emerson High Fremont High URL Authentication End Point /api/v1/token Fremont High Client Key *****m1j ************************************	URL Endpoint /score-reports/ Colfax Middle URL /api/v1/token Emerson High Authentication /api/v1/token Fremont High Cilent Key ****m1j Cilent Secret *****6C_^		/api/v1/students/	Abbott Elementary
Z Drew Middle URL /api/v1/token Authentication /api/v1/token End Point Fremont High Client Key ************************************	Z Drew Middle URL /apiiv1/token Authentication /apiiv1/token End Point Fremont High Client Key ************************************		(acara rapata)	
Authentication End Point Fremont High Client Key *****m1j Client Secret *****6C_^	Authentication End Point /apiv1/token Client Key *****m1j Client Secret *****6C_^		Iscore-reports/	
Client Secret	Client Secret	Authentication	/api/v1/token	
******6C_^	*****6C_^	Client Key	****m1j	
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	Client Secret	*****6C ^	
		<		×
		_		

- 1. Enter the Configuration Name.
- 2. Choose which **Schools** are able to use this particular configuration.
- 3. Enter /api/v1/students/ for the URL Endpoint 1.
- 4. Enter /score-reports/ for the URL Endpoint 2.
- 5. Enter /api/v1/token/ for the URL Authentication End Point.
- 6. Enter the **Client Key** and **Client Secret** as it is sent from CDE/ETS.
- 7. Click the **Save** icon.

Data is matched on the student's 10-digit State ID. If a student does not have a state ID in Campus or ETS does not have a record of the student's state ID, assessment reports are not sent.



Campus Parent and Campus Student Access

Parents/guardians and students can generate a paperless score report from Campus Parent and Campus Student. This requires the school to have the Assessment Display Option marked.

After logging into Campus Parent (for parents/guardian) or Campus Student (for students), navigate to **More** and select **Assessments**. Select the desired **Language** from the **California Paperless Reporting** dropdown, and click the **Generate** button. A PDF report is returned that is available for 30 minutes.

Message Center	Address Information >	
Weekly Overview	Assessments	
Assignments	Demographics >	
	∢ Back	
Grade Book Updates		_
	No assessments available.	
Responsive Schedule		
More	California Paperless Reporting	
	Language	
	English 💌	
	Generate	

Assessment Reporting in Student Information

Classic View: Student Information > General > Paperless Assessment Reporting

Search Terms: Paperless Assessment Reporting

- 1. Select the desired Test.
- 2. Select the desired Language.
- 3. Select the Year.
- 4. Click the Get Score Report button. The links returned are available for 30 minutes.

Score reports are available for the following Tests:

- CAASPP
- CST
- CA
- ESA
- STS
- CAST
- CAAS
- LEXQUAN

Score reports can be generated for tests from the 2018 School Year through the 2022 School Year. Clicking the **Get Score Report** without populating the dropdown fields returns a score report for all years.

= Q	Infinite Campus	
	aperless Assessment Reporting ☆ tudent, Lawrence I Grade: 10 #123456 DOB: 10/07/05	
	ss Assessment Reporting Tab allows an Admin to run the tool to generate a stud . The tool is primarily for use in trouble shooting and replicating data that Parent av have found to be inaccurate.	ent
Guardians r.		
Guardians n	·	ort

Infinite Campus