

Student Assessments (Core v3.X)

Last Modified on 05/14/2025 10:13 am CDT

[Object Triggering Logic](#) | [Object Data Elements](#)

Tool Search: Ed-Fi

This educational entity represents the organization of subject matter and related learning experiences provided for the instruction of students on a regular or systematic basis.

Object Triggering Logic

Action	Trigger
Post	<p>When a parent assessment is created.</p> <ul style="list-style-type: none"> • The Test Date must occur within the Scope Year. • When a pre-existing student assessment's test date is changed to a date within the scope year, an add event is triggered. (This scenario is valid only for those pre-existing assessment dates which weren't within the scope year before.) • Scenario: When the scope year is set to year 2022-2023 and there is a test with a year of 2021-2022, when the user changes the test year to 2022-23 and the test is assigned to the student, an add event is triggered. • When the student has multiple enrollments that are overlapping in the same school year, reports based on the Service Type: <ul style="list-style-type: none"> ◦ P: Primary ◦ S: Partial ◦ N: Special Education • When the student only has one enrollment, a record reports regardless of the Service Type. • Does not send a student record for an enrollment that is marked as State Exclude or No Show. • Does not send a record when the enrollment is in a calendar marked as Exclude. • Does not send a record when the enrollment is in a school marked as Exclude.
Post	<p>A field is changed and saved on the Test Information for the parent (non-child) assessment.</p> <ul style="list-style-type: none"> • When the test Date is changed.
Delete/Post	When any part of the natural key is changed.
Put	When any field that is not part of the natural key is changed and saved.
Delete	All valid parent or child assessments are removed from the student.
Delete	<p>When all student's overlapping enrollments are deleted.</p> <ul style="list-style-type: none"> • When a student's enrollment is changed to No Show. • When a student's Test Date no longer matches the scope year. • Note: When assessments scope year is changed to out of scope and that assessment is already tied to a student (which is still within the scope year), a delete isn't sent for StudentAssessment or Assessment as the record is tied to a student.

Scope Year

Logic
Record reports for students where Student test record exists within the scope year. <ul style="list-style-type: none"> • Test Date must occur within the Scope Year.

Resync Logic

Action	Trigger
None	When a resource is toggled to OFF after data has sent, all sent data remains in the ODS but no new data is sent.

Action	Trigger
Resync	When a record is in the Ed-Fi Identity Mapping table and not in the ODS, it is deleted from the Ed-Fi Identity Mapping table.
Resync	When a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it is deleted from the ODS.

Natural Key Changes, Cascading Updates, and Deletes Logic

Action	Trigger
Post/Delete	Natural Key changes: <ul style="list-style-type: none"> When an Ed-Fi ID changes, this happens with the cascading deletes from the Ed-Fi ID Change trigger. When the Test Date changes which no longer matches the scope year.

Event Queue Detail

Campus Table	Ed-Fi Action	Fields
Test Score	Post/Put/Delete	The primary table for sending data for this resource.

Resource Preferences

This table describes the Resource Preferences of this object.

Data Element Label	Mapping Needed
Score Type	Assessment Reporting Method Descriptor
Score Fields Selected	Result Datatype Type Descriptor

Object Data Elements

Data Element Label	Business Requirement and Rules	Mandatory, Conditional, or Optional	Location
id	The unique identifier of the resource.	M	
studentAssessmentIdentifier	A unique number or alphanumeric code assigned to an assessment administered to a student. Reports the test score id.	M	TestScore.studentAssessmentIdentifier
assessmentReference	A reference to the related Assessment resource. Reports the data that is part of the Natural Key for the referenced Assessment resource.	M	
reportedSchoolReference	A reference to the reported School resource. A reference to the reported School resource. <ul style="list-style-type: none"> schoolID 	O	

Data Element Label	Business Requirement and Rules	Mandatory, Conditional, or Optional	Location
schoolYearTypeReference	Optional, does not report.	O	
studentReference	<p>A unique alphanumeric code assigned to a student.</p> <p>Reports the data that is part of the Natural Key for the referenced Student resource.</p>	M	
accommodations	<p>An unordered collection of studentAssessmentAccommodations. The specific type of special variation used in how an examination is presented, how it is administered or how the test taker is allowed to respond. This generally refers to changes that do not substantially alter what the examination measures. The proper use of accommodations does not substantially change academic level or performance criteria (e.g., Braille, Enlarged Monitor View, Extra Time, Large Print, Setting, Oral Administration).</p> <p>Optional, does not report.</p>	O	
administrationDate	<p>The date and time an assessment was completed by the student. The use of ISO-8601 formats with a timezone designator (UTC or time offset) is recommended in order to prevent ambiguity due to time zones.</p> <p>Reports the student's parent assessment date from the student's Assessment record.</p> <p>When there is no assessment date, reports from the Assessment Center Test Detail Start Date.</p> <p>When there is no Start Date in the Assessment Center, does not report.</p>	M	<p>Student Information > Assessment : Test Scores > Date</p> <p>TestScore.da</p> <p>Test.startDat</p>
administrationEndDate	<p>The date and time an assessment administration ended.</p> <p>Optional, does not report.</p>	O	
administrationEnvironmentDescriptor	<p>The environment in which the test was administered.</p> <p>Optional, does not report.</p>	O	
administrationLanguageDescriptor	<p>The language in which an assessment is written and/or administered.</p> <p>Optional, does not report.</p>	O	
assessedMinutes	<p>Reported time student was assessed in minutes.</p> <p>Hard-coded to report 0 (zero).</p>	O	
eventCircumstanceDescriptor	<p>An unusual event occurred during the administration of the assessment. This could include fire alarm, student became ill, etc.</p> <p>Optional, does not report.</p>	O	

Data Element Label	Business Requirement and Rules	Mandatory, Conditional, or Optional	Location
eventDescription	<p>Describes special events that occur before during or after the assessment session that may impact use of results.</p> <p>Optional, does not report.</p>	O	
items	<p>An unordered collection of studentAssessmentItems. The student's response to an assessment item and the item-level scores such as correct, incorrect, or met standard.</p> <p>Optional, does not report.</p>	O	
performanceLevels	<p>An unordered collection of studentAssessmentPerformanceLevels. The performance level(s) achieved for the student assessment.</p> <p>Optional, does not report.</p>	O	
period	<p>The period or window in which an assessment is supposed to be administered.</p> <p>See the Array section below for details.</p>	O	
platformTypeDescriptor	<p>The platform with which the assessment was delivered to the student during the assessment session.</p> <p>Optional, does not report.</p>	O	
reasonNotTestedDescriptor	<p>The primary reason student is not tested. For example: Absent Refusal by parent Refusal by student Medical waiver Illness Disruptive behavior LEP Exempt.</p> <p>Optional, does not report.</p>	O	
reportedSchoolIdentifier	<p>A reported school identifier for the school the enrollment at the time of the assessment used when the assigned Schoold is not known by the assessment vendor.</p> <p>Optional, does not report.</p>		
retestIndicatorDescriptor	<p>Indicator for whether the test was retaken. For example: Primary administration First retest Second retest.</p> <p>Optional, does not report.</p>	O	
scoreResults	<p>An unordered collection of studentAssessmentScoreResults. A meaningful score or statistical expression of the performance of an individual. The results can be expressed as a number, percentile, range, level, etc.</p> <p>See the Array section below for details.</p> <p>Does not report when any of the array Data Elements are either not mapped or score value is not entered.</p>	O	

Data Element Label	Business Requirement and Rules	Mandatory, Conditional, or Optional	Location
serialNumber	<p>The unique number for the assessment form or answer document.</p> <p>Optional, does not report.</p>	O	
studentObjectiveAssessments	<p>An unordered collection of studentAssessmentStudentObjectiveAssessments.</p> <p>The student's score and/or performance levels earned for an objective assessment.</p> <p>Optional, does not report.</p>	O	
whenAssessedGradeLevelDescriptor	<p>The grade level of a student when assessed.</p> <p>Optional, does not report.</p>	O	
_etag	A unique system-generated value that identifies the version of the resource.	O	

Arrays

▶ [Click here to expand...](#)

Score Results

Data Element Label	Business Requirement and Rules	Mandatory, Conditional, or Optional	Location
assessmentReportingMethodDescriptor	<p>The method that the administrator of the assessment uses to report the performance and achievement of all students. It may be a qualitative method such as performance level descriptors or a quantitative method such as a numerical grade or cut score. More than one type of reporting method may be used.</p> <p>Reports the mapped Ed-Fi Code Value if the reporting assessment Score Fields value is populated.</p> <p>Does not report if not mapped.</p>	M	
resultDatatypeTypeDescriptor	<p>The datatype of the result. The results can be expressed as a number, percentile, range, level, etc.</p> <p>Hard-coded value.</p>	M	

Data Element Label	Business Requirement and Rules	Mandatory, Conditional, or Optional	Location
result	<p>The value of a meaningful raw score or statistical expression of the performance of an individual. The results can be expressed as a number, percentile, range, level, etc.</p> <p>Reports the score value for corresponding assessment mapped score</p>	M	<p>Student Information > General > Assessment > Test Scores > Test Score Detail > Result</p> <p>Student Information > General > Assessment > Test Scores > Test Score Detail > Percent/Scale Score</p>

Period

Data Element Label	Business Requirements and Rules	Mandatory, Conditional, or Optional	Location
assessmentPeriodDescriptor	<p>The period of time in which an assessment is supposed to be administered (e.g., Beginning of Year, Middle of Year, End of Year).</p> <p>Reports the mapped Ed-Fi Code Value.</p> <ul style="list-style-type: none"> Tests available for mapping are those with an end year that matches the configuration end year or test's with no end year at all. Does not report period if test is not mapped. 	M	
beginDate	<p>The first date the assessment is to be administered.</p> <p>Reports the start date from the assessment when it exists.</p>	O	<p>Assessment Center > Test Detail > Start Date</p> <p>Test.startDate</p>
endDate	<p>The last date the assessment is to be administered.</p> <p>Reports the end date from the assessment if it exists.</p>	O	<p>Assessment Center > Test Detail > End Date</p> <p>Test.endDate</p>

Type/Descriptor

▶ [Click here to expand...](#)

Assessment Reporting Method Descriptor

Ed-Fi Code Value	Description	Short Description	Namespace
Achievement/proficiency level	Achievement/proficiency level	Achievement/proficiency level	uri://ed-fi.org/AssessmentReportingMethodDes
ACT score	DEPRECATED: ACT score	DEPRECATED: ACT score	uri://ed-fi.org/AssessmentReportingMethodDes
Adaptive scale score	Adaptive scale score	Adaptive scale score	uri://ed-fi.org/AssessmentReportingMethodDes
Age score	Age score	Age score	uri://ed-fi.org/AssessmentReportingMethodDes
C-scaled scores	C-scaled scores	C-scaled scores	uri://ed-fi.org/AssessmentReportingMethodDes
College Board examination scores	DEPRECATED: College Board examination scores	DEPRECATED: College Board examination scores	uri://ed-fi.org/AssessmentReportingMethodDes
Composite Score	Composite Score	Composite Score	uri://ed-fi.org/AssessmentReportingMethodDes
Composite Rating	Composite Rating	Composite Rating	uri://ed-fi.org/AssessmentReportingMethodDes
Composition Score	Composition Score	Composition Score	uri://ed-fi.org/AssessmentReportingMethodDes
Grade equivalent or grade-level indicator	Grade equivalent or grade-level indicator	Grade equivalent or grade-level indicator	uri://ed-fi.org/AssessmentReportingMethodDes
Graduation score	Graduation score	Graduation score	uri://ed-fi.org/AssessmentReportingMethodDes
Growth/value-added/indexing	Growth/value-added/indexing	Growth/value-added/indexing	uri://ed-fi.org/AssessmentReportingMethodDes
International Baccalaureate score	DEPRECATED: International Baccalaureate score	DEPRECATED: International Baccalaureate score	uri://ed-fi.org/AssessmentReportingMethodDes
Letter grade/mark	Letter grade/mark	Letter grade/mark	uri://ed-fi.org/AssessmentReportingMethodDes
Mastery level	Mastery level	Mastery level	uri://ed-fi.org/AssessmentReportingMethodDes
Normal curve equivalent	Normal curve equivalent	Normal curve equivalent	uri://ed-fi.org/AssessmentReportingMethodDes
Normalized standard score	Normalized standard score	Normalized standard score	uri://ed-fi.org/AssessmentReportingMethodDes
Number score	Number score	Number score	uri://ed-fi.org/AssessmentReportingMethodDes
Pass-fail	Pass-fail	Pass-fail	uri://ed-fi.org/AssessmentReportingMethodDes
Percentile	Percentile	Percentile	uri://ed-fi.org/AssessmentReportingMethodDes
Percentile rank	Percentile rank	Percentile rank	uri://ed-fi.org/AssessmentReportingMethodDes
Proficiency level	Proficiency level	Proficiency level	uri://ed-fi.org/AssessmentReportingMethodDes
Promotion score	Promotion score	Promotion score	uri://ed-fi.org/AssessmentReportingMethodDes

Ed-Fi Code Value	Description	Short Description	Namespace
Ranking	Ranking	Ranking	uri://ed-fi.org/AssessmentReportingMethodDescriptor
Ratio IQ's	Ratio IQ's	Ratio IQ's	uri://ed-fi.org/AssessmentReportingMethodDescriptor

Result Datatype Type Descriptor

Ed-Fi Code Value	Description	Short Description	Namespace
Decimal	Decimal	Decimal	uri://ed-fi.org/ResultDatatypeTypeDescriptor
Integer	Integer	Integer	uri://ed-fi.org/ResultDatatypeTypeDescriptor
Level	Level	Level	uri://ed-fi.org/ResultDatatypeTypeDescriptor
Percentage	Percentage	Percentage	uri://ed-fi.org/ResultDatatypeTypeDescriptor
Percentile	Percentile	Percentile	uri://ed-fi.org/ResultDatatypeTypeDescriptor
Range	Range	Range	uri://ed-fi.org/ResultDatatypeTypeDescriptor