

Discipline Incidents (Georgia v3.6)

Last Modified on 03/11/2024 8:47 am CDT

This event entity represents an occurrence of an infraction ranging from a minor behavioral problem that disrupts the orderly functioning of a school or classroom (such as tardiness) to a criminal act that results in the involvement of a law enforcement official (such as robbery). A single event (e.g., a fight) is one incident regardless of how many perpetrators or victims are involved. Discipline incidents are events classified as warranting discipline action.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	<p>Reports a record when the Behavior Incident has at least one event with a behavior that is mapped to an Ed-Fi Code AND has at least one reportable student associated to it AND is marked as 'Complete'.</p> <p>Do NOT report a record if any of the following exclusions are present:</p> <ul style="list-style-type: none"> • Enrollment State Exclude - All students associated with the incident MUST have enrollments marked as State Exclude. • Enrollment No Show - All students associated with the incident MUST be marked as No Show. • Enrollment Grade Exclude from State Reporting - All students associated with the incident MUST be excluded from state reporting by grade level. • Calendar Exclude • School Exclude <p>Local Event Behavior Codes must be mapped to a State Event Code in Behavior > Admin > Event Types > State Event Code (Mapping). The State Event Code must be mapped to an Ed-Fi Code in Resource Preferences.</p>
Delete/Post/Put	<p>A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.</p> <ul style="list-style-type: none"> • When the following information on the Incident is changed: <ul style="list-style-type: none"> ◦ Incident ID (New Incident) ◦ Date of Incident ◦ Context ◦ Location • When the following information on the Event is changed: <ul style="list-style-type: none"> ◦ Event ID (New Event) ◦ Event Type ◦ Student Participant(s) • When the following information on Enrollment is changed: <ul style="list-style-type: none"> ◦ State Exclude ◦ No Show
Delete	<ul style="list-style-type: none"> • When an incident's status is changed to a value that is not "Completed." • When all associated students' enrollments are deleted. • When the incident is deleted. • When all reportable events on the incident are deleted.

School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
Post/Delete	Natural Key changes: <ul style="list-style-type: none"> If the School Number/Ed-Fi School Number changes, a delete/post will occur with the cascading deletes from the School ID Change triggers. If an Ed-Fi ID changes, this will happen with the cascading deletes from the Ed-Fi ID Change trigger.
Delete/Post	If the Incident is deleted all dependent resources will delete.
Dependent Resources	Student Discipline Incident Associations, Discipline Action

Scope Year Logic

This table describes scope year logic of this object.

Logic
Discipline records will only send to the school year they are aligned to.
Data will only send for the years that have valid configuration.

Resource Preferences

Data Element Label	Mapping Needed
Behavior Descriptors	Behavior Event Type
Incident Location Descriptors	Behavior Incident Location
Weapon Descriptors	Behavior Weapon Weapon Type
Reporter Description Descriptors	Behavior Event Referring Party

Identity Mapping Object Key

campusObjectType	Object Key Data Source
BehaviorIncident	incidentID

Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
behaviorIncident	Post/Put/Delete	The primary table for sending data for this resource.
behaviorEvent	Put	Referring Party

Object Data Elements

Data Element Labels in bold are part of the Natural Key and are required data elements for Data to send to Ed-Fi.

Data Element Label	Business Rule and Business Requirements	M, C, or O	Data Source GUI Path	Database Field
incidentIdentifier	<p>A locally assigned unique identifier (within the school or school district) to identify each specific incident or occurrence. The same identifier should be used to document the entire incident even if it included multiple offenses and multiple offenders</p> <p>Reports the Incident ID</p>	M	Behavior > Behavior Management > Incident ID	Behavior Incident.incidentID
schoolReference	<p>A reference to the related School resource.</p> <p>Reports the fields that are part of the Natural Key for the Schools resource.</p> <ul style="list-style-type: none"> educationOrganizationId = Ed-Fi School ID 	M	System Administration > Resources > School > Ed-Fi School ID	School.entityID

Data Element Label	Business Rule and Business Requirements	M, C, or O	Data Source GUI Path	Database Field
behaviors	<p>An unordered collection of disciplineIncidentBehaviors. This event entity represents an occurrence of an infraction ranging from a minor behavioral problem that disrupts the orderly functioning of a school or classroom (such as tardiness) to a criminal act that results in the involvement of a law enforcement official (such as robbery). A single event (e.g., a fight) is one incident regardless of how many perpetrators or victims are involved. Discipline incidents are events classified as warranting discipline action.</p> <p>Reports the below data elements in an array:</p> <ul style="list-style-type: none"> • behaviorDescriptor = Reports the Ed-Fi Code associated with the value selected for Event Type. <ul style="list-style-type: none"> ◦ All distinct reportable Event Types will report in the array if there are multiple events on the incident. ◦ Local event behavior codes must be mapped to a State Event Code in Behavior > Admin > Event Types > State Event Code (Mapping). The State Event Code must be mapped to an Ed-Fi Code in Resource Preferences. 	M	Behavior > Behavior Management > Event Type	BehaviorType.code BehaviorType.name
incidentDate	<p>The month, day, and year on which the incident occurred</p> <p>Reports the Date of Incident.</p>	M	Behavior > Behavior Management > Date of Incident	Behavior Incident.timestamp

Data Element Label	Business Rule and Business Requirements	M, C, or O	Data Source GUI Path	Database Field																																																						
incidentLocationDescriptor	<p>Identifies where the incident occurred and whether or not it occurred on campus, for example: On campus Administrative offices area Cafeteria area Classroom Hallway or stairs</p> <p>Reports based on the Standard Code of the value selected for Location and Context. Reference the table below to see what value will report for your given combination:</p> <table border="1" data-bbox="518 696 938 1816"> <thead> <tr> <th>Campus Context Standard Code</th> <th>Campus Location Standard Code</th> <th>Reports Descriptor Value</th> </tr> </thead> <tbody> <tr><td>1</td><td>1</td><td>11</td></tr> <tr><td>1</td><td>2</td><td>12</td></tr> <tr><td>2</td><td>2</td><td>12</td></tr> <tr><td>2</td><td>3</td><td>12</td></tr> <tr><td>1</td><td>5</td><td>13</td></tr> <tr><td>2</td><td>5</td><td>13</td></tr> <tr><td>3</td><td>2</td><td>14</td></tr> <tr><td>3</td><td>4</td><td>14</td></tr> <tr><td>4</td><td>1</td><td>21</td></tr> <tr><td>4</td><td>2</td><td>22</td></tr> <tr><td>4</td><td>3</td><td>22</td></tr> <tr><td>4</td><td>5</td><td>23</td></tr> <tr><td>5</td><td>1</td><td>31</td></tr> <tr><td>5</td><td>2</td><td>32</td></tr> <tr><td>5</td><td>3</td><td>32</td></tr> <tr><td colspan="2">Combination of values not specified above</td><td>99</td></tr> <tr><td colspan="2">Standard Code for Context or Location Code selected is Blank/NULL</td><td>99</td></tr> </tbody> </table>	Campus Context Standard Code	Campus Location Standard Code	Reports Descriptor Value	1	1	11	1	2	12	2	2	12	2	3	12	1	5	13	2	5	13	3	2	14	3	4	14	4	1	21	4	2	22	4	3	22	4	5	23	5	1	31	5	2	32	5	3	32	Combination of values not specified above		99	Standard Code for Context or Location Code selected is Blank/NULL		99	M	Behavior Management > Location Behavior Management > Context	BehaviorIncident.locati BehaviorIncident.conte
Campus Context Standard Code	Campus Location Standard Code	Reports Descriptor Value																																																								
1	1	11																																																								
1	2	12																																																								
2	2	12																																																								
2	3	12																																																								
1	5	13																																																								
2	5	13																																																								
3	2	14																																																								
3	4	14																																																								
4	1	21																																																								
4	2	22																																																								
4	3	22																																																								
4	5	23																																																								
5	1	31																																																								
5	2	32																																																								
5	3	32																																																								
Combination of values not specified above		99																																																								
Standard Code for Context or Location Code selected is Blank/NULL		99																																																								

Data Element Label	Business Rule and Business Requirements	M, C, or O	Data Source GUI Path	Database Field
incidentTimingDescriptor	Reports the Ed-Fi Code mapped to the value selected for Context .	M	Behavior Management > Context	BehaviorIncident.conte

Type/Descriptors

▶ [Click here to expand...](#)

incidentLocationDescriptor

Code Value	Description	Namespace	Short Description
12	During School Hours/School Sponsored Activity - Off Campus	uri://gadoe.org/IncidentLocationDescriptor	During School Hours/School Sponsored Activity - Off Campus
13	During School Hours/On School Sponsored Transportation	uri://gadoe.org/IncidentLocationDescriptor	During School Hours/On School Sponsored Transportation
21	Outside School Hours/On School Grounds/On Campus	uri://gadoe.org/IncidentLocationDescriptor	Outside School Hours/On School Grounds/On Campus
23	Outside School Hours/On School Sponsored Transportation	uri://gadoe.org/IncidentLocationDescriptor	Outside School Hours/On School Sponsored Transportation
11	During School Hours/On School Grounds/On Campus	uri://gadoe.org/IncidentLocationDescriptor	During School Hours/On School Grounds/On Campus
22	Outside School Hours/School Sponsored Activity -Off Campus	uri://gadoe.org/IncidentLocationDescriptor	Outside School Hours/School Sponsored Activity -Off Campus
0	No Incident nor Context & Location for this record (continuation of Action only)	uri://gadoe.org/IncidentLocationDescriptor	Continuation of INCIDENT CONTEXT AND LOCATION for this event
32	Outside school hours during non-school sponsored activity, not on school grounds/ not on campus, but was somehow associated with school personnel, students or school property.	uri://gadoe.org/IncidentLocationDescriptor	Outside school hrs during non-school-sponsored activity not on ground
31	Outside School Hours/Non-School Sponsored Activity/On School Grounds/On Campus	uri://gadoe.org/IncidentLocationDescriptor	Outside school hrs during non-school-sponsored activity on grounds/campus
14	During school hours, Off school campus/Non-sponsored activity	uri://gadoe.org/IncidentLocationDescriptor	During school hours, Off school campus/Non-sponsored activity

behaviorDescriptor

Code Value	Description	Namespace	Short Description
30	OTHER - Attendance Related	uri://gadoe.org/BehaviorDescriptor	OTHER - Attendance Related
31	OTHER - Dress Code Violations	uri://gadoe.org/BehaviorDescriptor	OTHER - Dress Code Violations
32	Academic Dishonesty	uri://gadoe.org/BehaviorDescriptor	Academic Dishonesty
33	OTHER - Student Incivility	uri://gadoe.org/BehaviorDescriptor	OTHER - Student Incivility
34	OTHER - Possession of Unapproved Items	uri://gadoe.org/BehaviorDescriptor	OTHER - Possession of Unapproved Items
35	Gang Related	uri://gadoe.org/BehaviorDescriptor	Gang Related
36	Repeated Offences	uri://gadoe.org/BehaviorDescriptor	Repeated Offences
29	Bullying	uri://gadoe.org/BehaviorDescriptor	Bullying
40	Other Non-Disciplinary Incident	uri://gadoe.org/BehaviorDescriptor	Other Non-Disciplinary Incident
28	Other Firearms	uri://gadoe.org/BehaviorDescriptor	Other Firearms
25	Weapons-Handgun	uri://gadoe.org/BehaviorDescriptor	Weapons-Handgun
26	Weapons-Rifle	uri://gadoe.org/BehaviorDescriptor	Weapons-Rifle
1	Alcohol	uri://gadoe.org/BehaviorDescriptor	Alcohol
2	Arson	uri://gadoe.org/BehaviorDescriptor	Arson
3	Battery	uri://gadoe.org/BehaviorDescriptor	Battery
4	Burglary	uri://gadoe.org/BehaviorDescriptor	Burglary
5	Computer Trepass	uri://gadoe.org/BehaviorDescriptor	Computer Trepass
6	Disorderly Conduct	uri://gadoe.org/BehaviorDescriptor	Disorderly Conduct
7	Drugs-Except Alcohol	uri://gadoe.org/BehaviorDescriptor	Drugs-Except Alcohol
8	Fighting	uri://gadoe.org/BehaviorDescriptor	Fighting
9	Homicide	uri://gadoe.org/BehaviorDescriptor	Homicide
10	Kidnapping	uri://gadoe.org/BehaviorDescriptor	Kidnapping
11	Larceny/Theft	uri://gadoe.org/BehaviorDescriptor	Larceny/Theft
12	Motor Vehicle Theft	uri://gadoe.org/BehaviorDescriptor	Motor Vehicle Theft
13	Robbery	uri://gadoe.org/BehaviorDescriptor	Robbery
14	Sexual Battery	uri://gadoe.org/BehaviorDescriptor	Sexual Battery
15	Sexual Harassment	uri://gadoe.org/BehaviorDescriptor	Sexual Harassment
16	Sex Offenses	uri://gadoe.org/BehaviorDescriptor	Sex Offenses
17	Threat/Intimidation	uri://gadoe.org/BehaviorDescriptor	Threat/Intimidation
18	Tobacco	uri://gadoe.org/BehaviorDescriptor	Tobacco
19	Trespassing	uri://gadoe.org/BehaviorDescriptor	Trespassing
20	Vandalism	uri://gadoe.org/BehaviorDescriptor	Vandalism
22	Weapons/Knife	uri://gadoe.org/BehaviorDescriptor	Weapons/Knife

Code Value	Description	Namespace	Short Description
23	Weapons/Other	uri://gadoe.org/BehaviorDescriptor	Weapons/Other
24	Other Discipline Incident	uri://gadoe.org/BehaviorDescriptor	Other Discipline Incident
27	Serious Bodily Injury	uri://gadoe.org/BehaviorDescriptor	Serious Bodily Injury
42	Electronic Smoking Device	uri://gadoe.org/BehaviorDescriptor	Electronic Smoking Device
44	Violence against a teacher	uri://gadoe.org/BehaviorDescriptor	Violence against a teacher

incidentTimingDescriptor

Code Value	Description	Namespace	Short Description
Time1	Incident happened during school hours	uri://gadoe.org/IncidentTimingDescriptor	During school hours
Time2	Incident happened Outside school hours	uri://gadoe.org/IncidentTimingDescriptor	Outside school hours