

# Syncing Data Between District and State Edition

Last Modified on 04/21/2025 8:01 am CDT

Infinite Campus is designed to seamlessly transfer data between District and State Editions using Data Interchange Service (DIS) functionality. Using this functionality, anytime specific records or fields are saved, the system is told to send this information from the district to the state. This ensures that information between districts and the state stays in sync and that information reported out of the state is accurate.

Many fields within Infinite Campus automatically send information from districts to the state when modified and saved in the District Edition; however, some information can only be sent by initiating a manual resync. The sections below will explain how you can manually resync information from your district to the state and how you can manually resync information for specific people, identities, and enrollment records.

For a breakdown of which objects within Infinite Campus sync between District and State Editions, see the [Data Synced Between District and State](#) section below.

## Manually Resync Information Between a District and the State

You can manually resync batches of information from the district to the state using the [Resync State Data](#) tool.

Please see the [Resync State Data article](#) for a comprehensive guide on performing this process and better understanding its functionality.

Resync State Data - Batch ☆
System Settings > Data Interchange Administration > Resync State Data - Batch
Related Tools ▾

### State Data Resynchronization

This tool will selectively resynchronize data from the district edition to the state edition. The resynchronization will happen asynchronously and you will receive a notification when it completes. The primary uses for this tool include: forcing an initial sync of data to the state after a district goes live, forcing a sync of information modified outside of the application (i.e., through a SQL query) to the state, and forcing a sync of information at reporting time to ensure that the state has the most accurate and timely information available.

Resync Data For The Current School Year (2023-2024)
☒ Check dependencies

<input type="checkbox"/>	DIS Objects	Last Resync	Results	Status Legend
<input type="checkbox"/>	[-] District	01/09/2024 06:16:54	Processed: 1 Errors: 0	<span style="color: green;">●</span>
<input type="checkbox"/>	[-] School	01/09/2024 06:16:54	Processed: 194 Errors: 11	<span style="color: red;">●</span>
<input type="checkbox"/>	[-] Calendar	01/09/2024 06:16:54	Processed: 230 Errors: 11	<span style="color: red;">●</span>
<input type="checkbox"/>	CourseSection	01/09/2024 06:16:54	Processed: 16557 Errors: 2031	<span style="color: red;">●</span>
<input type="checkbox"/>	SchoolMonth	01/09/2024 06:16:54	Processed: 2140 Errors: 110	<span style="color: red;">●</span>
<input type="checkbox"/>	[-] ScheduleStructure	01/09/2024 06:16:54	Processed: 264 Errors: 11	<span style="color: red;">●</span>
<input type="checkbox"/>	TermSchedule	01/09/2024 06:16:55	Processed: 234 Errors: 7	<span style="color: red;">●</span>
<input type="checkbox"/>	[-] PeriodSchedule	01/09/2024 06:16:55	Processed: 302 Errors: 10	<span style="color: red;">●</span>
<input type="checkbox"/>	[-] Data	01/09/2024 06:16:55	Processed: 66324 Errors: 3058	<span style="color: red;">●</span>

Error Log
National Records Exchange
Resync State Data - Batch
Resync State Data - Selective Sync
SIF Data Tool
SIF Message History
SIF Record Deleter
Student Records Transfer
Synchronization Field Settings

## Resync Scenarios

A district can resync its data to the state as needed. However, the following resync scenarios are **mandatory**:

<b>End of a school year</b>	A resync must be performed at the end of a school year after districts have finished entering all data for that year. This resync must be completed before the scoped year of the district/state zones is switched to the new school year. This should be a full resync.
<b>Start of a school year</b>	A resync must be performed at the beginning of a school year after all enrollments have been rolled forward and the scoped year of the district/state <a href="#">Zones</a> has been updated to match the new school year. This should be a full resync.
<b>Database modifications</b>	<p>A resync must be performed if data is added or edited directly within the database instead of within the Infinite Campus interface. <b><u>Modifying data within the database is not recommended.</u></b> This may be a partial or full resync.</p> <div> <b><u>Deleting data directly within the database will cause orphaned records as DIS is unable to detect this type of record deletion.</u></b> </div>
<b>State resync request</b>	The state may request a resync for the purpose of state reporting, gathering attendance snapshots, pulling end-of-year attendance summaries, etc. Districts cannot deny or prevent a resync initiated by the state. This may be a partial or full resync.

Infinite Campus strongly recommends using the [Verification Summary](#) tool to generate district/state verification reports before resynching a scenario not listed above. Comparing the results of the verification report will indicate whether or not a resync is necessary.

# Resync Specific Person/Identity and Enrollment Records to the State

You can manually sync Person/Identity and Enrollment records for a specific user or set of users via the [Selective Sync](#) tool. This tool is especially helpful when troubleshooting records or errors or resyncing a specific set of records without the need for a larger, more intensive sync via the Batch Resync tool.

Please see the [Selective Sync](#) article for a comprehensive guide to this process and the tool's functionality.

Resync State Data - Selective Sync ☆
System Settings > Data Interchange Administration > Resync State Data - Selective Sync
Related Tools ^

**Selective Sync Tool**

This tool allows a user to sync an individual or specific set of records.

Select an object and enter the ID(s) of the records to sync. When more than one record should be synced, separate the IDs with a line break, comma, or space.

Select Object(s)

PersonIdentity
Enrollment

Enter District Person IDs

11122333454

Sync

Last Completed 03/05/2024 8:25:26 AM by System Administrator [View History](#)

Requested	User	Details
✕ 03/05/2024 8:20:25 AM	System Administrator	<a href="#">Complete</a>

Clear History

# Analyze Data Inconsistencies Between the District and State

You can analyze inconsistencies between your district and the state using the [Verification Summary](#) tool.

Verification Summary ☆
System Settings > Data Interchange Administration > Verification Summary
Related Tools ^

Re-Verify
Verification Summary Report

2023-2024 DIS Verification Results

District	Name	Overall Accuracy
275	JEFFERSON COUNTY PUBLIC SCHOOLS	93.19%

Verification Results for 275 JEFFERSON COUNTY PUBLIC SCHOOLS

Object	Accuracy Legend	Timestamp	Total Records			Total Errors	Missing		Differences
			Distinct	At District	At State		At State	At District	
Behavior	99.73%	09/26/2023 08:08:42	22717	22694	22680	62	37	23	2
Employment	94.16%	09/26/2023 08:10:12	30545	30207	29118	1784	1427	338	19
EmploymentAssignment	94.04%	09/26/2023 08:09:42	60046	58708	57889	3580	2157	1338	85
English Learners	98.01%	09/26/2023 08:12:13	24623	24621	24136	489	487	2	0
Enrollment	83.86%	09/26/2023 08:10:43	145460	145459	121993	23470	23467	1	2
Graduation	92.93%	09/26/2023 08:11:43	34210	34103	31939	2419	2271	107	41
PersonIdentity	98.23%	09/26/2023 08:12:43	201573	200209	200266	3569	1307	1364	898
TestScore	---	09/27/2023 07:52:06	0	0	0	0	0	0	0

This tool breaks down the total number of records that exist at the district and the state (for said district), the total number of district-level records that do not exist at the state, the total number of state-level records (related to the district) which do not exist at the district, and the number of records where values in a key field differ (Differences) for the following areas:

- Behavior Records
- Employment Records
- Employment Assignment Records
- Enrollment Records
- Graduation Records
- English Learner Records
- Person/Identity Records
- Test Scores

You can review a breakdown of this data by selecting the **Verification Summary Report** and re-verify the data between the district and the state by selecting **Re-Verify**.

For a comprehensive guide on how to use and understand this tool, please see the [Verification Summary](#) article.

Re-Verify

Verification Summary Report

2023-2024 DIS Verification Results

District	Name	Overall Accuracy
275	JEFFERSON COUNTY PUBLIC SCHOOLS	93.19%

Verification Results for 275 JEFFERSON COUNTY PUBLIC SCHOOLS

Object	Accuracy Legend	Timestamp	Total Records			Total Errors	Missing		Differences
			Distinct	At District	At State		At State	At District	
Behavior	99.73%	09/26/2023 08:08:42	22717	22694	22680	62	37	23	2
Employment	94.16%	09/26/2023 08:10:12	30545	30207	29118	1784	1427	338	19
EmploymentAssignment	94.04%	09/26/2023 08:09:42	60046	58708	57889	3580	2157	1338	85
English Learners	98.01%	09/26/2023 08:12:13	24623	24621	24136	489	487	2	0
Enrollment	83.86%	09/26/2023 08:10:43	145460	145459	121993	23470	23467	1	2
Graduation	92.93%	09/26/2023 08:11:43	34210	34103	31939	2419	2271	107	41
PersonIdentity	98.23%	09/26/2023 08:12:43	201573	200209	200266	3569	1307	1364	898
TestScore	---	09/27/2023 07:52:06	0	0	0	0	0	0	0

## Data Setup Impacting District/State Syncing

For more information about how certain data setups can impact whether or not certain records sync between districts and the state, see the [Data Setup Impacting District to State Syncing](#) article.

## Data Synced Between District and State

Information synced between districts and the state is grouped into objects. Objects are collections of fields that make up the purpose of the object syncing information. For example, the Behavior Incident object contains all of the information needed to populate and update a behavior incident record properly.

The sections below explain each object synced between districts and the state, the type of event that triggers a resync, and, for some objects, field-level trigger logic.

## AdHocFilter

▶ [Click here to expand...](#)

Data for this object is only pushed down from the State Edition to districts.

## AdultEd

▶ [Click here to expand...](#)

Includes tables: AdultEd

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## ALPSS

▶ [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## AtRisk

▶ [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## AttributeMapping

▶ [Click here to expand...](#)

Data for this object is only pushed down from the State Edition to districts.

## BehaviorIncident

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
alignment	X	X
calendarID	X	X
context	X	X
contextDescription	X	X
damages	X	X
description	X	X
incidentGUID	X	X
incidentID	X	X
localizedLocation	X	X
location	X	X
locationBIE	X	X
locationDescription	X	X
locked	X	X
modifiedByID	X	X
modifiedDate	X	X
mostSeriousAction	X	X
mostSeriousEvent	X	X
priorActionsTaken	X	X
referralPersonID	X	X
referralTimestamp	X	X
status	X	X
timestamp	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
title	X	X

## BehaviorEvent

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the modified field	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
eventID	X	X
calendarID	X	X
name		X
code		X
alignment		X
weaponCode	X	X
violenceIndicator	X	X
timestamp		X
staffName	X	X
referralName	X	X
comments	X	X
context		X
location		X
victim	X	X
damages		X
offenderType	X	X
reporterType	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
policeNotified	X	X
gangRelated	X	X
hateCrime	X	X
alcoholRelated	X	X
drugsRelated	X	X
fightRelated	X	X
seHearing	X	X
eventGUID	X	X
drugCode	X	X
civilProceedings	X	X
arrest	X	X
charges	X	X
schoolSponsoredEvent	X	X
lawViolation	X	X
boardViolation	X	X
nonSchoolHours	X	X
altComments	X	X
injury	X	X
stateEventCode	X	X
stateEventName	X	X
regionalEventCode	X	X
regionalEventName	X	X
unsafeSchoolChoiceEvent	X	X
victimReferral	X	X
offenderReferral	X	X
timeClassifier	X	X
timeDescription	X	X
locationClassifier	X	X



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
locationDescription		X
incidentType	X	X
incidentDescription	X	X
weaponDescription	X	X
drugCode2	X	X
drugCode3	X	X
drugCode4	X	X
drugCode5	X	X
name2	X	X
name3	X	X
name4	X	X
name5	X	X
offenderKnown	X	X
weaponCode2	X	X
weaponCode3	X	X
weaponCode4	X	X
weaponCode5	X	X
medicalTreatmentProvided	X	X
numOfStuVictims	X	X
numOfSchPersonnelVictims	X	X
numOfNonSchVictims	X	X
policeReport	X	X
hearingStatus	X	X
code2	X	X
code3	X	X
code4	X	X
code5	X	X
eventCodeBIE	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
weaponCodeBIE	X	X
locationCodeBIE		X
incidentID	X	X
nonStudentVictim1Desc	X	X
nonStudentVictim2Desc	X	X
nonStudentVictim3Desc	X	X
localIncidentID	X	X
propertyIncident	X	X
stateEventCode2	X	X
stateEventCode3	X	X
stateEventCode4	X	X
stateEventCode5	X	X
stateEventName2	X	X
stateEventName3	X	X
stateEventName4	X	X
stateEventName5	X	X
referralDate	X	X
contextDescription		X
typeID	X	X
schoolResourceOfficer	X	X
responseRequired	X	X
mostSevere	X	X
courtDesignated	X	X
modifiedByID	X	X
modifiedDate	X	X
unknownOffenders	X	X
student	X	X
teacher	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
staff	X	X
other	X	X
homicideIndicator	X	X
shootingIndicator	X	X
unfounded	X	X
retaliationRelated	X	X
teamReview	X	X
gangRelatedDescriptor		X
indeterminateVictim	X	X

## BehaviorType

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
typeID	X	X
schoolID	X	X
code	X	X
name	X	X
category	X	X
alignment	X	X
demerits	X	X
stateEventCode	X	X
regionalEventCode	X	X
federalEventCode	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
startDate	X	X
endDate	X	X
archived	X	X
typeGUID	X	X
districtID	X	X
classification	X	X
availableInReferral	X	X
allowProtectedClass	X	X

## BehaviorRole

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
roleID	X	X
personID	X	X
eventID	X	X
role	X	X
demerits	X	X
comments	X	X
roleGUID	X	X
campusIDofResponsibility	X	X
roleBIE	X	X
injury	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
physicalInjury	X	X
bodilyInjury	X	X
injuryDescription	X	X
cost	X	X
relationshipToSchool	X	X
otherRelationship	X	X
overridePersonID	X	X
overrideFirstName	X	X
overrideMiddleName	X	X
overrideLastName	X	X
overrideSuffix	X	X
overrideGender	X	X
overrideBirthdate	X	X
violationLevel1	X	X
violationLevel2	X	X
violationLevel3	X	X
employmentType	X	X
overridePhysicalInjury	X	X
overrideBodilyInjury	X	X
overrideRole	X	X
weaponCount	X	X
weaponsDetected	X	X
weaponsDetectedComment	X	X
motivationCode	X	X
medicalServiceProvided	X	X
disabilityManifest	X	X
motivationDescription	X	X
portal	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
calendarID	X	X
lawReferred	X	X
schoolRelatedArrest	X	X
physicalAssaultOfEmployee	X	X
protectedClass	X	X
notReported	X	X
lawReferralCode	X	X
lawReferralDate	X	X
studentDirectedViolence	X	X
teacherDirectedViolence	X	X
staffDirectedViolence	X	X
otherDirectedViolence	X	X
craftScreeningConductedDate	X	X
craftScreeningResults	X	X
hearingOfficer	X	X

## BehaviorResolution

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Fields	Syncs to State Upon Save	Included in a Batch Sync Request
resolutionID	X	X
roleID	X	X
name	X	X

Database Fields	Syncs to State Upon Save	Included in a Batch Sync Request
code	X	X
removalReason	X	X
alignment	X	X
timestamp	X	X
endDate	X	X
comments	X	X
expulsionCode	X	X
expulsionServiceProvided	X	X
auxiliaryCode	X	X
schoolDaysDuration	X	X
altPlacement	X	X
altPlacementSped	X	X
lawEnforcement	X	X
durationReason	X	X
restraintReason	X	X
resolutionGUID	X	X
daysOverride	X	X
removalReason2	X	X
hearingCode	X	X
stateResCode	X	X
stateResName	X	X
regionalResCode	X	X
regionalResName	X	X
returnDate	X	X
noPlay	X	X
gFSAModification	X	X
GFSAModificationDescription	X	X
disabilityManifest	X	X

Database Fields	Syncs to State Upon Save	Included in a Batch Sync Request
zeroTolerance	X	X
motivationCode	X	X
motivationDescription	X	X
campusIDAssignment	X	X
actLength	X	X
oalDetermination	X	X
transferOption	X	X
transferOutcome	X	X
daysServedNextYear	X	X
staffName	X	X
discAssignDate	X	X
endTimeStamp	X	X
resolutionCodeBIE	X	X
lawContactName	X	X
parentCode	X	X
parentComment	X	X
serviceProvided	X	X
serviceLocation	X	X
modificationReason	X	X
modificationDescription	X	X
modificationLength	X	X
modificationDate	X	X
duration	X	X
durationUnits	X	X
status	X	X
typeID	X	X
adminPersonID	X	X
calendarID	X	X



Database Fields	Syncs to State Upon Save	Included in a Batch Sync Request
personID	X	X
permChangePlacement	X	X
attendanceExcuseID	X	X
remainingDuration	X	X
modifiedByID	X	X
modifiedDate	X	X
stateResolutionDetail	X	X
disciplineReason	X	X
casApprovalRequired	X	X
arrest	X	X
charges	X	X
inconsistentCodeOfConduct	X	X
durationHours	X	X
workProvided	X	X
intervention	X	X
instructionalSupport	X	X
alternatePlacementSchool	X	X
alternatePlacementEA	X	X
hoursOverride	X	X
removalServiceDeclined	X	X
disciplineProcess	X	X
alternateSchoolID	X	X
assignedBy	X	X

## BehaviorResolutionType

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
typeID	X	X
schoolID	X	X
code	X	X
name	X	X
category	X	X
alignment	X	X
demerits	X	X
stateResCode	X	X
regionalResCode	X	X
startDate	X	X
endDate	X	X
subtype	X	X
archived	X	X
typeGUID	X	X
districtID	X	X
attendance	X	X
calculateDuration	X	X
intervention	X	X

## BehaviorResponse

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
responseID	X	X
roleID	X	X
calendarID	X	X
responseTypeID	X	X
date	X	X
startTime	X	X
endTime	X	X
duration	X	X
approverPersonID	X	X
preResponseActions	X	X
responseDetails	X	X
postResponseActions	X	X
room	X	X
studentInjured	X	X
studentInjuryDetails	X	X
behStatus	X	X
guardianContacted	X	X
guardianContactedDate	X	X
guardianContactedTime	X	X
guardianContactedName	X	X
guardianContactedDetails	X	X
responseGUID	X	X
responseCodeBIE	X	X
studentInjurySeverity	X	X
modifiedByID	X	X
modifiedDate	X	X
imminentDangerToSelf	X	X
imminentDangerToStaff	X	X
imminentDangerToOtherStudents	X	X
stepsTakenComment	X	X
untrainedStaff	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
restraintSeclusion	X	X
seclusionRoomStateStandards	X	X
seclusionRoomLocked	X	X
studentDiedResponse	X	X
responseUnknownTimes	X	X

## BehaviorResponseType

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
typeID	X	X
schoolID	X	X
code	X	X
name	X	X
category	X	X
alignment	X	X
demerits	X	X
stateResCode	X	X
regionalResCode	X	X
startDate	X	X
endDate	X	X
subtype	X	X
archived	X	X
typeGUID	X	X
districtID	X	X
attendance	X	X
calculateDuration	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
intervention	X	X

## BehaviorHarassment

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
harassmentID	X	X
roleID	X	X
harassmentType	X	X
harassmentDesc	X	X
category	X	X
harassmentGUID	X	X
religiousAffiliation	X	X

## BehaviorDrug

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
drugID	X	X
roleID	X	X
drugType	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
drugDesc	X	X
drugCategory	X	X
drugGUID	X	X

## BehaviorWeapon

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Field Database	Syncs to State Upon Save	Included in a Batch Sync Request
weaponID	X	X
roleID	X	X
weaponType	X	X
weaponDesc	X	X
weaponCategory	X	X
weaponCategory2	X	X
weaponGUID	X	X

## CalculatedAbsenteeValues

► [Click here to expand...](#)

Includes tables: CalculatedAbsenteeValues

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X			

## Calendar

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
calendarID	X	X
districtID	X	X
schoolID	X	X
endYear	X	X
name	X	X
number	X	X
startDate	X	X
endDate	X	X
comments	X	X
exclude	X	X
summerSchool	X	X
studentDay	X	X
teacherDay	X	X
wholeDayAbsence	X	X
halfDayAbsence	X	X
calendarGUID	X	X
alternativeCode	X	X
title3	X	X
title3consortium	X	X
title1	X	X
legacyKey		X
schoolChoice	X	X
type	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
countDate	X	X
assignmentRequired	X	X
sifExclude	X	X
positiveAttendanceEnabled	X	X
positiveAttendanceEditDays	X	X
track	X	X
typeBIE	X	X
sequence	X	X
externalLMSExclude	X	X
attendanceType	X	X
echs	X	X
stem	X	X
programType	X	X
deleteIndicator	X	X
deleteOrigin	X	X
deleteReasonCode	X	X
deleteReasonComments	X	X
deleteRequestedByID	X	X
deleteRequestedTimestamp	X	X
deleteStatus	X	X
deleteFailureReason	X	X
deleteRequestedByGUID	X	X
foodServiceEnrollOverride	X	X
secondarySchool	X	X
virtual	X	X
ignoreCourseMasterPush	X	X
rolledForwardID	X	X
crossSiteEnrollmentOpen		X



## CalendarToolPublishedTab

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
campusToolPublishedTabID	X	X
toolID	X	X
campusToolPublishedTabGUID	X	X
customAccess	X	X
customPublishStatus	X	X
filterID	X	X
publishedBy	X	X
publishedTimestamp	X	X

## CareerReadiness

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
careerReadinessID	X	X
personID	X	X
districtID	X	X
careerReadinessGUID	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
modifiedByID	X	X
modifiedDate	X	X
startDate	X	X
endDate	X	X
year	X	X
type	X	X
hours	X	X
courseName	X	X
stateCode	X	X
courseNumber	X	X
sectionNumber		
careerCluster	X	X
employer	X	X
supervisor	X	X
phone	X	X
email	X	X
position	X	X
comments	X	X
passStatus	X	X
credentialOrDegree	X	X
creditsEarned	X	X
otherCredentialOrDegree	X	X
minutes	X	X
createdDate	X	X
programStatus	X	X
otherType	X	X

## CareerTechnicalEducation

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
careerTechnicalEducationID	X	X
personID	X	X
districtID	X	X
careerTechnicalEducationGUID	X	X
createdDate	X	X
modifiedByID	X	X
modifiedDate	X	X
startDate	X	X
endDate	X	X
programStatus	X	X
comments	X	X
specialPopulation	X	X
cipCode	X	X
ctePathway	X	X
educationFacility	X	X
studentOrganization	X	X
studentOrganizationMemberID	X	X
studentOrganizationCharterID	X	X
certCredentialDegree	X	X
otherCertCredentialDegree	X	X
hours	X	X
dualEnrollment	X	X
courseNumber	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
courseName	X	X
stateCourseCode	X	X
creditsEarned	X	X
scedCode	X	X
schoolCode	X	X
alternativeSchoolCode	X	X
alternativeSystemCode	X	X

## CensusContactSummary

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
districtID	X	X
personID	X	X
relatedBy	X	X
contactID	X	X
contactGUID	X	X
private	X	X
secondary	X	X
mailing	X	X
mailingHHL	X	X
guardian	X	X
portal		

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
messenger		
householdID	X	X
householdPhone	X	X
householdName	X	X
personGUID		
contactPersonID	X	X
studentNumber	X	X
staffNumber	X	X
staffStateID		
lastName	X	X
firstName	X	X
middleName	X	X
suffix	X	X
gender	X	X
birthdate	X	X
relationship	X	X
seq	X	X
grade	X	X
calendarName	X	X
homePhone	X	X
workPhone	X	X
cellPhone	X	X
pager	X	X
email	X	X
secondaryEmail	X	X
comments	X	X
communicationLanguage		
number	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
street	X	X
tag	X	X
prefix	X	X
dir	X	X
apt	X	X
city	X	X
state	X	X
zip	X	X
county	X	X
addressLine1	X	X
addressLine2	X	X
residentDistrictID	X	X
residentDistrictNum	X	X
residentDistrictType	X	X
residentDistrictName	X	X
addressID	X	X
location_code		
tract		
block		
privatePhone	X	X
privateAddress	X	X
modifiedDate		
addressL1		
addressL2		

## ContactLog

► [Click here to expand...](#)

Includes tables: ContactLog

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
logID	X	X
personID	X	X
districtID	X	X
dateTimeStamp	X	X
text	X	X
contactByID	X	X
module	X	X
contactType	X	X
contactMode	X	X
logGUID	X	X
modifiedTimeStamp	X	X
modifiedByID	X	X
readOnly	X	X
createdByID	X	X

## Course

► [Click here to expand...](#)

Includes tables: Course

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
courseID	X	X
courseMasterID	X	X
calendarID	X	X
departmentID	X	X
number	X	X
stateCode	X	X
name	X	X
description	X	X
comments	X	X
active	X	X
type	X	X
teachingMethod	X	X
vocationalCode	X	X
distanceCode	X	X
honorsCode	X	X
activityCode	X	X
homeroom	X	X
transcript	X	X
requestable	X	X
required	X	X
attendance	X	X
unitAttendance	X	X
expectedHours	X	X
terms	X	X
schedules	X	X
periods	X	X
gpaWeight	X	X
bonusPointsAvail	X	X



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
maxStudents	X	X
priority	X	X
sectionsToBuild	X	X
pseoType	X	X
pseoCredit	X	X
specialEdCode	X	X
coursePart	X	X
grade	X	X
program	X	X
programType	X	X
virtualInstruction	X	X
technology	X	X
highlyQualified	X	X
allowTeacherRequests	X	X
standardsBased	X	X
specialCode	X	X
abbreviation	X	X
altStateCode	X	X
coreSubject	X	X
transcriptField1	X	X
transcriptField2	X	X
transcriptField3	X	X
transcriptField4	X	X
transcriptField5	X	X
subjectType	X	X
CourseGUID	X	X
lock	X	X
acceleratedCourse	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
dualEnrollmentCourse	X	X
honorsCourse	X	X
substituteCredit	X	X
secondaryCredit	X	X
level	X	X
stateReportExclude	X	X
subjectArea	X	X
spedArea	X	X
scedSubjectArea	X	X
scedCourseId	X	X
scedLowestGrade	X	X
scedHighestGrade	X	X
scedAvailableCredit	X	X
scedCourseLevel	X	X
scedSequenceNum	X	X
scedSequenceMax	X	X
noAutobuild		
provider	X	X
repeatable	X	X
cipCode	X	X
creditType	X	X
contentStandard	X	X
edFiTermType	X	X
termType	X	X
externalLMSExclude	X	X
modifiedDate	X	X
modifiedByID	X	X
endOfCourseRequirement	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
courseCertificationDescription	X	X
stateGradeLevelHigh	X	X
stateGradeLevelLow	X	X
templateGroupID	X	X
hideStandardsOnPortal	X	X
responsive	X	X
courseOnlyCurriculum	X	X
embeddedCourseNumber	X	X
enrollmentLocation	X	X
wblCourseType	X	X
msixCode	X	X
gradeCalcPushTimeStamp	X	X
compositesPushTimeStamp	X	X
instructionalTime	X	X
cteSpecialPopulation	X	X
teacherMinutes	X	X
roomType	X	X
statePartnerCode	X	X
stateProgramCode	X	X
gssmCategory	X	X
altAchievementStandard	X	X
academicPoints	X	X
dualCreditCode	X	X
postSecondaryCredits	X	X
advisory	X	X
charterNonCoreCollegePrep	X	X
middleSchoolCoreCourseInd	X	X
instructionLanguage	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
dualLanguageProgram	X	X
highQualityCTEInd	X	X
serviceDistrict	X	X
academicLevel	X	X
coCurricular	X	X
college	X	X
postsecondaryCreditBIE	X	X
advancedPlacementBIE	X	X
internationalBaccalaureateBIE	X	X
dualCreditBIE	X	X
collegePreparationBIE	X	X
careerDevelopmentBIE	X	X
coreTypeBIE	X	X
approvedBIE	X	X
fundedBIE	X	X
providerID	X	X
providerDisplay	X	X
careerClusterELO	X	X
offCampusELO	X	X
ctelIndicator	X	X
providerSchool	X	X
providerSchoolName	X	X
nonTraditionalCourse	X	X
scedInstructionalDeliveryMode	X	X
worldLanguage	X	X
ninetyAttendance	X	X
activityType	X	X
dualEnrollAUN	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
ignoreCourseMasterPush	X	X
competencyBased	X	X
creditEarnedMethod	X	X
alternativeEd	X	X
allowCrossSiteEnrollment	X	X
crossSiteCourse	X	X
crossSiteCourseGUID	X	X

## CourseCode

► [Click here to expand...](#)

Data for this object is only pushed down from the State Edition to districts

## CourseSection

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Course.courseID	X	
Course.courseMasterID	X	
Course.calendarID	X	
Course.departmentID	X	
Course.number	X	
Course.stateCode	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Course.name	X	
Course.description	X	
Course.comments	X	
Course.active	X	
Course.type	X	
Course.teachingMethod	X	
Course.vocationalCode	X	
Course.distanceCode	X	
Course.honorsCode	X	
Course.activityCode	X	
Course.homeroom	X	
Course.transcript	X	
Course.requestable	X	
Course.required	X	
Course.attendance	X	
Course.unitAttendance	X	
Course.terms	X	
Course.schedules	X	
Course.periods	X	
Course.gpaWeight	X	
Course.bonusPointsAvail	X	
Course.maxStudents	X	
Course.priority	X	
Course.sectionsToBuild	X	
Course.pseoType	X	
Course.pseoCredit	X	
Course.specialEdCode	X	
Course.coursePart	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Course.grade	X	
Course.program	X	
Course.legacyKey	X	
Course.programType	X	
Course.technology	X	
Course.highlyQualified	X	
Course.allowTeacherRequests	X	
Course.standardsBased	X	
Course.specialCode	X	
Course.abbreviation	X	
Course.altStateCode	X	
Course.transcriptField1	X	
Course.transcriptField2	X	
Course.transcriptField3	X	
Course.transcriptField4	X	
Course.transcriptField5	X	
Course.coreSubject	X	
Course.subjectType	X	
Course.CourseGUID	X	
Course.lock	X	
Course.acceleratedCourse	X	
Course.dualEnrollmentCourse	X	
Course.honorsCourse	X	
Course.substituteCredit	X	
Course.secondaryCredit	X	
Course.level	X	
Course.stateReportExclude	X	
Course.subjectArea	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Course.spedArea	X	
Course.scedSubjectArea	X	
Course.scedCourseId	X	
Course.scedLowestGrade	X	
Course.scedHighestGrade	X	
Course.scedAvailableCredit	X	
Course.scedCourseLevel	X	
Course.scedSequenceNum	X	
Course.scedSequenceMax	X	
Course.noAutobuild	X	
Course.provider	X	
Course.repeatable	X	
Course.expectedHours	X	
Course.cipCode	X	
Course.creditType	X	
Course.contentStandard	X	
Course.edFiTermType	X	
Course.externalLMSExclude	X	
Course.termType	X	
Course.modifiedDate	X	
Course.modifiedByID	X	
Course.endOfCourseRequirement	X	
Course.courseCertificationDescription	X	
Course.stateGradeLevelHigh	X	
Course.stateGradeLevelLow	X	
Course.templateGroupID	X	
Course.hideStandardsOnPortal	X	
Course.responsive	X	



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Course.courseOnlyCurriculum	X	
Course.embeddedCourseNumber	X	
Course.enrollmentLocation	X	
Course.wblCourseType	X	
Course.msixCode	X	
Course.gradeCalcPushTimeStamp	X	
Course.compositesPushTimeStamp	X	
Course.cteSpecialPopulation	X	
Course.instructionalTime	X	
Course.teacherMinutes	X	
Course.roomType	X	
Course.stateProgramCode	X	
Course.statePartnerCode	X	
Course.gssmCategory	X	
Course.altAchievementStandard	X	
Course.academicPoints	X	
Course.dualCreditCode	X	
Course.postSecondaryCredits	X	
Course.charterNonCoreCollegePrep	X	
Course.middleSchoolCoreCourseInd	X	
Course.instructionLanguage	X	
Course.dualLanguageProgram	X	
Course.highQualityCTEInd	X	
Course.serviceDistrict	X	
Course.advisory	X	
Course.academicLevel	X	
Course.coCurricular	X	
Course.college	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Course.postsecondaryCreditBIE	X	
Course.advancedPlacementBIE	X	
Course.internationalBaccalaureateBIE	X	
Course.dualCreditBIE	X	
Course.collegePreparationBIE	X	
Course.careerDevelopmentBIE	X	
Course.coreTypeBIE	X	
Course.approvedBIE	X	
Course.fundedBIE	X	
Course.providerID	X	
Course.providerDisplay	X	
Course.offCampusELO	X	
Course.careerClusterELO	X	
Course.ctelIndicator	X	
Course.providerSchool	X	
Course.providerSchoolName	X	
Course.nonTraditionalCourse	X	
Course.scedInstructionalDeliveryMode	X	
Course.ninetyAttendance	X	
Course.worldLanguage	X	
Course.activityType	X	
Course.dualEnrollAUN	X	
Course.ignoreCourseMasterPush	X	
Course.virtualInstruction	X	
Course.competencyBased	X	
Course.creditEarnedMethod	X	
Course.alternativeEd	X	
Course.allowCrossSiteEnrollment	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Course.crossSiteCourse	X	
Course.crossSiteCourseGUID	X	
Section.sectionID	X	
Section.trialID	X	
Section.courseID	X	
Section.number	X	
Section.teacherDisplay	X	
Section.maxStudents	X	
Section.classType	X	
Section.schedGroupID	X	
Section.roomID	X	
Section.lunchID	X	
Section.lunchcount	X	
Section.milkcount	X	
Section.adultcount	X	
Section.serviceDistrict	X	
Section.serviceSchool	X	
Section.multipleTeacherCode	X	
Section.lockBuild	X	
Section.lockRoster	X	
Section.giftedDelivery	X	
Section.giftedContentArea	X	
Section.teacherPersonID	X	
Section.parapros	X	
Section.skinnySeq	X	
Section.legacyKey	X	
Section.highlyQualified	X	
Section.homeroomSection	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Section.teachingmethod	X	
Section.sectionGUID	X	
Section.lock	X	
Section.nonHqtReason	X	
Section.nonHqtExplanation	X	
Section.spedArea	X	
Section.validateAssignments	X	
Section.mediumOfInstruction	X	
Section.instructionalSetting	X	
Section.transcriptField6	X	
Section.creditRecovery	X	
Section.distanceCode	X	
Section.provider	X	
Section.transcriptField7	X	
Section.sessionType	X	
Section.sessionNumber	X	
Section.edFiTermType	X	
Section.pullCourse	X	
Section.pullDate	X	
Section.externalLMSExclude	X	
Section.termType	X	
Section.modifiedDate	X	
Section.modifiedByID	X	
Section.competencyBased	X	
Section.hideStandardsOnPortal	X	
Section.alternativeEd	X	
Section.altSchoolCode	X	
Section.altSystemCode	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Section.classMet	X	
Section.contentCompleter	X	
Section.enrollmentLocation	X	
Section.markingPeriod	X	
Section.msixCode	X	
Section.pushPersonId	X	
Section.program	X	
Section.gradeCalcPushTimeStamp	X	
Section.compositesPushTimeStamp	X	
Section.categoriesPushTimeStamp	X	
Section.instructionalTime	X	
Section.altAchievementStandard	X	
Section.honorsCode	X	
Section.academicPoints	X	
Section.dualCreditCode	X	
Section.postSecondaryCredits	X	
Section.contentStandard	X	
Section.charterNonCoreCollegePrep	X	
Section.spedDelivery	X	
Section.advisory	X	
Section.middleSchoolCoreCourseIndSec	X	
Section.highQualityCTEIndSection	X	
Section.providerIDOverride	X	
Section.providerDisplayOverride	X	
Section.customcount1	X	
Section.customcount2	X	
Section.customcount3	X	
Section.providerSchoolOverride	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Section.providerSchoolNameOverride	X	
Section.ninetyAttendanceOverride	X	
Section.immersionLanguage	X	
Section.worldLanguage	X	
Section.vocationalCode	X	
Section.certificationDescription	X	
Section.virtualInstruction	X	
Section.creditEarnedMethod	X	
Section.stateCode	X	
Section.specialEdCode	X	
Section.allowCrossSiteEnrollment	X	
Section.crossSiteMaxStudents	X	
Section.crossSiteSection	X	
Section.crossSiteSectionGUID	X	
Section.crossSiteInstructionalSetting	X	
Section.wblProgramCategorySec	X	
SectionStaffHistory.historyID	X	
SectionStaffHistory.sectionStaffID	X	
SectionStaffHistory.assignmentID	X	
SectionStaffHistory.role	X	
SectionStaffHistory.staffType	X	
SectionStaffHistory.startDate	X	
SectionStaffHistory.endDate	X	
SectionStaffHistory.createdByID	X	
SectionStaffHistory.createdDate	X	
SectionStaffHistory.modifiedByID	X	
SectionStaffHistory.modifiedDate	X	
SectionStaffHistory.comments	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
SectionStaffHistory.endReason	X	
SectionStaffHistory.percent	X	
SectionStaffHistory.personID	X	
SectionStaffHistory.trialID	X	
SectionStaffHistory.sectionID	X	
SectionStaffHistory.federallyFunded	X	
SectionStaffHistory.accessStartDate	X	
SectionStaffHistory.accessEndDate	X	
SectionStaffHistory.overrideStartDate	X	
SectionStaffHistory.overrideEndDate	X	
SectionStaffHistory.overrideReason	X	
SectionStaffHistory.fieldCode	X	
SectionStaffHistory.nonCertified	X	
SectionStaffHistory.certificationLevel	X	
SectionStaffHistory.minutes	X	

## CrisisEvent

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## CTEConcentrator

► [Click here to expand...](#)

Includes tables: CTEConcentrator

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## DataCertificationObjectMember

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
dataCertificationObjectMemberID	X	
dataCertificationObjectID	X	
personID	X	
certificationStatus	X	
dataCertificationObjectMemberGUID	X	
certificationTimestamp	X	
recertificationTimestamp	X	
districtID	X	

## DataCertificationTypeMember

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
dataCertificationTypeMemberID	X	
dataCertificationTypeID	X	
districtID	X	
personID	X	
active	X	



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
type	X	
dataCertificationTypeMemberGUID	X	

## DatasetSnapshot

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
snapshotID	X	
snapshotDateTime	X	
toolCode	X	
subIdentifier	X	
readableSubIdentifier	X	
createdByID	X	
prismParams	X	
snapshotGUID	X	
districtID	X	
size		

## DataValidationDef

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
dataValidationDefID	X	X
name	X	X
description	X	X
validationRuleType	X	X
className	X	X
adHocFilterID	X	X
sqlDef	X	X
isDistinct	X	X
stateOwned	X	X
states	X	X
BIE	X	X
nonBIE	X	X
districtEdition	X	X
stateEdition	X	X
archived	X	X
hidden	X	X
custom	X	X
dataValidationDefGUID	X	X
procedureID	X	X
deletedByState	X	X
syncStatus	X	X
baselineID	X	X
owner		
premium		

## Day

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
dayID	X	X
calendarID	X	X
structureID	X	X
periodScheduleID	X	X
date	X	X
instruction	X	X
attendance	X	X
schoolDay	X	X
duration	X	X
comments	X	X
startTime	X	X
endTime	X	X

## DigitalEquity

► [Click here to expand...](#)

Includes tables: DigitalEquity

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## District

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
districtID	X	X
ncesDistrictID	X	X
number	X	X
name	X	X
type	X	X
state	X	X
comments	X	X
address	X	X
city	X	X
zip	X	X
county	X	X
phone	X	X
fax	X	X
email	X	X
districtGUID	X	X
stateLinked	X	X
url	X	X
contactLastName	X	X
contactFirstName	X	X
inactive	X	X
spedFax	X	X
spedPhone	X	X
spedContactFirstName	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
spedContactLastName	X	X
regionNumber	X	X
legacyKey		
spedAddress	X	X
spedCity	X	X
spedState	X	X
spedZip	X	X
spedCounty	X	X
groupNumber	X	X
federalTaxID	X	X
nationalProviderID	X	X
mchpProviderID	X	X
districtCode	X	X
physicalAddress	X	X
physicalCity	X	X
physicalState	X	X
physicalZip	X	X
status	X	X
ISDNumber	X	X
eSignatureRegistrationHTML		
eSignatureTermsOfUseHTML		
supportAdviceHTML		
supportAdvicePhone		
modifiedByID		
modifiedDate		
regionNumberBIE	X	X
supportAdviceEmail		
displayAdvicePhone		X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
displayAdviceEmail	X	X
stateType	X	X
stateTypeName	X	X
masterStateType	X	X
otherStaffContactName	X	X
otherStaffContactPhone	X	X
otherStaffContactAddress	X	X
otherStaffContactCity	X	X
otherStaffContactState	X	X
otherStaffContactZip	X	X
otherStaffContactName2	X	X
otherStaffContactPhone2	X	X
otherStaffContactAddress2	X	X
otherStaffContactCity2	X	X
otherStaffContactState2	X	X
otherStaffContactZip2	X	X
spedContactFirstNameAlt	X	X
spedContactLastNameAlt	X	X
spedPhoneAlt	X	X
entityID	X	X
programOfStudy	X	X
spedEmail	X	X
otherStaffContactName3	X	X
otherStaffContactName4	X	X
otherStaffContactEmail	X	X
otherStaffContactEmail2	X	X
contactTitle	X	X
programType	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
federalTest	X	X
districtEditionType	X	X
pkProgramEvaluation	X	X
allowCrossSiteEnrollment	X	X

## DistrictResidency

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## DISVerificationResult

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
	X - only syncs resultID		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
resultID	X <div>Only field which syncs to the state</div>	
endYear		
districtID		
objectName		
parentID		

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
resultTimestamp		
status		
statusTimestamp		
calendarID		
calendarName		
calendarGUID		
localCount		
remoteCount		
missingLocalCount		
missingRemoteCount		
fieldDifferenceCount		

## Dropout

► [Click here to expand...](#)

Includes tables: Dropout

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Dual Language Immersion

► [Click here to expand...](#)

Includes the following tables: DualLanguageImmersion

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
dliID	X	X
personID	X	X
dliGUID	X	X
modifiedByID	X	X
modifiedDate	X	X
dliYear	X	X
languageCode	X	X
assessmentDate	X	X
endDate	X	X
startDate	X	X
createdDate	X	X
programStatus	X	X
comments	X	X
districtID	X	X
exitReason	X	X

## Early Learning

► [Click here to expand...](#)

Includes the following tables: EarlyLearning, EarlyLearningEducationalEnvironment, EarlyLearningEligibilityCategory, EarlyLearningEnrollmentType, EarlyLearningFamilyIncomeSource, EarlyLearningFunding, EarlyLearningPreKProgram, EarlyLearningService

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Early Warning

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
----------------------------------	--------------------------	-----------------------------	-------------------------------------

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
earlyLearningID	X	X
districtID	X	X
personID	X	X
startDate	X	X
endDate	X	X
comments	X	X
location	X	X
setting	X	X
householdCount	X	X
familyCount	X	X
annualFamilyIncome	X	X
exitReason	X	X
earlyLearningGUID	X	X
modifiedByID	X	X
modifiedDate	X	X
highestEducationMother	X	X
halfDayPCProgram	X	X
eiNumber	X	X
delayTransitionReason	X	X
familyIncomeSource	X	X
eligibilityDate	X	X
serviceStartDate	X	X
completionDateIEP	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
referralCFC	X	X
classroomIDEA	X	X
programHours1	X	X
programHours2	X	X
sessionID1	X	X
sessionID2	X	X
screeener	X	X
screeenerExitStatus	X	X
serviceEndDate	X	X
providerType	X	X
serviceType	X	X
endingProviderReason	X	X
headStart	X	X
parentsAsTeachers	X	X
earlyLearningParticipant	X	X
enrollmentID	X	X
enrollmentType1	X	X
enrollmentType2	X	X
enrollmentType3	X	X
enrollmentType4	X	X
fundedType1	X	X
fundedType2	X	X
fundedType3	X	X
fundedType4	X	X
other1	X	X
other2	X	X
other3	X	X
other4	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
earlyHeadStart	X	X
gatewayRegistryMemberID	X	X
providerHasGatewaysCredential	X	X
licensedChildCare	X	X
meetsAtRiskCriteria	X	X
addEligFactors	X	X
qualFactors	X	X
attended		X
programCode		X
elProgramName		X
elProgramAddress		X
nameNotProvided		X
addressNotProvided		X
noProgramStartAndOrEnd		X
numOfMonths	X	X
numOfVisits	X	X
programStatus	X	X
createdDate	X	X
countyOfPreK		X
preKPastYear		X
firstYearAttendingKN		X
yrPreKAttended		X
referralDateToCDW		X
dateDistrictNotified		X

## EarlyWarningScoreDaily

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
personID	X	X
dateStamp	X	X
endYear	X	X
allGRAD	X	X
attendanceGRAD	X	X
stabilityGRAD	X	X
behaviorGRAD	X	X
academicsGRAD	X	X
attendanceImpact	X	X
stabilityImpact	X	X
behaviorImpact	X	X
academicsImpact	X	X
earlyWarningScoreDailyMetadataID		X
districtID	X	X

## EarlyWarningScoreMonthly

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
personID	X	X
yearStamp	X	X
monthStamp	X	X
endYear	X	X
timeStamp	X	X
allGRAD	X	X
attendanceGRAD	X	X
stabilityGRAD	X	X
behaviorGRAD	X	X
academicsGRAD	X	X
attendanceImpact	X	X
stabilityImpact	X	X
behaviorImpact	X	X
academicsImpact	X	X
districtID	X	X

## EarlyWarningScoreYearly

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
personID	X	X
endYear	X	X
timeStamp	X	X
allGRAD	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
attendanceGRAD	X	X
stabilityGRAD	X	X
behaviorGRAD	X	X
academicsGRAD	X	X
attendanceImpact	X	X
stabilityImpact	X	X
behaviorImpact	X	X
academicsImpact	X	X
districtID	X	X

### ELAccommodation (LepAccommodation)

► [Click here to expand...](#)

Includes tables: LepAccommodation

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

### ELService (LepService)

► [Click here to expand...](#)

Includes the following tables: LepService

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

### Employment

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
----------------------------------	--------------------------	-----------------------------	-------------------------------------

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
employmentID		
personID	X	X
districtID	X	X
employmentGUID	X	X
startDate	X	X
endDate	X	X
teachingStartYear	X	X
teachingYearsModifier	X	X
licenseNumber	X	X
ftePercent	X	X
seniority	X	X
educationLevel	X	X
grade	X	X
subjectArea	X	X
certification	X	X
housse	X	X
housseCompletionDate	X	X
major	X	X
subjectMatterCompetency	X	X
highlyQualified	X	X
salary	X	X
additionalCompensation	X	X
benefitsValue	X	X



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
exceptionalContractCondition		
employmentStatus	X	X
exitReason	X	X
probation	X	X
probationDate	X	X
tenureDate	X	X
seniorityDate	X	X
lastDateWorked	X	X
hireStatus	X	X
retirementDate	X	X
edFiEdOrgTitle	X	X
totalYearsDistrictExperience		
stateRole	X	X
districtStaff	X	X
assignmentCode	X	X
exclude	X	X
override1	X	X
override2	X	X
sifExclude	X	X
exitReason2	X	X
exitReason3	X	X
expectedAttendance	X	X
actualAttendance	X	X
certified	X	X

## EmploymentAssignment

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
assignmentID	X	X
personID	X	X
schoolID	X	X
departmentID	X	X
startDate	X	X
endDate	X	X
titleCode	X	X
title	X	X
type	X	X
assignmentCode	X	X
teacher	X	X
specialized	X	X
behavior	X	X
health	X	X
advisor	X	X
supervisor	X	X
foodservice	X	X
excludeReferral	X	X
fte	X	X
highlyQualifiedTeacherDate		
nationalBoardCertification		
alternateType	X	X
highlyQualified	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
readingFirst	X	X
pdYear	X	X
pdClass	X	X
pdClassType	X	X
pdClassOfferedBy	X	X
pdCredit	X	X
pdHours	X	X
program	X	X
counselor	X	X
subjectMatterCompetency	X	X
grade	X	X
resourceTeacher	X	X
pupilSupport	X	X
suAdmin	X	X
title1	X	X
schoolAdmin	X	X
hoursPerDay	X	X
daysPerYear	X	X
salary	X	X
federalFundingPercent	X	X
generalFundingPercent	X	X
otherFundingPercent	X	X
districtID	X	X
assignmentGUID	X	X
stateTitle	X	X
approver	X	X
spedAgeGroup	X	X
bieTitle	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
programCategoryBIE	X	X
assignmentLevelBIE	X	X
spedAgeGroupBIE	X	X
primaryTeachingArea	X	X
annualHours	X	X
daysPerWeek	X	X
primary	X	X
modifiedByID	X	X
modifiedDate	X	X
finance	X	X
framProcessor	X	X
responseApprover	X	X
rti	X	X
externalLMSExclude	X	X
exclude	X	X
nonEmployeeResource	X	X
resourceTitle	X	X
comments	X	X
actualAttendance	X	X
eisPositionCode	X	X
healthLicense	X	X
additionalDaysProgram	X	X
activity	X	X
contractType	X	X
override1	X	X
override2	X	X
typeBIE	X	X
experiencedEducatorBIE	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
accessToIDEA	X	X
mentorID	X	X
adminTypeBIE	X	X
adultEd	X	X
ell	X	X
activityPreapprover	X	X
pdReason	X	X
serviceIndicator	X	X
spedLevel	X	X

## EmploymentBackground

► [Click here to expand...](#)

Includes tables: EmploymentBackground

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## EmploymentCredential

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
credentialID	X	X
personID	X	X
area	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
credentialType	X	X
creditHours	X	X
number	X	X
date	X	X
employmentCredentialType	X	X
subjectType	X	X
coreSubject	X	X
metHousse	X	X
housseDate	X	X
subjectCompetency	X	X
degreeType	X	X
fullCertification	X	X
lepCredential	X	X
licenseNumber	X	X
licenseType	X	X
endDate	X	X
campusCode	X	X
institutionType	X	X
districtID	X	X
credentialGUID	X	X
spedRelatedService	X	X
eduState	X	X
subjectArea	X	X
paraprofessionalQualification	X	X
stateReported	X	X
majorCipCode	X	X
minorCipCode	X	X
stateCompetency	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
lcType	X	X
description	X	X
expectedHQDate	X	X
educationInstitution	X	X
degreeSubject	X	X
degreeCompletionDate	X	X
employer	X	X
title	X	X
employmentCity	X	X
employmentState	X	X
certifiedExperience	X	X
districtCredit	X	X
stateCredit	X	X
publicCredit	X	X
privateCredit	X	X
nonEdCredit	X	X
degreeSubjectMinor	X	X
whStartMonth	X	X
whStartYear	X	X
whEndMonth	X	X
whEndYear	X	X
districtExperience	X	X
outOfDistrictExperience	X	X
branch	X	X
activeDuty	X	X
healthLicense	X	X
subjectTypeBIE	X	X

## English Learners (EL) (LEP)

► [Click here to expand...](#)

Includes the following tables: LEP

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Enrollment

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
enrollmentID	X	X
personID	X	X
calendarID	X	X
structureID	X	X
grade	X	X
serviceType	X	X
active	X	X
classRankExclude	X	X
noShow	X	X
startDate	X	X
startStatus	X	X
startComments	X	X
endDate	X	X
endStatus	X	X



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
endComments	X	X
endAction	X	X
nextCalendar	X	X
nextGrade	X	X
diplomaDate	X	X
diplomaType	X	X
diplomaPeriod	X	X
postGradPlans	X	X
postGradLocation	X	X
gradYear	X	X
stateExclude	X	X
servingDistrict	X	X
residentDistrict	X	X
residentSchool	X	X
mealStatus	X	X
englishProficiency	X	X
englishProficiencyDate	X	X
lep	X	X
esl	X	X
language	X	X
citizenship	X	X
title1	X	X
title3	X	X
transportation	X	X
migrant	X	X
immigrant	X	X
homeless	X	X
homeSchooled	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
homebound	X	X
giftedTalented	X	X
nclbChoice	X	X
percentEnrolled	X	X
admOverride	X	X
adaOverride	X	X
vocationalCode	X	X
pseo	X	X
facilityCode	X	X
stateAid	X	X
stateFundingCode	X	X
section504	X	X
specialEdStatus	X	X
specialEdSetting	X	X
disability1	X	X
disability2	X	X
disability3	X	X
disability4	X	X
disability5	X	X
enrollmentGUID	X	X
privateSchooled	X	X
spedExitDate	X	X
spedExitReason	X	X
childCountStatus	X	X
grade9Date	X	X
singleParent	X	X
displacedHomemaker	X	X
legacyKey		

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
legacySeq1		
legacySeq2		
endYear	X	X
districtID	X	X
localStudentNumber		
modifiedDate	X	X
modifiedByID	X	X
dropoutCode	X	X
eip	X	X
adult	X	X
servingCounty	X	X
attendanceGroup		
projectedGraduationDate	X	X
withdrawDate	X	X
rollForwardCode	X	X
rollForwardEnrollmentID	X	X
cohortYear	X	X
disability6	X	X
disability7	X	X
disability8	X	X
disability9	X	X
disability10	X	X
nextStructureID	X	X
schoolEntryDate	X	X
districtEntryDate	X	X
mvUnaccompaniedYouth	X	X
externalLMSExclude	X	X
schoolOfAccountability	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
localStartStatusTypeID	X	X
localEndStatusTypeID	X	X
schoolChoiceProgram	X	X
dpsaCalculatedTier	X	X
dpsaReportedTier	X	X
excludeFromDpsaCalculation	X	X
crossSiteEnrollment	X	X

## Evaluation

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
evalID	X	X
personID	X	X
districtID	X	X
date	X	X
type	X	X
name	X	X
school	X	X
birthdate	X	X
grade	X	X
studentNumber	X	X
modifiedDate	X	X
modifiedByID	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
createdDate	X	X
createdByID	X	X
locked	X	X
typeID	X	X
legacyKey	X	X
consentDate	X	X
evalCompliance	X	X
evalResult	X	X
archive	X	X
evalGUID	X	X
determinationDate	X	X
extensionDays	X	X
eligibilityDate	X	X
referralDate	X	X
otherID	X	X
primaryLanguage	X	X
referralType	X	X
dateCompleted	X	X
completionType	X	X
delayReason	X	X
eDelayReason	X	X
consentObtained	X	X
iepConsentDate	X	X
disability1	X	X
disability2	X	X
disability3	X	X
disability4	X	X
disability5	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
ecReferringAgency	X	X
ecTransitionDate	X	X
transferDate	X	X
earlyReferral	X	X
earlyTransfer	X	X
spedReferral	X	X
spedTransfer	X	X
delayReasonText	X	X
meetingDelayReason	X	X
reasonIEPNeverImplemented	X	X
meetingReason	X	X
meetingReason1	X	X
meetingReason2	X	X
meetingReason3	X	X
meetingReason4	X	X
meetingReason5	X	X
meetingReason6	X	X
meetingReasonText	X	X
timeliness	X	X
referralAgency	X	X
transitionTimeliness	X	X
conferenceTimeliness	X	X
physicianName	X	X
physicianPhone	X	X
physicianAddress	X	X
partCServicesEligibilityDate	X	X
reEvalConsentDate	X	X
eligibilityServicesCode	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
exitDate	X	X
exitReason	X	X
fapeOfferDate	X	X
ratingParticipant1	X	X
ratingParticipant2	X	X
ratingParticipant3	X	X
ratingParticipant4	X	X
ratingParticipant5	X	X
assessmentCategory	X	X
assessmentOutcome	X	X
contactName	X	X
contactTitle	X	X
contactPhone	X	X
contactName2	X	X
contactTitle2	X	X
contactPhone2	X	X
disabilityString	X	X
publishDraftToPortal	X	X
publishDraftToPortalTimestamp	X	X
stateReportExclude	X	X
evaluationDelayReason	X	X
evaluationLateReason	X	X
dueDate	X	X
printInEval	X	X
inviteDate	X	X
meetingDate	X	X
meetingTime	X	X
meetingLocation	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
meetingType	X	X
noticeDate1	X	X
notice1Modality	X	X
specifyOther1	X	X
noticeDate2	X	X
notice2Modality	X	X
specifyOther2	X	X
noticeDate3	X	X
notice3Modality	X	X
specifyOther3	X	X
parentQuestionnaire	X	X
studentQuestionnaire	X	X
meetingFName	X	X
meetingFPhone	X	X
meetingFEmail	X	X
meetingCheck1	X	X
meetingCheck2	X	X
meetingCheck3	X	X
meetingCheck4	X	X
meetingCheck5	X	X
meetingCheck6	X	X
meetingCheck7	X	X
meetingCheck8	X	X
meetingCheck9	X	X
meetingCheck10	X	X
specifyOther4	X	X
comments	X	X



## Extended Learning Opportunity

► [Click here to expand...](#)

Includes the following tables: ExtendedLearningOpportunity

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
eloID	X	X
personID	X	X
districtID	X	X
modifiedByID	X	
modifiedDate	X	
eloGUID	X	X
startDate	X	X
endDate	X	X
programType	X	X
indicator	X	
totalProgramHrs	X	
sessionsPerWk	X	
locationCode	X	
serviceProvider	X	
serviceProviderType	X	
programCode	X	
learningType	X	
stateCode	X	
performanceEvaluationCode	X	
leaSponsoredInd	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
certificatedSupervisedInd	X	
cohortYear	X	
diplomaDate	X	

## FERPA

► [Click here to expand...](#)

Includes the following tables: FERPA, FERPAValue

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Form

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X - only select fields	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
formID	X	X
documentID	X	
personID	X	X
districtID	X	
FDF	X	
name	X	
modifiedDate	X	
modifiedByID	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
createdDate	X	
createdByID	X	
comments	X	
module	X	X
archive	X	
formGUID	X	X
enrollmentID	X	
sortByDate	X	
locked	X	X
personName	X	
formDocName	X	
draft	X	
endYear	X	
requireStudentES	X	
requireGuardianES	X	
studentFill	X	
guardianFill	X	
startTimestamp	X	
endDate	X	

## FosterCare

► [Click here to expand...](#)

Includes the following tables: FosterCare

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	X

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
fosterCareID	X	X
districtID	X	X
personID	X	X
startDate	X	X
endDate	X	X
comments	X	X
placementType	X	X
schoolOfOrigin	X	X
fosterCareGUID	X	X
modifiedByID	X	X
modifiedDate	X	X
agency	X	X
caseWorkerFName	X	X
caseWorkerLName	X	X
fosterID	X	X
published	X	X
caseWorkerPhone	X	X
custodyStartDate	X	X
custodyEndDate	X	X
facilityAddress	X	X
facilityRights	X	X
responsibleSchool	X	X
responsibleSchoolPaid	X	X
stateFunds	X	X
fosterHome	X	X
summerSchool	X	X
createdDate	X	X
programStatus	X	X

## FundedProgram

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Graduation

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Graduation.graduationID	X	X
Graduation.districtID	X	X
Graduation.personID	X	X
Graduation.grade9Date	X	X
Graduation.cohortYearNGA	X	X
Graduation.cohortYearNCLB	X	X
Graduation.diplomaDate	X	X
Graduation.diplomaType	X	X
Graduation.diplomaPeriod	X	X
Graduation.postGradPlans	X	X
Graduation.postGradLocation	X	X
Graduation.gradYear	X	X
Graduation.projectedGraduationDate	X	X
Graduation.nclbStatus		
Graduation.dropoutCodeBIE	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Graduation.diplomaTypeBIE	X	X
Graduation.postGradPlansBIE	X	X
Graduation.collegeEntranceReqStatus	X	X
Graduation.postsecondaryAcceptanceStatus	X	X
Graduation.postsecondaryAppStatus	X	X
Graduation.postsecondaryEnrollmentPlans	X	X
Graduation.advancedIntCertificate	X	X
Graduation.alternateGradCertificate	X	X
Graduation.collegeReadyDiploma	X	X
Graduation.differentiatedDiploma	X	X
Graduation.gedResult	X	X
Graduation.internationalBaccalaureate	X	X
Graduation.scholarship	X	X
Graduation.graduationOptions	X	X
Graduation.fiveYear	X	X
Graduation.ctePlacementRelation	X	X
Graduation.followUpCourse	X	X
Graduation.followUpSection	X	X
Graduation.followUpZip	X	X
Graduation.followupStatus	X	X
Graduation.postGradDetermination	X	X
Graduation.expectedGraduationTimeframe	X	X
Graduation.coursesCompletedDate	X	X
Graduation.texasGrant	X	X
Graduation.completedCoursework	X	X
Graduation.onTimeGradYr	X	X
Graduation.projectedGradYr	X	X
Graduation.hathaway	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Graduation.stateScholarship	X	X
Graduation.natlScholarship	X	X
Graduation.cohortYearNGADetermination	X	X
Graduation.grade9Determination	X	X
Graduation.modifiedDate	X	X
Graduation.modifiedByID	X	X
Graduation.governorsSeal		
Graduation.boardEdSeal		
Graduation.boardEdCTESeal		
Graduation.beAdvanced		
Graduation.beExcellence		
Graduation.courseworkCompletionDate	X	X
Graduation.earlyGrad	X	X
Graduation.ascCredit	X	X
Graduation.economicsMet	X	X
Graduation.fineArtsMet	X	X
Graduation.phyEdMet	X	X
Graduation.commonwealthScholar	X	X
Graduation.schoolID	X	X
Graduation.gradPathMath	X	X
Graduation.gradPathReading	X	X
Graduation.gradPathWriting	X	X
Graduation.cteSurvey	X	X
Graduation.cteSurveyDate	X	X
Graduation.gradPathMathDate	X	X
Graduation.gradPathReadingDate	X	X
Graduation.gradPathWritingDate	X	X
Graduation.coreExempt	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Graduation.miltAlt	X	X
Graduation.OGOnly	X	X
Graduation.certOfDegree	X	X
Graduation.creditAccommodation	X	X
Graduation.cipCode	X	X
Graduation.cteProgramType	X	X
Graduation.comment	X	X
Graduation.stem		
Graduation.businessIndustry		
Graduation.publicService		
Graduation.artsHumanities		
Graduation.multiDisciplinary		
Graduation.gradPath	X	X
Graduation.credentialTypeCode	X	X
Graduation.indGradCommittee	X	X
Graduation.diplomaNumber	X	X
Graduation.gradPathMathReimburse	X	X
Graduation.gradPathReadingReimburse	X	X
Graduation.gradPathWritingReimburse	X	X
Graduation.extracurricularActivities	X	X
Graduation.payingJob	X	X
Graduation.careerInstruction		
Graduation.gradScore	X	X
Graduation.firstPostSecondaryCertLic	X	X
Graduation.secondPostSecondaryCertLic	X	X
Graduation.thirdPostSecondaryCertLic	X	X
Graduation.gradPathELA	X	X
Graduation.ptech	X	X



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Graduation.employabilitySkills	X	X
Graduation.postsecondaryReadyCompetencies	X	X
Graduation.localPathway	X	X
Graduation.elaADC	X	X
Graduation.mathADC	X	X
Graduation.scienceADC	X	X
Graduation.socialStudiesADC	X	X
Graduation.coreExemptDate	X	X
Graduation.coreMet	X	X
Graduation.altAssessment	X	X
Graduation.expandedTestScore	X	X
Graduation.postsecondaryStatus	X	X
Graduation.postSecondaryInstitution1BIE	X	X
Graduation.postSecondaryInstitution2BIE	X	X
Graduation.postSecondaryInstitution3BIE	X	X
Graduation.eduInstitutionType	X	X
Graduation.associatesInstitution	X	X
Graduation.iepGradCourseReq	X	X
Graduation.iepGradAttendance	X	X
Graduation.financialAidMetDate	X	X
Graduation.compSciLang	X	X
Graduation.earlyHighSchoolGrad	X	X
Graduation.gradPathSpeaking	X	X
Graduation.gradPathSpeakingDate	X	X
GraduationSeal.graduationSealID	X	X
GraduationSeal.graduationID	X	X
GraduationSeal.stateSeal	X	X
GraduationSeal.earnedDate	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
GraduationSeal.method	X	X
GraduationSeal.proficiencyDate	X	X
GraduationSeal.language	X	X
GraduationSeal.status	X	X
GraduationSeal.certification	X	X
GraduationSeal.type	X	X
GraduationSeal.IBCVendor	X	X
GraduationSeal.IBCExamFee	X	X
GraduationSeal.provider	X	X

## HealthScreening

► [Click here to expand...](#)

Includes tables: HealthScreening, HealthScreeningConcussion, HealthScreeningDental, HealthScreeningDevelopmental, HealthScreeningEarlyChildhood, HealthScreeningGrowth, HealthScreeningHearing, HealthScreeningLead, HealthScreeningPhysical, HealthScreeningScoliosis, HealthScreeningSocialEmotional, HealthScreeningSpeech, HealthScreeningTeenCheckup, HealthScreeningTuberculosis, HealthScreeningVision, HealthScreeningFollowUp

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
screeningID	X	X
personID	X	X
type	X	X
date	X	X
comments	X	X
districtID	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
screeningGUID	X	X

## Homeless

► [Click here to expand...](#)

Includes tables: Homeless

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
homelessID	X	X
personID	X	X
districtID	X	X
homelessGUID	X	X
startDate	X	X
endDate	X	X
primaryNightTimeResidence	X	X
unaccompaniedYouth	X	X
homelessServed	X	X
modifiedByID	X	X
modifiedDate	X	X
servicesReceived	X	X
educationalBarriers	X	X
runaway	X	X
comments	X	X
causeOfHousingCrisis	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
causeOfHousingCrisis2	X	X
missingDocAssistance	X	X
mcKinneyVentoConsult	X	X
academicReferrals	X	X
academicEnrichment	X	X
afterSchoolProgramAttended	X	X
beforeSchoolProgramAttended	X	X
summerSchoolProgramAttended	X	X
transportation	X	X
crossDistrictTransDistrict	X	X
welfare	X	X
communityAgencyReferral	X	X
homelessOther	X	X
supportServices	X	X
instructionalServices	X	X
programStatus	X	X
createdDate	X	X

## HomelessService

► [Click here to expand...](#)

Includes tables: HomelessService

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
homelessServiceID	X	X
personID	X	X
districtID	X	X
modifiedByID	X	X
modifiedDate	X	X
homelessServiceGUID	X	X
startDate	X	X
endDate	X	X
serviceType	X	X
location	X	X
programStatus	X	X
createdDate	X	X
comments	X	X

## ImmCertificate

► [Click here to expand...](#)

Includes tables: ImmCertificate

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
immCertificateID	X	X
personID	X	X
expirationDate	X	X
certificateType	X	X
certificateDate	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
immCertificateGUID	X	X
staffName	X	X

## InstructionMode

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
instructionModeID	X	X
personID	X	X
districtID	X	X
instructionModeGUID	X	X
startDate	X	X
endDate	X	X
status	X	X
modifiedByID	X	X
modifiedDate	X	X
school	X	X
learningModality	X	X
comments	X	X
percentVirtual	X	X
exitReason	X	X
createdDate	X	X

## LEP / EL

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
lepID	X	X
districtID	X	X
personID	X	X
lepGUID	X	X
programStatus	X	X
identifiedDate	X	X
expectedExitDate	X	X
exitDate	X	X
firstYearMonitoring		
secondYearMonitoring		
parentNotifiedDate	X	X
parentDeclined	X	X
comments	X	X
modifiedByID	X	X
modifiedDate	X	X
exitReason	X	X
yearsLEP	X	X
interruptedSchooling	X	X
nep	X	X
elpaTier	X	X
thirdYearMonitoring		
fourthYearMonitoring		

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
parentDeclinedDate		X
slife	X	X
slifeIdentifiedDate	X	X
programType	X	X
raeIdentifiedDate	X	X
longTermEL	X	X
atRiskEL	X	X
flaggedEnglishFluencyDate	X	X
fifthYearMonitoring		
actionCode	X	X
languageVerification	X	X
sentDate	X	X
completeDate	X	X
conductedBy	X	X
notes	X	X
liepInstructionLanguage	X	X
exitState	X	X
determinedMisidentifiedDate	X	X
stateOfEmergency	X	X
stateMLLStatus	X	X

## LepAccommodation

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
lepAccommodationID	X	X
personID	X	X
districtID	X	X
lepAccommodationTypeID	X	X
startDate	X	X
endDate	X	X
comment	X	X
lepAccommodationGUID	X	X
modifiedByID	X	X
modifiedDate	X	X
testFormat	X	X
altAccommodation	X	X

## LepAccommodationType

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
lepAccommodationTypeID	X	X
code	X	X
name	X	X
type	X	X
description	X	X
inactive	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
published	X	X
districtID	X	X
stateCodeMappingID	X	X
lepAccommodationTypeGUID	X	X
origin	X	X
bieCodeMappingID	X	X

## LEPSERVICE

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
lepServiceID	X	X
personID	X	X
districtID	X	X
lepServiceTypeID	X	X
startDate	X	X
endDate	X	X
parentRefusedServices	X	X
dateRefused	X	X
comment	X	X
lepServiceGUID	X	X
modifiedByID		
modifiedDate	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
schoolID	X	X
serviceMinutes	X	X
titleIII	X	X
funding2	X	X
funding3	X	X
funding4	X	X
stateReported	X	X
exitReason	X	X
location	X	X
langInstructProgram	X	X
bilingualEdHours		
frequency	X	X
frequencyPeriod	X	X
otherSetting	X	X
eldProgram	X	X
bilProgram	X	X
languageTime	X	X
otherTime	X	X
sheltered	X	X
waiverDate	X	X

## LEPServiceType

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
lepServiceTypeID	X	
code	X	
name	X	
type	X	
description	X	
inactive	X	
published	X	
districtID	X	
stateCodeMappingID	X	
lepServiceTypeGUID	X	
origin	X	
bieCodeMappingID	X	

## MedicaidEligibility

► [Click here to expand...](#)

Includes tables: MedicaidEligibility

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Meeting

► [Click here to expand...](#)

This includes the following tables: Meeting, MeetingCalendarAssociation, MeetingChairperson, MeetingInvitee, MeetingLog, MeetingOutcome, MeetingPurpose, RequiredInvitee

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Migrant

► [Click here to expand...](#)

Includes the following tables: Migrant

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	X

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
migrantID	X	X
personID	X	X
districtID	X	X
modifiedByID	X	X
modifiedDate	X	X
migrantGUID	X	X
msixID	X	X
lastQualifyingArrivalDate	X	X
fromState	X	X
toState	X	X
migrantCOEStatusIndicator	X	X
priorityForService	X	X
eligibilityExpirationDate	X	X
lastQualifyingMoveDate	X	X
published	X	X
regionalCode	X	X
mis2000ID	X	X
servicesStartDate	X	X
servicesEndDate	X	X
comments	X	X
continuationOfServicesReason	X	X

## MigrantService

► [Click here to expand...](#)

This includes the following tables: MigrantService

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## PeriodSchedule

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
periodScheduleID	X	X
structureID	X	X
name	X	X
seq	X	X
regularSchedule	X	X
periodScheduleGUID	X	X
exceptionDay	X	X

## PersonIdentity

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
identityID	X	X
personID	X	X
effectiveDate	X	X
lastName	X	X
firstName	X	X
middleName	X	X
suffix	X	X
alias	X	X
gender	X	X
birthdate	X	X
ssn	X	X
raceEthnicity	X	X
birthCountry	X	X
dateEnteredUS	X	X
birthVerification	X	X
comments	X	X
districtID	X	X
hispanicEthnicity	X	X
identityGUID	X	X
lastNamePhonetic		X
firstNamePhonetic		X
dateEnteredState	X	X
birthCertificate	X	X
immigrant	X	X
dateEnteredUSSchool	X	X
raceEthnicityFed	X	X
raceEthnicityDetermination	X	X
birthStateNoSIF	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
birthCity	X	X
birthCounty	X	X
modifiedByID	X	X
modifiedDate	X	X
birthVerificationBIE	X	X
refugee	X	X
homePrimaryLanguage	X	X
stateHispanicEthnicity	X	X
birthState	X	X
homePrimaryLanguageBIE	X	X
homeSecondaryLanguageBIE	X	X
languageAlt	X	X
languageAlt2	X	X
foreignLanguageProficiency	X	X
literacyLanguage	X	X
legalFirstName	X	X
legalLastName	X	X
legalMiddleName	X	X
legalSuffix	X	X
legalGender	X	X
usCitizen	X	X
visaType	X	X
originCountry	X	X
hispanicWriteIn	X	X
asianWriteIn	X	X
caribbeanWriteIn	X	X
centralAfricanWriteIn	X	X
eastAfricanWriteIn	X	X



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
latinAmericanWriteIn	X	X
southAfricanWriteIn	X	X
westAfricanWriteIn	X	X
blackWriteIn	X	X
alaskaNativeWriteIn	X	X
americanIndianWriteIn	X	X
pacificIslanderWriteIn	X	X
easternEuropeanWriteIn	X	X
middleEasternWriteIn	X	X
northAfricanWriteIn	X	X
usEntryType	X	X
multipleBirth	X	X
languageSurveyDate	X	X
certificateOfIndianBlood	X	X
birthGender	X	X
languageInterpreter	X	X
languageAltInterpreter	X	X
languageAlt2Interpreter	X	X
educationLevel	X	X
pronounID	X	X
tribalEnrollment	X	X

## Plan

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X - only specific fields	X - depends on the field modified	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
planID	X	X
personID	X	X
typeID	X	X
districtID	X	
startDate	X	
endDate	X	
label	X	
createdDate	X	
createdByID	X	
modifiedDate	X	
modifiedByID	X	
locked	X	
status	X	
legacyKey	X	
archive	X	
planGUID	X	X
amendedFromPlanID	X	
postSecGoalsPlanID	X	
psgPlanStartDate		
psgPlanEndDate		
copiedFromPlanID	X	
amendedByID	X	
amendedBy	X	
endDatePreAmend	X	
oldModifiedDate	X	
multiSelectCode1	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
multiSelectName1	X	
multiSelectCode2	X	
multiSelectName2	X	
amendmentStartDate	X	
autoEnded	X	
publishDraftToPortal	X	
publishDraftToPortalTimestamp	X	
stateReportExclude	X	
sentForEsign	X	
submittedFromPortal	X	
sentForEsignTimestamp	X	

## PlanProgressReport

► [Click here to expand...](#)

Includes tables: PlanProgressReportAssessment, PPRPlanGoal, PPRPlanGoalObjective

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X - only specific fields	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
progressReportID	X	X
planID	X	
personID	X	X
reportDate	X	
modifiedDate	X	
modifiedByID	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
createdDate	X	
createdByID	X	
legacyKey	X	
districtID	X	
archive	X	
progressReportGUID	X	X
enrollmentID	X	
module	X	X
vcField1	X	
vcField2	X	
progressReportFormat	X	X
locked	X	
informedDate	X	
publishDraftToPortal	X	
publishDraftToPortalTimestamp	X	
progressReportNum1	X	
progressReportNum2	X	

## PregnantAndParenting

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
pregnantAndParentingID	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
personID	X	X
districtID	X	X
pregnantAndParentingGUID	X	X
createdDate	X	X
modifiedByID	X	X
modifiedDate	X	X
programStatus	X	X
tuitionType	X	X
startDate	X	X
endDate	X	X
comments	X	X

## ProgramParticipation

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
participationID	X	X
programID	X	X
personID	X	X
startDate	X	X
endDate	X	X
eligibilityStartDate	X	X
eligibilityEndDate	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
userWarning	X	X
description	X	X
elSettingCode	X	X
elInstructionalSupport	X	X
proficiency	X	X
concentrator	X	X
exitReason	X	X
need	X	X
location	X	X
programCategory	X	X
type	X	X
districtID	X	X
modifiedDate	X	X
modifiedByID	X	X
participationGUID	X	X
staffPersonID	X	X
choiceProgram	X	X
minutesOfHomeboundInstruction	X	X
participationDetails	X	X
planOntrackStatus	X	X
planErrorMessage	X	X
planUpdatedDate	X	X
planParentSignature	X	X
planParentSignatureDate	X	X
studentStatus	X	X
nonTraditional	X	X
programSessionID	X	X
status	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
deliveryMethod	X	X
completion	X	X
performance	X	X
hours	X	X
percentComplete	X	X
awardNonCte	X	X
programArea	X	X
cteExitReason	X	X
externalVendorSourcedId	X	X
externalVendorPartnerKey	X	X

## PublishedTabCustomStudent

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X - only specific fields	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
customID		
personID	X	X
enrollmentID		
attributeID	X	X
value	X	X
date	X	X
customGUID	X	X
districtID		

## Roster

► [Click here to expand...](#)

Includes tables: Roster, SingleLoadWorker, StudentGapFiller, ResponsiveOffering, ResponsiveRequest, Enrollment

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
rosterID	X	X
trialID	X	X
personID	X	X
sectionID	X	X
startDate	X	X
endDate	X	X
lock	X	X
stateUseFlag	X	X
modifiedDate	X	X
modifiedByID	X	X
repeatCourse	X	X
courseCode	X	X
specialCode	X	X
noCredit	X	X
status	X	X
rosterGUID	X	X
exitReason	X	X
eoc	X	X
creditRecovery	X	X
eipDelivery	X	X



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
ellDelivery	X	X
giftedDelivery	X	X
altAchievementStandard	X	X
removePts	X	X
dualCreditCode	X	X
postSecondaryCredits	X	X
instructionalSetting	X	X
spedDelivery	X	X
attendanceStatus	X	X
createdDate	X	X
provider	X	X
crossSiteSection	X	X
crossSiteStudent	X	X
crossSiteRosterGUID	X	X

## RosterVerificationRequest

► [Click here to expand...](#)

Includes tables: RosterVerificationRequest

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
requestID	X	X
requestGUID	X	X
districtID	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
endYear	X	X
schoolID	X	X
calendarID	X	X
structureID	X	X
startTermID	X	X
endTermID	X	X
filterID	X	X
name	X	X
code	X	X
collectType	X	X
interval	X	X
tooltip	X	X
primaryTeacher	X	X
teacher	X	X
sectionStaff	X	X
includeNonInstructCourse	X	X
includeDuplicateSection	X	X
windowStartDate	X	X
windowEndDate	X	X
periodStartDate	X	X
periodEndDate	X	X

## RosterVerificationSection

► [Click here to expand...](#)

Includes tables: RosterVerificationSection

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
rosterSectionID	X	X
rosterSectionGUID	X	X
requestID	X	X
sectionID	X	X

## RosterVerificationSectionStaff

► [Click here to expand...](#)

Includes tables: RosterVerificationStaff

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
rosterSectionStaffID	X	X
rosterSectionStaffGUID	X	X
requestID	X	X
rosterSectionID	X	X
staffPersonID	X	X
completed	X	X
certifiedTimestamp	X	X

## RosterVerificationSectionStudent

► [Click here to expand...](#)

Includes tables: RosterVerificationStudent

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
rosterSectionStudentID	X	X
rosterSectionStudentGUID	X	X
requestID	X	X
rosterSectionStaffID	X	X
studentPersonID	X	X
rosterID	X	X
startDate	X	X
endDate	X	X
amount	X	X
comment	X	X

## ScheduleStructure

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
structureID	X	X
calendarID	X	X
name	X	X
structureGUID	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
stateGeneratedScheduleID	X	X
sequence	X	X
externalLMSExclude	X	X

## School

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
schoolID	X	X
districtID	X	X
ncesSchoolID	X	X
number	X	X
name	X	X
type	X	X
comments	X	X
address	X	X
city	X	X
state	X	X
zip	X	X
phone	X	X
fax	X	X
email	X	X
url	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
dualEnrollment	X	X
title1	X	X
principalName	X	X
principalTitle	X	X
principalEmail	X	X
schoolGUID	X	X
catalogID	X	X
satNumber	X	X
standardCode	X	X
agency	X	X
restructureStartDate	X	X
restructureEndDate	X	X
groupNumber	X	X
aypGrouping	X	X
reportingSchoolID	X	X
physicalAddress	X	X
physicalCity	X	X
physicalState	X	X
physicalZip	X	X
county	X	X
status	X	X
accreditation	X	X
gradeType	X	X
sector	X	X
locale	X	X
locale2	X	X
blueRibbon	X	X
title1distinguished	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
entityID	X	X
aypStatus	X	X
size	X	X
sessionType	X	X
fRYSCServiceCenterCode	X	X
modifiedByID	X	X
modifiedDate	X	X
typeBIE	X	X
agencyBIE	X	X
schoolLevel	X	X
stateClassification	X	X
externalLMSExclude	X	X
exclude	X	X
providerNumber	X	X
otherEmail	X	X
schoolLevel2	X	X
schoolLevel3	X	X
schoolLevel4	X	X
schoolLevel5	X	X
gradeType2	X	X
gradeType3	X	X
gradeType4	X	X
gradeType5	X	X
gradeTypeHigh	X	X
gradeTypeHigh2	X	X
gradeTypeHigh3	X	X
gradeTypeHigh4	X	X
gradeTypeHigh5	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
alternateFramework	X	X
victory	X	X
zoom	X	X
eden	X	X
historyComments	X	X
otherStaffContactName	X	X
otherStaffContactPhone	X	X
otherStaffContactAddress	X	X
otherStaffContactCity	X	X
otherStaffContactState	X	X
otherStaffContactZip	X	X
published	X	X
federalTest	X	X
employerID	X	X
campusEnrollmentType	X	X
abbreviatedName	X	X
otherStaffContactName2	X	X
pkFullDayWaiver	X	X
ncesDistrictIDOverride	X	X
allowCrossSiteEnrollment	X	X
districtIdnOverride	X	X

## SchoolYearGPA

► [Click here to expand...](#)

Syncs data within the 'scope end year'



Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
gpaID	X	X
gpaGUID	X	X
personID	X	X
endYear	X	X
districtID	X	X
weightedGPA	X	X
unweightedGPA	X	X

## Section

► [Click here to expand...](#)

Includes tables: Course, CustomCourse, Section, SectionPlacement, SectionStaff

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X - only certain fields	X - depends on the field modified	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
sectionID	X	X
trialID	X	X
courseID	X	X
number	X	X
teacherDisplay	X	X
maxStudents	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
----------------	--------------------------	----------------------------------

classType	X	X
schedGroupID	X	X
roomID	X	X
lunchID	X	X
lunchcount	X	X
milkcount	X	X
adultcount	X	X
serviceDistrict	X	X
serviceSchool	X	X
multipleTeacherCode	X	X
lockBuild		
lockRoster		
giftedDelivery	X	X
giftedContentArea	X	X
teacherPersonID	X	X
parapros	X	X
skinnySeq	X	X
legacyKey	X	
highlyQualified	X	X
homeroomSection	X	X
teachingmethod	X	X
sectionGUID	X	
lock	X	
nonHqtReason	X	
nonHqtExplanation	X	
spedArea		
validateAssignments	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
mediumOfInstruction	X	X
instructionalSetting	X	X
transcriptField6	X	X
creditRecovery	X	X
provider	X	X
distanceCode	X	X
transcriptField7	X	X
sessionType	X	X
sessionNumber	X	X
edFiTermType	X	X
pullCourse		
pullDate		
externalLMSExclude	X	X
termType	X	X
modifiedDate	X	X
modifiedByID	X	X
competencyBased	X	X
hideStandardsOnPortal	X	X
alternativeEd	X	X
altSchoolCode	X	X
altSystemCode	X	X
classMet	X	X
contentCompleter	X	X
enrollmentLocation	X	X
markingPeriod	X	X
msixCode	X	X
pushPersonId	X	X
program	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
gradeCalcPushTimeStamp	X	X
compositesPushTimeStamp	X	X
categoriesPushTimeStamp	X	X
instructionalTime	X	
altAchievementStandard	X	X
honorsCode	X	X
academicPoints	X	X
dualCreditCode	X	X
postSecondaryCredits	X	X
contentStandard	X	X
charterNonCoreCollegePrep	X	X
spedDelivery	X	X
advisory	X	X
middleSchoolCoreCourseIndSec	X	X
highQualityCTEIndSection	X	X
providerIDOverride	X	X
providerDisplayOverride	X	X
customcount1	X	X
customcount2	X	X
customcount3	X	X
providerSchoolOverride	X	X
providerSchoolNameOverride	X	X
ninetyAttendanceOverride	X	X
immersionLanguage	X	X
worldLanguage	X	X
vocationalCode	X	X
certificationDescription	X	X
virtualInstruction	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
creditEarnedMethod	X	X
stateCode	X	X
specialEdCode	X	X
allowCrossSiteEnrollment	X	X
crossSiteMaxStudents	X	X
crossSiteSection	X	X
crossSiteSectionGUID	X	X
crossSiteInstructionalSetting	X	X
wblProgramCategorySec	X	X

## Section504

► [Click here to expand...](#)

Includes tables: Section504

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X - only certain fields	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
section504ID	X	X
personID	X	X
districtID	X	X
startDate	X	
endDate	X	
comments	X	
modifiedByID	X	
modifiedDate	X	

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
section504GUID	X	X
disability	X	X
exitReason	X	X
location	X	X
location2	X	
contactPersonID	X	
disability2	X	
disability3	X	
disability4	X	
disability5	X	
disability6	X	
disability7	X	
potentialEL	X	
elScreener	X	
createdDate	X	
programStatus	X	
accommodations	X	

## SectionStudentDetailValue

► [Click here to expand...](#)

Includes tables: SectionStudentDetailValue

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## StudentMilitaryConnectionsSummary

► [Click here to expand...](#)

Includes tables: Identity, RelatedPair, Enrollment, ImpactAidSite, ImpactAidEmployment

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## StructureGradeLevel

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X - only the structureID field		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
gradeLevelID		X
calendarID		X
structureID	X	X
name		X
seq		X
standardDay		X
kindergartenCode		X
standardCode		X
excludeGPA		X
schoolChoiceSeatCount		X
wholeDayAbsence		X
halfDayAbsence		X
maxMembershipDays		X
comments		X
stateGrade		X
regionalGrade		X
assignmentExempt		X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
excludeState		X
attendanceTime		X
gradeLevelGUID		X
regionalExclude		X
excludeFromSIF		X
excludeAgeValidation		X
externalLMSExclude		X
excludeOnlineRegistration		X
excludeEnrollment		X
overrideStartDate		X
overrideEndDate		X

## TeamMember

► [Click here to expand...](#)

Includes tables: TeamMember

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
teamID	X	X
personID	X	X
staffPersonID	X	X
districtID	X	X
lastName	X	X
firstName	X	X



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
title	X	X
startDate	X	X
endDate	X	X
comments	X	X
role	X	X
module	X	X
qualifications	X	X
homePhone	X	X
workPhone	X	X
cellPhone	X	X
email	X	X
dueProcessCheck	X	X
teamGUID	X	X
agency	X	X
fetches	X	X
address	X	X
surrogateParentCheck	X	X
suffix	X	X
hideContactInfo	X	X
ideaParent	X	X

## TermSchedule

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
termScheduleID	X	X
structureID	X	X
name	X	X
primary	X	X
termScheduleGUID	X	X

## Test

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X - only specific fields	X - depends on the field modified		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
testID	X	X
parentID	X	X
name	X	X
code	X	X
type	X	X
startDate	X	X
endDate	X	X
stateCode	X	X
act	X	X
sat	X	X
psat	X	X
sat2	X	X
transcript	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
questionLabel	X	X
useRawScore	X	X
useScaleScore	X	X
usePercent	X	X
usePercentile	X	X
useQuestionCount	X	X
useNormalCurveEquivalent	X	X
useDate	X	X
endYear	X	X
portal	X	X
districtID	X	X
useResult	X	X
state	X	X
testGrade	X	X
itemCount	X	X
transcriptDisplay	X	X
useInvalid	X	X
useReasonCode	X	X
teacherScored	X	X
SPEDTeacherNotAdmin	X	X
NoSupportingEvidence	X	X
testGUID	X	X
nclbType	X	X
nclbTypeOther	X	X
alternate	X	X
useReceivedAccommodation	X	X
useCustom1	X	X
useCustom2	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
useCustom3	X	X
useCustom4	X	X
useItemsAttempted	X	X
useStanine	X	X
useQuartile	X	X
useGradeEquivalent	X	X
usePerformanceLevel	X	X
useInclude	X	X
useLocalPercentile	X	X
useLocalStanine	X	X
useLexileScore	X	X
useDevelopmentalScore	X	X
useFinalRating	X	X
stateScoreType1	X	X
stateScoreType2	X	X
assessmentType	X	X
standardType	X	X
acctState	X	X
acctAcadStdGroupID	X	X
naep	X	X
editNotAvailable	X	X
PESCTestCode	X	X
PESCSubTestCode	X	X
published	X	X
scoresPublished	X	X
nationalCode	X	X
hideFromStudent	X	X
consortiumCode	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
useModification2	X	X
useModification3	X	X
useModification4	X	X
useModification5	X	X
useElCode	X	X
useAccommodation	X	X
useNonParticipationReason	X	X
useForm	X	X
useTestingDistrict	X	X
useTestingSchool	X	X
useTestingGrade	X	X
useErrorBand	X	X
useModificationComments	X	X
contentStandard	X	X
maxRawScore	X	X
version	X	X
revisionDate	X	X
categoryType	X	X
testAccommodationsEligible	X	X
usePointsPossible	X	X
usePointsEarned	X	X
rootID	X	X
archived	X	X
testAdministration	X	X
description	X	X
resultValueMin		
resultValueMax		
learningObjectiveSource	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
learningObjectiveID	X	X
modifiedDate		
status		
addedByVendor	X	X
fieldTest	X	X
reportViaDataMart	X	X
seq	X	X
useModification	X	X
useResultLevel	X	X
useLanguage	X	X
useComments	X	X
useGraduationRequirement	X	X
useProgress	X	X
useResponsibleEntityID	X	X

## TestAccommodations

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## TestScore

► [Click here to expand...](#)

Includes the following tables: TestScore

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X - only specific fields	X - depends on the field modified	X	X

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
scoreID	X	X
parentID	X	X
testID	X	X
personID	X	X
districtID	X	X
date		
questionCount	X	X
rawScore	X	X
scaleScore	X	X
percent	X	X
result	X	X
percentile	X	X
normalCurveEquivalent	X	X
language	X	X
modification	X	X
comments	X	X
resultLevel	X	X
elCode	X	X
accommodation	X	X
scoreGUID	X	X
nonParticipationReason	X	X
graduationRequirement	X	X
itemsAttempted	X	X
stanine	X	X
quartile	X	X
gradeEquivalent	X	X
performanceLevel	X	X
modificationComments	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
custom1	X	X
custom2	X	X
custom3	X	X
custom4	X	X
invalid	X	X
reasonCode	X	X
sectionID	X	X
include	X	X
modification2	X	X
modification3	X	X
modification4	X	X
modification5	X	X
receivedAccommodation	X	X
form	X	X
localPercentile	X	X
localStanine	X	X
testingDistrict	X	X
testingSchool	X	X
lexileScore	X	X
developmentalScore	X	X
finalRating	X	X
progress	X	X
standardsType	X	X
testingGrade	X	X
acctProfLevelItemID	X	X
schoolID	X	X
responsibleEntityID	X	X
altStandardAchieved	X	X



Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
errorBand	X	X
stateCertification	X	X
excludeFromTranscript	X	X
pointsPossible	X	X
pointsEarned	X	X
gradeLevelOverride	X	X
status		
scoreStatus		
modifiedDate		
proficiencyValue	X	X
proficiencyELValue	X	X
modifiedByID	X	X
addedByVendor		X
imported		

## Title1

► [Click here to expand...](#)

Includes tables: Title1, Title1Services

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## TranscriptCourseSE

► [Click here to expand...](#)

All the data on a student's transcript is stored in the TranscriptCourse and TranscriptCredit tables. When syncing to the state, this data is stored in one table called TranscriptCourseSE. All of the above below comes from the TranscriptCourse table except for totalCredits, which comes from TranscriptCredit.

NOTE: TranscriptCourse records that are manually entered (as opposed to using the Transcript Post Wizard), will not sync to TranscriptCourseSE because they do not have a SectionID, which is a key identifier in the table.

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X - only specific fields	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
transcriptID	X	
districtID	X	
personID	X	
endYear	X	X
sectionID	X	
stateCode	X	X
grade	X	X
score	X	X
percent	X	X
actualTerm	X	X
exempt	X	X
teacherPersonID	X	
ncesGrade	X	X
termStartDate	X	X
termEndDate	X	X
date	X	X
transcriptGUID	X	X
totalCredit	X	X
gpaWeight	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
gpaValue	X	X
gpaMax	X	X

## TwentyFirstCCLC

► [Click here to expand...](#)

Includes tables: TwentyFirstCCLC

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
twentyFirstCCLCID	X	X
personID	X	X
districtID	X	X
twentyFirstCCLCGUID	X	X
modifiedByID	X	X
modifiedDate	X	X
startDate	X	X
endDate	X	X
comments	X	X
location	X	X
attendanceHours	X	X
attendanceDays	X	X
exitReason	X	X
program	X	X
programProvider	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
fallVisits	X	X
springVisits	X	X
summerVisits	X	X
increasedMathGrade	X	X
increasedReadingGrade	X	X
turningHomeworkOnTime	X	X
homeworkSatisfaction	X	X
participatingInClass	X	X
volunteering	X	X
attendingClassRegularly	X	X
beingAttentiveInClass	X	X
behavingWellInClass	X	X
academicPerformance	X	X
gettingAlongWellWithOthers	X	X
comingMotivatedToLearn	X	X
classParticipation	X	X
positiveClassroomBehavior	X	X
positivePeerRelationships	X	X
evaluationDate	X	X
staffPersonID	X	X
createdDate	X	X
programStatus	X	X

## VaccineShot

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
shotID	X	X
vaccineID	X	X
personID	X	X
date	X	X
exempt	X	X
districtID	X	X
expiresDate	X	X
vaccineShotGUID	X	X

## State-Specific Objects

The following objects are state-specific and only sent by districts in said state.

### Bureau of Indian Education (BIE) Objects

#### BIEPSOInterview

▶ [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

#### EarlyInterventionServiceBIE

▶ [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

#### FosterCareBIE

▶ [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## NASIS

► [Click here to expand...](#)

Includes tables: NASIS

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Section504BIE

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Delaware Objects

### MedicaidEligibility

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X			

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Most Recent Update Month		X
Most Recent Update Year		X
Eligibility Month		X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
Eligibility Year		X
Eligibility		X

## Kentucky Objects

### AttendanceGroupKY

► [Click here to expand...](#)

Includes the following tables: AttendanceGroupKY

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

### EarlyLearningKY

► [Click here to expand...](#)

Includes the following tables: EarlyLearningKY

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

### ESSKY

► [Click here to expand...](#)

Includes the following tables: ESSKY

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

### FRYSCGroupProgramKY

► [Click here to expand...](#)

Includes the following tables: FRYSCGroupProgramKY

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## FRYSCGroupStatusKY

► [Click here to expand...](#)

Includes the following tables: FRYSCGroupStatusKY

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## FRYSCStatusKY

► [Click here to expand...](#)

Includes the following tables: FRYSCStatusKY, FRYSCInterventionValue

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## GiftedStatusKY

► [Click here to expand...](#)

Includes the following tables: GiftedStatusKY

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## PreSchoolKY

► [Click here to expand...](#)

Includes the following tables: PreSchoolKY



Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## TEDSKY

► [Click here to expand...](#)

Includes the following tables: TEDSKY

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Title1KY

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Transportation

► [Click here to expand...](#)

Includes the following tables: Transportation

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X	X	

## Nevada Objects

### AdultEducation

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
adultEdID	X	X
personID	X	X
districtID	X	X
endYear	X	X
programOutcome	X	X
el	X	X
creditsWaived	X	X
twelveHourReqOverride	X	X
elEntryLevel	X	X
elPostLevel	X	X
adultEdGUID	X	X
modifiedByID	X	X
modifiedDate	X	X

## AttDayAggregation

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
calendarID	X	X
personID	X	X
date	X	X
lastModifiedDate	X	X
scheduledMinutes	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
absentMinutes	X	X
absentPeriods	X	X
unexcusedAbsentMinutes	X	X
unexcusedOnlyAbsentMinutes	X	X
unexcusedAbsentPeriods	X	X
unexcusedOnlyAbsentPeriods	X	X
tardies	X	X
mostCommonExcuseID	X	X
stateAbsentMinutes	X	X
customAbsentMinutes	X	X
stateScheduledMinutes	X	X

## AttendanceExcuse

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
excuseID	X	X
calendarID	X	X
code	X	X
description	X	X
status	X	X
excuse	X	X
stateCode	X	X
bieCode	X	X

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
attendanceExcuseGUID	X	X
behavior	X	X
participationBased	X	X

## SchoolMonth

► [Click here to expand...](#)

Included in a Batch Sync Request	Syncs to State Upon Save	Triggers on Database Change	Pushed Down from State to Districts
X	X		

Field-level trigger logic:

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
schoolMonthID	X	X
calendarID	X	X
name	X	X
startDate	X	X
endDate	X	X
seq	X	X
mode	X	X
excludeStartDate	X	X
excludeEndDate	X	X
closeDate	X	X
schoolMonthGUID	X	X

## AttExtractCount

► [Click here to expand...](#)

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
----------------	--------------------------	----------------------------------

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
ADAOOverride	X	Only populates the ADAOOverride in dbo.Enrollment which is not populated in the District Edition.

## North Carolina Objects

### SpecialEdState

► [Click here to expand...](#)

Database Field	Syncs to State Upon Save	Included in a Batch Sync Request
SpecialEDState	X	X