

Discipline Incidents (Oregon)

Last Modified on 12/14/2025 8:45 pm CST

[Report Logic](#) | [Report Editor](#) | [Generate the Report](#) | [Report Layout](#)

Tool Search: OR Incidents

The Discipline Incidents File collects information for all students who were removed during the selected school year. All removals resulting in In School Suspension, Out of School Suspension, Expulsion, or in an Interim Alternative Education Setting that start on or between July 1st to June 30th in the selected school year are expected to report.

OR Incidents ☆

Reporting > OR State Reporting > OR Incidents

Instructions

Discipline Incidents & Restraint and Seclusion Incidents

The Discipline Incidents file collects information for all students who were removed during the selected school year. All removals resulting in In School Suspension, Out of School Suspension, Expulsion, or in an Interim Alternative Education Setting that start on or between July 1st to June 30th in the selected school year are expected to report.

The Restraint and Seclusion Incidents file collects information for all students who were restrained or placed in seclusion during the school year. All Incidents occurring from July 1st to June 30th are expected to report. This includes students with and without disabilities.

Choose the State Format to generate the file in the state defined file format; otherwise, choose HTML for testing/debugging.

Report Options

Report Type *
Discipline Incidents

Start Date *
07/01/2023

End Date *
06/30/2024

Ad Hoc Filter
No Filter

Output Options

Report Processing
 Generate Now
 Submit to Batch Queue

Format Type
 CSV (State Format)
 XML
 HTML

Generate

Discipline Incidents File

Read - View, select options and generate the Discipline Incidents File.

Write - N/A

Add - N/A

Delete - N/A

For more information about Tool Rights and how they function, see the [Tool Rights](#) article.

This report might look different to some of the other available Oregon reports. Organization-wide initiatives are being made to address technology and accessibility improvements.

Report Logic

One record per qualifying removal where the removal start date falls on or between July 1 and June 30 of the reporting school year.

When the Behavior Resolution Start Date does NOT fall on or between July 1 and June 03, no record reports.

- All removals report in the school year in which the student's removal started.
 - Removals starting in a prior year and continuing into the current school year DO NOT report in the current school year.
 - Removal occurring after June 30th DOES NOT report in the current school year (e.g., they must report in the following school year's collection).

This report truncates reporting population and field calculations to report data only within the expected reporting school year dates.

To report, a student must have a Student State ID.

A student does NOT report when:

- The Calendar of Enrollment is marked as State Exclude.
- The Enrollment record is marked as State Exclude or No Show.
- The Grade Level of Enrollment is marked as State Exclude.

Behavior resolutions must be mapped to a State Resolution Code of ISS, OSS, EXP or IAES.

Resolutions mapped to Truancy do not report. Resolutions not mapped to one of these four state resolution codes do not report.

Resolution Type Setup ☆

Behavior Office > Settings > Resolution Type Setup

Save Delete New Show History Active Resolution Types

Code	Name	Alignment	Start Date	End Date
6	Corporal Punishment	Discipline	01/01/1901	01/01/1901
1	Expulsion	Discipline	01/01/1901	01/01/1901
1.1	Expulsion Under Zero Tolerance Policies	Discipline	01/01/1901	01/01/1901
1.2	Expulsion with Ed Services	Discipline	01/01/1901	01/01/1901
1.3	Expulsion without Ed Services	Discipline	01/01/1901	01/01/1901
HIST	History	Discipline	01/01/1901	01/01/1901
2	In-school Suspension	Discipline	01/01/1901	01/01/1901
11	NR - Attendance Warning	Discipline	01/01/1901	01/01/1901
10	NR - Detention	Discipline	01/01/1901	01/01/1901
0	NR - Other	Discipline	01/01/1901	01/01/1901

Behavior Resolution Type Detail

School Heppner Junior/Senior High School Calculate End Date/Duration

Code **1** Name **Expulsion**
 Alignment **Discipline** Start Date **01/01/1901** End Date **01/01/1901**
 Category **Minor** Sub-Type **Expulsion**
 Allow attendance **No State Resolution Code (Mapping)**
 Expulsion
 In-School Suspension
 Out-of-School Suspension
 Truancy
 Removal to an Alternative Educational Setting

Behavior Resolution Type Setup - State Resolution Codes

Report Editor

Data Element	Description
Report Options	
Report Type	Determines which report generates - Discipline Incidents or Restraint and Seclusion Incidents.
Start Date	Entered date reflects the start of the reporting range in which data reports. This field defaults to July 01 of the school start year.
End Date	Entered date reflects the end of the reporting range in which data reports. This field defaults to June 30 of the school end year.
Ad hoc Filter	Select which students to include in the extract by choosing a filter that was created in the Filter Designer. Only those students included in the filter are included in the report.
Output Options	
Report Processing	To generate the report immediately, select Generate Now option. To choose when the report generates, use the Submit to Batch option. Submit to Batch is useful when generating the report for several calendars or for larger amounts of data being reported. See the Batch Queue article for more information.
Format Type	Determines in which format the report generates - CSV, HTML or XML.

Generate the Report

1. Select **Discipline Incidents** from the **Report Type** field.
2. Enter the correct **Start Date** and **End Date**.
3. Choose an **Ad hoc Filter** to return just the course and staff information included in the selected filter.
4. Select the desired **Report Processing** option of **Generate Now** or **Submit to Batch Queue**.
5. Select the desired **Format Type**.
6. Click **Generate**. The report displays in the selected format.

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	
1	CnckDgStntID	DistStntID	ResdDistInstID	ResdSchInstID	AttndDistInstID	AttndSchInstID	InstFill	LglLnNm	LglFnNm	GnrrnCd	PfrfdLnNm	PfrfdNm	PfrfdMNm	BirthDtTxt	GndrCd	HispEthnicFg	Amer
2	1234567890	1234	2147	0817	2147	0817	Student	Angela				02222006	F		Y		N
3	2345678901	2345	2147	0817	2147	0817	Student	Brandy				02182009	F	N		N	
4	3456789012	3456	2147	4047	2147	4047	Student	Cherry				06272011	F	Y		N	
5	4567890123	4567	2147	4047	2147	4047	Student	Desiree				09062013	F	N		N	
6	5678901234	5678	2147	0817	2147	0817	Student	Emmett				10032005	M	Y		N	
7	6789012345	6789	2147	0817	2147	0817	Student	Francine				07202008	F	Y		N	
8																	
9																	
10																	

Discipline Incidents File - CSV Format

Discipline Incidents Records:19															
ChkDigitStdntID	DistStdntID	ResdDistInstID	ResdSchlInstID	AttndDistInstID	AttndSchlInstID	InstFill	LgI_LNm	LgI_FNm	LaIMNm	GartsCd	PrfrdLNm	PrfrdFNm	PrfrdMNm	BirthDtTxt	Grad
1234567890	1234	2147	0817	2147	0817		Student	Angela			Student	Angela		02222006	F
2345678901	2345	2147	0817	2147	0817		Student	Brandy			Student	Brandy		02182009	F
3456789012	3456	2147	4047	2147	4047		Student	Cherry			Student	Cherry		06272011	F
4567890123	4567	2147	4047	2147	4047		Student	Desiree			Student	Desiree		09062013	F
5678901234	5678	2147	0817	2147	0817		Student	Emmett			Student	Emmett		10032005	M
6789012345	6789	2147	0817	2147	0817		Student	Francine			Student	Francine		07202008	F

Discipline Incidents File - HTML Format

Report Layout

The following fields are the same on many Oregon state reports. Click the **Click to expand** link to view these fields.

▶ [Click here to expand...](#)

Data Element	Description	Location
Check Digit Student Identifier	<p>Lists the student's state-issued identification number.</p> <p><i>Numeric, 10 digits</i></p>	<p>Demographics > Person Identifiers > Student State ID</p> <p>Person.stateID</p>
District Student Identifier	<p>Lists the student's district-issued identification number.</p> <p><i>Numeric, 10 digits</i></p>	<p>Demographics > Person Identifiers > Local Student Number</p> <p>Person.studentNumber</p>
Resident District Institution Identifier	<p>Reports the district number in which the student resides.</p> <p><i>Numeric, 10 digits</i></p>	<p>Enrollments > State Reporting Fields > Resident District</p> <p>Enrollment.residentDistrict</p> <p>District Information > State District Number</p> <p>District.number</p>

Data Element	Description	Location
Resident School Institution Identifier	<p>Reports the school number in which the student resides.</p> <p><i>Numeric, 10 digits</i></p>	<p>Enrollments > State Reporting Fields > Resident School</p> <p>Enrollment.residentSchool</p>
Attending District Institution Identifier	<p>Reports the district number in which the student is enrolled.</p> <p><i>Numeric, 10 digits</i></p>	<p>Enrollments > State Reporting Fields > Serving District</p> <p>Enrollment.servingDistrict</p>
Attending School Institution Identifier	<p>Reports the school number in which the student is enrolled.</p> <p><i>Numeric, 10 digits</i></p>	<p>Enrollments > State Reporting Fields > Serving School</p> <p>Enrollment.servingSchool</p>
Institution Filler	N/A	N/A
Legal Last Name	<p>Reports the student's legal last name.</p> <p>When the Legal Last Name field is not populated, information reports from the Last Name field.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Identities > Identity Information > Protected Identity Information > Legal Last Name</p> <p>Identity.legalLastName</p> <p>Demographics > Person Information > Last Name</p> <p>Identity.lastName</p>

Data Element	Description	Location
Legal First Name	<p>Reports the student's legal first name.</p> <p>When the Legal First Name field is not populated, information reports from First Name field.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Identities > Identity Information > Protected Identity Information > Legal First Name</p> <p>Identity.legalFirstName</p> <p>Demographics > Person Information > First Name</p> <p>Identity.firstName</p>
Legal Middle Name	<p>Reports the student's legal middle name.</p> <p>When the Legal Middle Name field is not populated, information reports from the Middle Name field.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Identities > Identity Information > Protected Identity Information > Legal Middle Name</p> <p>Identity.legalMiddleName</p> <p>Demographics > Person Information > Middle Name</p> <p>Identity.middleName</p>
Suffix (Generational Code)	<p>Indication student is considered a Junior, III, etc.</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Demographics > Person Information</p> <p>Identity.suffix</p>
Preferred Last Name	<p>Reports the student's last name.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Demographics > Person Information > Last Name</p> <p>Identity.lastName</p>
Preferred First Name	<p>Reports the student's first name.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Demographics > Person Information > First Name</p> <p>Identity.firstName</p>
Preferred Middle Name	<p>Reports the student's legal middle name.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Demographics > Person Information > Middle Name</p> <p>Identity.middleName</p>
Birth Date	<p>Reports the student's date of birth.</p> <p><i>Date field, 8 digits (MMDDYYYY)</i></p>	<p>Demographics > Person Information > Birth Date</p> <p>Identity.birthDate</p>

Data Element	Description	Location
Gender Code	<p>Reports the student's Legal Gender as either Male (M), Female (F) or Non-Binary (X).</p> <p>When the Legal Gender field is not populated, information reports from the Gender field.</p> <p>When the Legal Gender or Gender fields are not populated, reports a value of X.</p> <p><i>Alphanumeric, 1 character (M, F, X)</i></p>	<p>Identities > Identity Information > Protected Identity Information > Legal Gender</p> <p>Identity.legalGender</p> <p>Demographics > Person Information > Gender</p> <p>Identity.Gender</p>
Hispanic/Latino Ethnicity Flag	<p>An indication of whether a student identifies as having a Hispanic ethnicity.</p> <ul style="list-style-type: none"> Reports a value of Y when <i>Is the individual Hispanic/Latino?</i> is set to Yes. Reports a value of N when <i>Is the individual Hispanic/Latino?</i> is set to No or is not populated. <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics > Person Information > Is the individual Hispanic/Latino?</p> <p>Identity.hispanicEthnicity</p>
American Indian/Alaskan Native Flag	<p>Reports a value of Y when the American Indian or Alaskan Native checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics > Person Information > Race/Ethnicity > American Indian or Alaska Native</p> <p>Identity.raceEthnicity</p>
Asian Race Flag	<p>Reports a value of Y when the Asian checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics > Person Information > Race/Ethnicity > Asian</p> <p>Identity.raceEthnicity</p>

Data Element	Description	Location
BlackRace Flag	<p>Reports a value of Y when the Black/African American checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics > Person Information > Race/Ethnicity > Black or African American</p> <p>Identity.raceEthnicity</p>
White Race Flag	<p>Reports a value of Y when the White checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics > Person Information > Race/Ethnicity > White</p> <p>Identity.raceEthnicity</p>
Native Hawaiian/Other Pacific Islander Race Flag	<p>Reports a value of Y when the Native Hawaiian or Other Pacific Islander checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics > Person Information > Race/Ethnicity > Native Hawaiian or Other Pacific Islander</p> <p>Identity.raceEthnicity</p>
Race Filler	N/A	N/A
Language of Origin Code	<p>Reports the language that is most often spoken in the student's home.</p> <p><i>Numeric, 4 digits</i></p>	<p>Demographics > Person Information > Home Primary Language</p> <p>Identity.homePrimaryLanguage</p>
Partial Social Security Number	<p>Reports the last four digits of the student's Social Security number.</p> <p><i>Numeric, 4 digits</i></p>	<p>Demographics > Person Information > Soc Sec Num</p> <p>Identity.SSN</p>
Enrolled Grade Code	<p>Reports the state grade level that is mapped to the student's grade level of enrollment.</p> <p><i>Numeric, 2 digits</i></p>	<p>Enrollments > General Enrollment Information > State Grade Level</p> <p>Enrollment.stateGradeLevel</p>

Data Element	Description	Location
Street Address	<p>Reports the student's Primary Household address.</p> <p>The following logic is used when reporting addresses when a student is associated with multiple addresses:</p> <ul style="list-style-type: none"> • A Street Address is selected over a P.O Box. • A Primary household membership is selected over a secondary household membership. • A Primary location is selected over a secondary location. • The household ID is used as a tiebreaker when multiple addresses have the same/earliest start date. • The location ID is used as a tiebreaker when the start date on multiple household locations is the same. • When a P.O. Box is the only address available for the student, that address reports. <p><i>Alphanumeric, 45 characters</i></p>	Household > Address > Number, Prefix, Street, Tag Address.number Address.prefix Address.street Address.tag
City	<p>Reports the city in which the student resides.</p> <p><i>Alphanumeric, 20 characters</i></p>	Household > Address > City Address.city
Zip Code	<p>Reports the five digit zip code of the student's address.</p> <p><i>Numeric, 5 digits</i></p>	Household > Address > Zip Address.zip
Zip Plus Four Code	<p>Reports the additional four digits of the zip code associated with the student's address.</p> <p><i>Numeric, 4 digits</i></p>	Household > Address > Zip Address.zip

Data Element	Description	Location
Resident County Code	<p>Reports the county of residence code from the student's primary enrollment record as of the date of generation.</p> <p>When there is no primary enrollment, reports from the partial enrollment, then from the Special Education enrollment.</p> <p>When there are multiple primary enrollments, reports from the most recent entered enrollment.</p> <p><i>Numeric, 2 digits</i></p>	Enrollment > State Reporting Fields > Resident County Enrollment.residentCounty
Phone Number	<p>Reports the student's 10-digit phone number as entered in the Cell Phone field in the Personal Contact Information.</p> <p>When the Cell Phone field is not populated, reports from the Other Phone field.</p> <p><i>Numeric, 10 digits (XXXXXXXXXX)</i></p>	Demographics > Personal Contact Information > Cell Phone Contact.cellPhone
Teacher Filler	N/A	N/A
High School Entry Cohort School Year	<p>Reports the concatenated school year value based on the student's date of first entry into 9th grade.</p> <p>When the student enters 9th grade in the 22-23 school year, a value of 2223 reports.</p> <p><i>Numeric, 4 digits</i></p>	Graduation > Date First Entered Grade 9 Graduation.grade9Date
Student Filler	N/A	N/A

Data Element	Description	Location
Economically Disadvantaged Flag	<p>Reports a value of Y when:</p> <ul style="list-style-type: none"> • The active school history at the time of report generation identifies the school as Provision 2. • The student has an active FRAM record at the time of report generation where the Eligibility is Free or Reduced. <p>Reports a value of N when there is no active FRAM record or when the Eligibility is NOT Free or Reduced.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	Eligibility > Eligibility Detail > Eligibility POSEligibility.eligibility <hr/> School > School History > Provision Status SchoolAttribute.provision
Title 1 Flag	<p>Reports a value of Y when the student has an active Title 1 record on the date of report generation.</p> <p>When there is no active Title 1 record on the date of report generation, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	Title 1 > Start Date, End Date Title1.startDate Title1.endDate
Special Education Flag	<p>Reports a value of Y when the student has a locked IEP OR has a data plan that is active on the day of report generation AND has a Special Ed Eligibility entry of Yes.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	Enrollments > Special Ed Fields > Status Enrollment.specialEdStatus

Data Element	Description	Location
Section 504 Flag	<p>Reports a value of Y when the student has an active Section 504 record on the date of report generation.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Section 504 > Start Date, End Date</p> <p>Section504.startDate Section504.endDate</p>
Migrant Education Flag	<p>Reports a value of Y when the student has an active Migrant record on the date of report generation.</p> <p>Active is defined as the report generation date being on or after the Services Start Date and on or before the Services End Date.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Migrant > Services Start Date, Services End Date</p> <p>Migrant.servicesStartDate Migrant.servicesEndDate</p>
Indian Education Flag	Reports as N for all records.	N/A
English Learner Flag	<p>Reports a value of Y ONLY when the student has an active EL record at the time of generation where the EL Program Status is EL.</p> <p>Active is defined as the report generation date being on or after the Identified Date and on or before the Program Exit Date.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>English Learner > Program Status, Identified Date, Program Exit Date</p> <p>lep.programStatus lep.identifiedDate lep.exitDate</p>

Data Element	Description	Location
Distance Learning Flag	<p>Reports a value of Y when the Distance Learning checkbox is marked on the student's enrollment record.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Enrollments > State Reporting Fields > Distance Learning</p> <p>Enrollment.distanceLearning</p>
Homeschooling Flag	<p>Reports a value of Y when the Home School checkbox is marked on the student's enrollment record.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Enrollments > State Reporting Fields > Home School</p> <p>Enrollment.homeSchooled</p>
Transition Program Flag	<p>When the Special Education Flag (field 38) reports a value of Y, logic checks the student's State Reporting Plan to see if it is active during the reporting range. When yes, this field reports as Y.</p> <p>Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Enrollments > Special Ed Fields > Status</p> <p>Enrollment.specialEdStatus</p> <p>Special Ed Documents > Data Plan</p>
Alternative Education Program Flag	<p>Reports a value of Y when the student's calendar of enrollment as of the report generation date contains a Calendar Type of Alternative.</p> <p>Otherwise, reports a blank value.</p> <p><i>Alphanumeric, 1 character (Y)</i></p>	<p>Calendar Information > Calendar Info > Type</p> <p>Calendar.type</p>

Data Element	Description	Location
Tribal Affiliation Code	<p>Indicates Tribal affiliation with a federally recognized, state-acknowledged, or terminated Tribe for the student, their parent, or their grandparent.</p> <ul style="list-style-type: none"> When the student's Race/Ethnicity is marked as American Indian or Alaska Native, reports a value of Y. When the Detail Ancestry/Tribal Code field contains a value, reports a value of Y. <p>Otherwise, reports a blank value.</p> <p><i>Alphanumeric, 1 character (Y)</i></p>	<p>Identities > Race/Ethnicity > American Indian or Alaska Native, Detailed Ancestry/Tribal Codes</p> <p>Identity.raceEthnicity Identity.raceSubcategory</p>
Talented and Gifted Flag	<p>Reports a value of Y when the student has an active Gifted record as of the date of report generation.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Gifted > Start Date, End Date gifted.startDate gifted.endDate</p>
Additional Language Code	<p>Reports any additional language codes assigned on the student's Identities record.</p> <p><i>Alphanumeric, 4 characters</i></p>	<p>Identities > Secondary Language Identity.altLanguage</p>
Demographic Filler	<p>N/A</p>	<p>N/A</p>

The following fields are unique to the Discipline Incidents File Report.

Data Element	Description	Location
--------------	-------------	----------

Data Element	Description	Location
SECC Primary Disability Code	<p>Reports the student's 2-digit Primary Disability code selected ONLY when the student has a locked Special Education Plan on the Discipline Action Date. Otherwise, reports as 00.</p> <p><i>Numeric, 2 digits</i></p>	<p>Special Ed Documents > IEP > Enrollment Information > Primary Disability</p> <p>Enrollment.disability1</p>
Discipline Action Date	<p>Reports the date the disciplinary action was taken against the student as a result of the incident. This may or may not be the same as the Discipline Incident Date.</p> <p><i>Date field, 8 characters (MMDDYYYY)</i></p>	<p>Behavior Management > Resolution Details > Resolution Start Date</p> <p>BehaviorResolution.timeStamp</p>
Discipline Action Type Code	<p>Reports the Resolution State Code mapped to the Resolution Type. Only the following codes report:</p> <ul style="list-style-type: none"> • 1 - Expulsion • 2 - In-School Suspension • 3 - Out-of-School Suspension • 5 - Removal to an Alternative Educational Setting <p><i>Numeric, 1 digit</i></p>	<p>Resolution Type Setup > Behavior Resolution Type Detail > State Resolution Code</p> <p>BehaviorResType.stateResCode</p>
District Discipline Incident Identifier	<p>Reports the Campus generated Resolution ID</p> <p><i>Numeric, 10 digits</i></p>	<p>Behavior Management > Resolution Details > Resolution ID</p> <p>BehaviorResolution.resolutionID</p>
Primary Offense Type Code	<p>Reports the mapped State Event Code to which the resolution is mapped. When the Event is NOT mapped to a State Event Code, a value of 0000 reports.</p> <p><i>Numeric, 4 digits</i></p>	<p>Event Type Setup > Behavior Event Detail > State Event Code</p> <p>BehaviorType.stateEventCode</p>

Data Element	Description	Location
Secondary Offense Type Code	<p>Reports the mapped State Event Code to which the resolution is mapped ONLY when the reporting student is tied to a second event on the SAME incident as the event on which the reporting resolution is tied.</p> <p>When it is mapped to a State Event Code, reports the value only when it does not match the Primary Offense Type Code value.</p> <p>Otherwise, reports a value of 0000.</p> <p><i>Numeric, 4 digits</i></p>	<p>Event Type Setup > Behavior Event Detail > State Event Code</p> <p>BehaviorType.stateEventCode</p>
Tertiary Offense Type Code	<p>Reports the mapped State Event Code to which the resolution is mapped ONLY when the reporting student is tied to a third event on the SAME incident as the event on which the reporting resolution is tied.</p> <p>When it is mapped to a State Event Code, reports the value only when it does not match the Primary Offense Type Code value.</p> <p>Otherwise, reports a value of 0000.</p> <p><i>Numeric, 4 digits</i></p>	<p>Event Type Setup > Behavior Event Detail > State Event Code</p> <p>BehaviorType.stateEventCode</p>
Primary Weapon Type Code	<p>Reports the Weapon Code selected on the Event to which the resolution is tied.</p> <p><i>Numeric, 4 digits</i></p>	<p>Behavior Management > Event and Participant Details > Participant Details > Weapon Code</p> <p>BehaviorWeapon.weaponType</p>
Secondary Weapon Type Code	<p>Reports the second Weapon Code selected on the Event to which the resolution is tied.</p> <p>Otherwise, reports a value of 0098.</p> <p><i>Numeric, 4 digits</i></p>	<p>Behavior Management > Event and Participant Details > Participant Details > Weapon Code</p> <p>BehaviorWeapon.weaponType</p>

Data Element	Description	Location
Tertiary Weapon Type Code	<p>Reports the third Weapon Code selected on the Event to which the resolution is tied.</p> <p>Otherwise, reports a value of 0098.</p> <p><i>Numeric, 4 digits</i></p>	<p>Behavior Management > Event and Participant Details > Participant Details > Weapon Code</p> <p>BehaviorWeapon.weaponType</p>
Discipline Modifier Code	<p>Reports a value of 1 when the Modification Reason selected on the reported resolution is 1: Shortened Weapons Expulsion modified (in writing) to less than one year.</p> <p>Otherwise, reports a value of 0 (zero).</p> <p><i>Numeric, 1 digit</i></p>	<p>Behavior Management > Resolution Details > Modification Reason</p> <p>BehaviorResolution.modificationRason</p>

Data Element	Description	Location
Discipline Days	<p>Reports the Duration in School Days value rounded UP to the closed half day.</p> <ul style="list-style-type: none"> • Counts as .5 when the Duration is less than half a day. • Counts as 1 when the Duration is more than half a day. <p>Resolutions that start in the current school year and end in the following school year MUST have an accurate total spanning both school years entered into the Duration in School Days field.</p> <ul style="list-style-type: none"> • When the Duration in School Days field is blank, the number of school days associated with the resolution is calculated from the Resolution Start Date/Time to the Resolution End Date/Time or June 30 of the school end year, whichever comes first. <ul style="list-style-type: none"> ◦ Only days marked as School Days are included. Non-school days are excluded. ◦ Partial Days are rounded to the nearest whole day. <ul style="list-style-type: none"> ▪ When the Start Date is the same as the End Date, reports a value of 1. ▪ When the Resolution End Date is null, reports a value of 0. <p><i>Numeric, 5 digits</i></p>	<p>Behavior Management > Resolution Details > Duration in School Days</p> <p>BehaviorResolution.schoolDaysDuration</p>

Data Element	Description	Location
Interim Educational Services Flag	<p>Reports a value of Y only when the Interim Education Services checkbox is marked on the reporting Resolution. Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Management > Resolution Details > Interim Educational Services</p> <p>BehaviorResolution.transferOption</p>
Violent Criminal Offense Flag	<p>Reports a value of Y only when the Criminal Offense Arrest checkbox is marked on the reporting Resolution. Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Management > Resolution Details > Criminal Offense Arrest</p> <p>BehaviorResolution.arrest</p>
Discipline Incident Date	<p>Reports the Date of Incident from the Incident to which the reporting resolution is tied.</p> <p><i>Date field, 8 characters (MMDDYYYY)</i></p>	<p>Behavior Management > Incident Detail Information > Date of Incident</p> <p>BehaviorIncident.timestamp</p>
Discipline Filler	N/A	N/A