

# Restraint and Seclusion Incidents (Oregon)

Last Modified on 12/14/2025 8:45 pm CST

[Report Logic](#) | [Report Editor](#) | [Generate the Report](#) | [Report Layout](#)

Tool Search: OR Incidents

The Restraint and Seclusion Incident File collects information for all students who were restrained or placed in seclusion during the school year. All incidents that occur from July 1 to June 30 report, and includes students with and without disabilities.

OR Incidents ☆

Reporting > OR State Reporting > OR Incidents

**Instructions**

**Discipline Incidents & Restraint and Seclusion Incidents**

The Discipline Incidents file collects information for all students who were removed during the selected school year. All removals resulting in In School Suspension, Out of School Suspension, Expulsion, or in an Interim Alternative Education Setting that start on or between July 1st to June 30th in the selected school year are expected to report.

The Restraint and Seclusion Incidents file collects information for all students who were restrained or placed in seclusion during the school year. All Incidents occurring from July 1st to June 30th are expected to report. This includes students with and without disabilities.

Choose the State Format to generate the file in the state defined file format; otherwise, choose HTML for testing/debugging.

**Report Options**

**Report Type \***  
Restraint and Seclusion Incidents

**Start Date \***  
07/01/2023

**End Date \***  
06/30/2024

**Ad Hoc Filter**  
No Filter

**Output Options**

**Report Processing**  
 Generate Now  
 Submit to Batch Queue

**Format Type**  
 CSV (State Format)  
 XML  
 HTML

**Batch Queue Results**

Start Date End Date  
MM/DD/YYYY MM/DD/YYYY

Report Title	Queued Time	Status
No records available.		

0 - 0 of 0 items

Refresh

Generate

Restraints and Seclusion Editor

**Read** - View, select options and generate the Restraint and Seclusion Incidents File.  
**Write** - N/A

**Add** - N/A**Delete** - N/A

For more information about Tool Rights and how they function, see the [Tool Rights](#) article.

This report might look different to some of the other available Oregon reports. Organization-wide initiatives are being made to address technology and accessibility improvements.

## Report Logic

One record per Restraint and Seclusion occurrence reports when separated by periods of de-escalation (no overlap). When there are no periods of de-escalation between responses, multiple Restraint/Seclusion occurrences entered report as a single record. This includes all responses entered on multiple Behavior Events per Incident (incidentID) where the Behavior Response Code selected is mapped to one of the following noted below.

When only one response is present PER reportable student, a record reports per reportable student's reportable behavior response. When there are multiple responses are present for the SAME person:

- The date of the response is used to determine if they occur on the same date.
  - When they DO NOT occur on the same date, one record per reportable student's reportable behavior response reports.
  - When they DO occur on the same date, a check is done on the Start and End Times for an overlap.
    - When there is **NO time overlap**, a record per reportable student's reportable behavior response reports. For example:
      - The first reportable response (**P**) starts at 10:30 AM and Ends at 10:32 AM. The second reportable response (**P**) starts at 10:33 and ends at 10:37. Since there is no time overlap in the two responses, two records must report.
      - When there **IS time overlap**, ONLY one record reports for ALL same reportable student's multiple overlapping reportable responses reflecting data from all overlapping responses. For example:
        - The first reportable response (**M**) starts at 10:30 AM and Ends at 10:32 AM. The second reportable response (**S**) starts at 10:32 and ends at 10:37. Since there is a time overlap, ONLY one record reports reflecting data from both responses.

To report, a student must have a Student State ID.

A student does NOT report when:

- The Calendar of Enrollment is marked as State Exclude.
- The Enrollment record is marked as State Exclude or No Show.
- The Grade Level of Enrollment is marked as State Exclude.

# Behavior Responses

Behavior Responses need the following in order to report:

- The Behavior Response must be marked as Complete in order to report.
- The Date of the Behavior Response must fall on or between July 1 and June 30 of the reporting school year.
- The Behavior Response code needs to be mapped to the following:
  - M: Mechanical Restraint
  - P: Physical Restraint
  - S: Seclusion

# Report Editor

Data Element	Description
<b>Report Options</b>	
<b>Report Type</b>	Determines which report generates - Discipline Incidents or Restraint and Seclusion Incidents.
<b>Start Date</b>	Entered date reflects the start of the reporting range in which data reports. This field defaults to July 01 of the school start year.
<b>End Date</b>	Entered date reflects the end of the reporting range in which data reports. This field defaults to June 30 of the school end year.
<b>Ad hoc Filter</b>	Select which students to include in the extract by choosing a filter that was created in the Filter Designer. Only those students included in the filter are included in the report.
<b>Output Options</b>	
<b>Report Processing</b>	To generate the report immediately, select <b>Generate Now</b> option. To choose when the report generates, use the <b>Submit to Batch</b> option. Submit to Batch is useful when generating the report for several calendars or for larger amounts of data being reported. See the <a href="#">Batch Queue</a> article for more information.
<b>Format Type</b>	Determines in which format the report generates - CSV, HTML or XML.

# Generate the Report

1. Select **Restraint and Seclusion Incidents** from the **Report Type** field.
2. Enter the correct **Start Date** and **End Date**.
3. Choose an **Ad hoc Filter** to return just the course and staff information included in the selected filter.
4. Select the desired **Report Processing** option of **Generate Now** or **Submit to Batch Queue**.
5. Select the desired **Format Type**.

6. Click **Generate**. The report displays in the selected format.

Restraint and Seclusion Incidents Records:2																
ChkDigitStdntID	DistStdntID	ResdDistInstID	ResdSchlInstID	AttndDistInstID	AttndSchlInstID	InstFill	LglLNm	LglFNm	LglMNm	GartnCd	PrfrdLNm	PrfrdFNm	PrfrdMNm	BirthDtTx	GndrC	
0012345678	1234	2147	0820	2147	0820		Student	Amber			Student	Amber		08172005	F	
0012345678	1234	2147	0820	2147	0820		Student	Amber			Student	Amber		08172005	F	

Restraint and Seclusion Incidents File - HTML Format

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
1 ChkDigitStdntID	DistStdntID	ResdDistInstID	ResdSchlInstID	AttndDistInstID	AttndSchlInstID	InstFill	LglLNm	LglFNm	LglMNm	GnrtnCd	PrfrdLNm	PrfrdFNm	PrfrdMNm	BirthDtTx
2 0012345678	1234	2147	0820	2147	0820		Student	Amber			Student	Amber		08172005
3 0023456789	2345	2147	0820	2147	0820		Student	William			Student	William		5082007
4														
5														
6														
7														

Restraint and Seclusion Incidents File - CSV Format

## Report Layout

The following fields are the same on many Oregon state reports. Click the **Click to expand** link to view these fields.

► [Click here to expand...](#)

Data Element	Description	Location
<b>Check Digit Student Identifier</b>	Lists the student's state-issued identification number. <i>Numeric, 10 digits</i>	Demographics > Person Identifiers > Student State ID  Person.stateID
<b>District Student Identifier</b>	Lists the student's district-issued identification number. <i>Numeric, 10 digits</i>	Demographics > Person Identifiers > Local Student Number  Person.studentNumber
<b>Resident District Institution Identifier</b>	Reports the district number in which the student resides. <i>Numeric, 10 digits</i>	Enrollments > State Reporting Fields > Resident District  Enrollment.residentDistrict
		District Information > State District Number  District.number

Data Element	Description	Location
<b>Resident School Institution Identifier</b>	<p>Reports the school number in which the student resides.</p> <p><i>Numeric, 10 digits</i></p>	<p>Enrollments &gt; State Reporting Fields &gt; Resident School</p> <p>Enrollment.residentSchool</p> <p>District Information &gt; State School Number</p> <p>School.number</p>
<b>Attending District Institution Identifier</b>	<p>Reports the district number in which the student is enrolled.</p> <p><i>Numeric, 10 digits</i></p>	<p>Enrollments &gt; State Reporting Fields &gt; Serving District</p> <p>Enrollment.servingDistrict</p> <p>District Information &gt; State District Number</p> <p>District.number</p>
<b>Attending School Institution Identifier</b>	<p>Reports the school number in which the student is enrolled.</p> <p><i>Numeric, 10 digits</i></p>	<p>Enrollments &gt; State Reporting Fields &gt; Serving School</p> <p>Enrollment.servingSchool</p> <p>District Information &gt; State School Number</p> <p>School.number</p>
<b>Institution Filler</b>	N/A	N/A
<b>Legal Last Name</b>	<p>Reports the student's legal last name.</p> <p>When the Legal Last Name field is not populated, information reports from the Last Name field.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Last Name</p> <p>Identity.legalLastName</p> <p>Demographics &gt; Person Information &gt; Last Name</p> <p>Identity.lastName</p>

Data Element	Description	Location
<b>Legal First Name</b>	<p>Reports the student's legal first name.</p> <p>When the Legal First Name field is not populated, information reports from First Name field.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal First Name</p> <p>Identity.legalFirstName</p> <p>Demographics &gt; Person Information &gt; First Name</p> <p>Identity.firstName</p>
<b>Legal Middle Name</b>	<p>Reports the student's legal middle name.</p> <p>When the Legal Middle Name field is not populated, information reports from the Middle Name field.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Middle Name</p> <p>Identity.legalMiddleName</p> <p>Demographics &gt; Person Information &gt; Middle Name</p> <p>Identity.middleName</p>
<b>Suffix (Generational Code)</b>	<p>Indication student is considered a Junior, III, etc.</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Demographics &gt; Person Information</p> <p>Identity.suffix</p>
<b>Preferred Last Name</b>	<p>Reports the student's last name.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Demographics &gt; Person Information &gt; Last Name</p> <p>Identity.lastName</p>
<b>Preferred First Name</b>	<p>Reports the student's first name.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Demographics &gt; Person Information &gt; First Name</p> <p>Identity.firstName</p>
<b>Preferred Middle Name</b>	<p>Reports the student's legal middle name.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Demographics &gt; Person Information &gt; Middle Name</p> <p>Identity.middleName</p>
<b>Birth Date</b>	<p>Reports the student's date of birth.</p> <p><i>Date field, 8 digits (MMDDYYYY)</i></p>	<p>Demographics &gt; Person Information &gt; Birth Date</p> <p>Identity.birthDate</p>

Data Element	Description	Location
<b>Gender Code</b>	<p>Reports the student's Legal Gender as either Male (M), Female (F) or Non-Binary (X).</p> <p>When the Legal Gender field is not populated, information reports from the Gender field.</p> <p>When the Legal Gender or Gender fields are not populated, reports a value of X.</p> <p><i>Alphanumeric, 1 character (M, F, X)</i></p>	<p>Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Gender</p> <p>Identity.legalGender</p> <p>Demographics &gt; Person Information &gt; Gender</p> <p>Identity.Gender</p>
<b>Hispanic/Latino Ethnicity Flag</b>	<p>An indication of whether a student identifies as having a Hispanic ethnicity.</p> <ul style="list-style-type: none"> <li>Reports a value of Y when <i>Is the individual Hispanic/Latino?</i> is set to Yes.</li> <li>Reports a value of N when <i>Is the individual Hispanic/Latino?</i> is set to No or is not populated.</li> </ul> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics &gt; Person Information &gt; Is the individual Hispanic/Latino?</p> <p>Identity.hispanicEthnicity</p>
<b>American Indian/Alaskan Native Flag</b>	<p>Reports a value of Y when the American Indian or Alaskan Native checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics &gt; Person Information &gt; Race/Ethnicity &gt; American Indian or Alaska Native</p> <p>Identity.raceEthnicity</p>
<b>Asian Race Flag</b>	<p>Reports a value of Y when the Asian checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics &gt; Person Information &gt; Race/Ethnicity &gt; Asian</p> <p>Identity.raceEthnicity</p>

Data Element	Description	Location
<b>BlackRace Flag</b>	<p>Reports a value of Y when the Black/African American checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics &gt; Person Information &gt; Race/Ethnicity &gt; Black or African American</p> <p>Identity.raceEthnicity</p>
<b>White Race Flag</b>	<p>Reports a value of Y when the White checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics &gt; Person Information &gt; Race/Ethnicity &gt; White</p> <p>Identity.raceEthnicity</p>
<b>Native Hawaiian/Other Pacific Islander Race Flag</b>	<p>Reports a value of Y when the Native Hawaiian or Other Pacific Islander checkbox is marked.</p> <p>Reports a value of N when it is not marked.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Demographics &gt; Person Information &gt; Race/Ethnicity &gt; Native Hawaiian or Other Pacific Islander</p> <p>Identity.raceEthnicity</p>
<b>Race Filler</b>	N/A	N/A
<b>Language of Origin Code</b>	<p>Reports the language that is most often spoken in the student's home.</p> <p><i>Numeric, 4 digits</i></p>	<p>Demographics &gt; Person Information &gt; Home Primary Language</p> <p>Identity.homePrimaryLanguage</p>
<b>Partial Social Security Number</b>	<p>Reports the last four digits of the student's Social Security number.</p> <p><i>Numeric, 4 digits</i></p>	<p>Demographics &gt; Person Information &gt; Soc Sec Num</p> <p>Identity.SSN</p>
<b>Enrolled Grade Code</b>	<p>Reports the state grade level that is mapped to the student's grade level of enrollment.</p> <p><i>Numeric, 2 digits</i></p>	<p>Enrollments &gt; General Enrollment Information &gt; State Grade Level</p> <p>Enrollment.stateGradeLevel</p>

Data Element	Description	Location
<b>Street Address</b>	<p>Reports the student's Primary Household address.</p> <p>The following logic is used when reporting addresses when a student is associated with multiple addresses:</p> <ul style="list-style-type: none"> <li>• A Street Address is selected over a P.O Box.</li> <li>• A Primary household membership is selected over a secondary household membership.</li> <li>• A Primary location is selected over a secondary location.</li> <li>• The household ID is used as a tiebreaker when multiple addresses have the same/earliest start date.</li> <li>• The location ID is used as a tiebreaker when the start date on multiple household locations is the same.</li> <li>• When a P.O. Box is the only address available for the student, that address reports.</li> </ul> <p><i>Alphanumeric, 45 characters</i></p>	Household > Address > Number, Prefix, Street, Tag Address.number Address.prefix Address.street Address.tag
<b>City</b>	<p>Reports the city in which the student resides.</p> <p><i>Alphanumeric, 20 characters</i></p>	Household > Address > City Address.city
<b>Zip Code</b>	<p>Reports the five digit zip code of the student's address.</p> <p><i>Numeric, 5 digits</i></p>	Household > Address > Zip Address.zip
<b>Zip Plus Four Code</b>	<p>Reports the additional four digits of the zip code associated with the student's address.</p> <p><i>Numeric, 4 digits</i></p>	Household > Address > Zip Address.zip

Data Element	Description	Location
<b>Resident County Code</b>	<p>Reports the county of residence code from the student's primary enrollment record as of the date of generation.</p> <p>When there is no primary enrollment, reports from the partial enrollment, then from the Special Education enrollment.</p> <p>When there are multiple primary enrollments, reports from the most recent entered enrollment.</p> <p><i>Numeric, 2 digits</i></p>	Enrollment > State Reporting Fields > Resident County Enrollment.residentCounty
<b>Phone Number</b>	<p>Reports the student's 10-digit phone number as entered in the Cell Phone field in the Personal Contact Information.</p> <p>When the Cell Phone field is not populated, reports from the Other Phone field.</p> <p><i>Numeric, 10 digits (XXXXXXXXXX)</i></p>	Demographics > Personal Contact Information > Cell Phone Contact.cellPhone
<b>Teacher Filler</b>	N/A	N/A
<b>High School Entry Cohort School Year</b>	<p>Reports the concatenated school year value based on the student's date of first entry into 9th grade.</p> <p>When the student enters 9th grade in the 22-23 school year, a value of 2223 reports.</p> <p><i>Numeric, 4 digits</i></p>	Graduation > Date First Entered Grade 9 Graduation.grade9Date
<b>Student Filler</b>	N/A	N/A

Data Element	Description	Location
<b>Economically Disadvantaged Flag</b>	<p>Reports a value of Y when:</p> <ul style="list-style-type: none"> <li>• The active school history at the time of report generation identifies the school as Provision 2.</li> <li>• The student has an active FRAM record at the time of report generation where the Eligibility is Free or Reduced.</li> </ul> <p>Reports a value of N when there is no active FRAM record or when the Eligibility is NOT Free or Reduced.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	Eligibility > Eligibility Detail > Eligibility POSEligibility.eligibility <hr/> School > School History > Provision Status SchoolAttribute.provision
<b>Title 1 Flag</b>	<p>Reports a value of Y when the student has an active Title 1 record on the date of report generation.</p> <p>When there is no active Title 1 record on the date of report generation, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	Title 1 > Start Date, End Date Title1.startDate Title1.endDate
<b>Special Education Flag</b>	<p>Reports a value of Y when the student has a locked IEP OR has a data plan that is active on the day of report generation AND has a Special Ed Eligibility entry of Yes.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	Enrollments > Special Ed Fields > Status Enrollment.specialEdStatus

Data Element	Description	Location
<b>Section 504 Flag</b>	<p>Reports a value of Y when the student has an active Section 504 record on the date of report generation.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Section 504 &gt; Start Date, End Date</p> <p>Section504.startDate Section504.endDate</p>
<b>Migrant Education Flag</b>	<p>Reports a value of Y when the student has an active Migrant record on the date of report generation.</p> <p>Active is defined as the report generation date being on or after the Services Start Date and on or before the Services End Date.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Migrant &gt; Services Start Date, Services End Date</p> <p>Migrant.servicesStartDate Migrant.servicesEndDate</p>
<b>Indian Education Flag</b>	<p>Reports as N for all records.</p>	<p>N/A</p>
<b>English Learner Flag</b>	<p>Reports a value of Y ONLY when the student has an active EL record at the time of generation where the EL Program Status is EL.</p> <p>Active is defined as the report generation date being on or after the Identified Date and on or before the Program Exit Date.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>English Learner &gt; Program Status, Identified Date, Program Exit Date</p> <p>lep.programStatus lep.identifiedDate lep.exitDate</p>

Data Element	Description	Location
<b>Distance Learning Flag</b>	<p>Reports a value of Y when the Distance Learning checkbox is marked on the student's enrollment record.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Enrollments &gt; State Reporting Fields &gt; Distance Learning</p> <p>Enrollment.distanceLearning</p>
<b>Homeschooling Flag</b>	<p>Reports a value of Y when the Home School checkbox is marked on the student's enrollment record.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Enrollments &gt; State Reporting Fields &gt; Home School</p> <p>Enrollment.homeSchooled</p>
<b>Transition Program Flag</b>	<p>When the Special Education Flag (field 38) reports a value of Y, logic checks the student's State Reporting Plan to see if it is active during the reporting range. When yes, this field reports as Y.</p> <p>Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Enrollments &gt; Special Ed Fields &gt; Status</p> <p>Enrollment.specialEdStatus</p> <p>Special Ed Documents &gt; Data Plan</p>
<b>Alternative Education Program Flag</b>	<p>Reports a value of Y when the student's calendar of enrollment as of the report generation date contains a Calendar Type of Alternative.</p> <p>Otherwise, reports a blank value.</p> <p><i>Alphanumeric, 1 character (Y)</i></p>	<p>Calendar Information &gt; Calendar Info &gt; Type</p> <p>Calendar.type</p>

Data Element	Description	Location
<b>Tribal Affiliation Code</b>	<p>Indicates Tribal affiliation with a federally recognized, state-acknowledged, or terminated Tribe for the student, their parent, or their grandparent.</p> <ul style="list-style-type: none"> <li>When the student's Race/Ethnicity is marked as American Indian or Alaska Native, reports a value of Y.</li> <li>When the Detail Ancestry/Tribal Code field contains a value, reports a value of Y.</li> </ul> <p>Otherwise, reports a blank value.</p> <p><i>Alphanumeric, 1 character (Y)</i></p>	<p>Identities &gt; Race/Ethnicity &gt; American Indian or Alaska Native, Detailed Ancestry/Tribal Codes</p> <p>Identity.raceEthnicity Identity.raceSubcategory</p>
<b>Talented and Gifted Flag</b>	<p>Reports a value of Y when the student has an active Gifted record as of the date of report generation.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Gifted &gt; Start Date, End Date gifted.startDate gifted.endDate</p>
<b>Additional Language Code</b>	<p>Reports any additional language codes assigned on the student's Identities record.</p> <p><i>Alphanumeric, 4 characters</i></p>	<p>Identities &gt; Secondary Language Identity.altLanguage</p>
<b>Demographic Filler</b>	<p>N/A</p>	<p>N/A</p>

The following fields are unique to the Restraint and Seclusion File Report.

Data Element	Description	Location
--------------	-------------	----------

Data Element	Description	Location
<b>Incident Identifier</b>	<p>Reports the concatenated value of the lowest Campus-generated Incident ID plus the Campus-generated Behavior Response ID.</p> <ul style="list-style-type: none"> <li>When there are non-overlapping individual records, all three report in numeric order.</li> <li>When there are overlapping individual records, the record with the lowest Incident ID reports.</li> </ul> <p><i>Numeric, 10 digits</i></p>	<p>Behavior Management &gt; Incident Detail Editor, Incident ID</p> <p>BehaviorIncident.incidentID</p> <p>Behavior Management &gt; Events and Participants &gt; Add Behavior Response (Response ID)</p> <p>BehaviorResponse.responseID</p>
<b>Incident Date</b>	<p>Reports the date of the Behavior Response.</p> <p>A single concatenated record record that reflects multiple Behavior Responses all have the same date.</p> <p><i>Date field, 8 digits (MMDDYYYY)</i></p>	<p>Behavior Management &gt; Incident Detail Information &gt; Date of Incident</p> <p>BehaviorIncident.timestampd</p> <p>Behavior Management &gt; Response Details &gt; Response Date</p> <p>BehaviorResponse.date</p>
<b>Restraint Flag</b>	<p>Reports the <b>Response Type</b> entered on the Response Details record when set to either <b>M: Mechanical Restraint</b> or <b>P: Physical Restraint</b>. Otherwise, a value of N reports.</p> <p>For multiple concatenated same-student Behavior Responses, when at least one Response Type is mapped to either M or P, a value of Y reports. Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Office &gt; Settings &gt; Response Type Setup</p> <p>BehaviorResponseType.responseType</p> <p>Behavior Management &gt; Response Details &gt; Response Type</p> <p>BehaviorResponse.responseTypeID</p>

Data Element	Description	Location
<b>Seclusion Flag</b>	<p>Reports the Response Type entered on the Response Details record when set to <b>S: Seclusion</b>.</p> <p>For multiple concatenated same-student Behavior Responses, when at least one Response Type is mapped to S, a value of Y reports. Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Office &gt; Settings &gt; Response Type Setup</p> <p>BehaviorResponseType.responseType</p> <p>Behavior Management &gt; Response Details &gt; Response Type</p> <p>BehaviorResponse.responseTypeID</p>
<b>Room Locked Flag</b>	<p>Reports a value of Y when the <b>Seclusion Room Locked</b> is marked. Otherwise, a value of N reports.</p> <p>For multiple concatenated same-student Behavior Responses, when at least one of them has the Seclusion Room Locked checkbox marked, a value of Y reports. Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Management &gt; Response Details &gt; Seclusion Room Locked</p> <p>BehaviorResponse.seclusionRoomLocked</p>
<b>Untrained Staff Flag</b>	<p>Reports a value of Y when the <b>Untrained Staff</b> checkbox is marked on the Behavior Response record. Otherwise, a value of N reports.</p> <p>For multiple concatenated same-student Behavior Responses, when at least one of them has the <b>Untrained Staff</b> checkbox marked, a value of Y reports. Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Management &gt; Response Details &gt; Untrained Staff</p> <p>BehaviorResponse.untrainedStaff</p>

Data Element	Description	Location
<b>Steps Taken Code 1</b>	<p>Reports the first code selected in the <b>Steps Taken State Code(s)</b> field. Otherwise, a blank value reports.</p> <p>When the student only has one response on the incident of record, the first Steps Taken Code reports.</p> <p>When the student has multiple responses on the incident of record, the first Steps Taken Code reports, starting with the LOWEST Response ID.</p> <p>When there are no codes selected for multiple responses, a blank value reports.</p> <p><i>Numeric, 3 digits</i></p>	<p>Behavior Management &gt; Response Details &gt; Steps Taken State Code</p> <p>BehaviorResponse.stepsTakenRestraint</p>
<b>Steps Taken Code 2</b>	<p>Reports the second code selected in the <b>Steps Taken State Code(s)</b> field. This CANNOT be the same code reported in the previous field and the previous field CANNOT be blank.</p> <p>Otherwise, a blank value reports.</p> <p>When the student only has one response on the incident of record, the second Steps Taken Code reports.</p> <p>When the student has multiple responses on the incident of record, the second UNIQUE Steps Taken Code reports, starting with the LOWEST Response ID.</p> <p>When there is only one unique code selected for multiple responses, a blank value reports.</p> <p><i>Numeric, 3 digits</i></p>	<p>Behavior Management &gt; Response Details &gt; Steps Taken State Code</p> <p>BehaviorResponse.stepsTakenRestraint</p>

Data Element	Description	Location
<b>Steps Taken Code 3</b>	<p>Reports the third code selected in the <b>Steps Taken State Code(s)</b> field. This CANNOT be the same code reported in the two previous field and the two previous field CANNOT be blank.</p> <p>Otherwise, a blank value reports.</p> <p>When the student only has one response on the incident of record, the third Steps Taken Code reports.</p> <p>When the student has multiple responses on the incident of record, the third UNIQUE Steps Taken Code reports, starting with the LOWEST Response ID.</p> <p>When there are only two unique code selected for multiple responses, a blank value reports.</p> <p><i>Numeric, 3 digits</i></p>	<p>Behavior Management &gt; Response Details &gt; Steps Taken State Code</p> <p>BehaviorResponse.stepsTakenRestraint</p>
<b>Steps Taken Comment</b>	<p>Reports any text entered into the <b>Steps Taken Comment</b> field ONLY when the values reported in the three previous fields are <b>999: Other</b>.</p> <p><i>Alphanumeric, up to 5000 characters</i></p>	<p>Behavior Management &gt; Response Details &gt; Steps Taken Comment</p> <p>BehaviorResponse.stepsTakenComment</p>

Data Element	Description	Location
<b>Seclusion Room Standards Flag</b>	<p>Reports whether the <b>Seclusion Room State Standards Met</b> checkbox is marked on the Response Details.</p> <ul style="list-style-type: none"> <li>When the <b>Seclusion Flag</b> is marked (field 54) AND the <b>Seclusion Room State Standards Met</b> is marked, a value of Y reports.</li> <li>When the <b>Seclusion Flag</b> is marked (field 54) AND the <b>Seclusion Room State Standards Met</b> is NOT marked, a value of N reports.</li> <li>When the <b>Seclusion Flag</b> is not marked (field 54), a value of N reports.</li> </ul> <p>For multiple concatenated same-student Behavior Responses, when at least one of them has the <b>Seclusion Room State Standards Met</b> marked, a value of Y reports. Otherwise, a value of N reports.</p>	<p>Behavior Management &gt; Response Details &gt; Seclusion Room State Standards Met</p> <p>BehaviorResponse.seclusionRoomStateStandard</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>
<b>Injury to Student Flag</b>	<p>Reports a value of Y when the <b>Student was injured during the response</b> checkbox is marked. Otherwise, reports a value of N.</p> <p>For multiple concatenated same-student Behavior Responses, when at least one of them has the <b>Student was injured during the response</b> checkbox marked, a value of Y reports. Otherwise, a value of N reports.</p>	<p>Behavior Management &gt; Student Details &gt; Student was injured during the response</p> <p>BehaviorResponse.studentInjured</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>

Data Element	Description	Location
<b>Injury to Personnel Flag</b>	<p>Reports a value of Y when the <b>Restraint/Seclusion - Staff Result</b> has a value of <b>ISM: Injury of Staff Member</b> is selected. Otherwise, a value of N reports.</p> <p>For multiple concatenated same-student Behavior Responses, when at least one of them has a value of <b>ISM: Injury of Staff Member</b> selected, a value of Y reports. Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Management &gt; Response Details &gt; Restraint/Seclusion - Staff Result &gt; Injury of Staff Member</p> <p>BehaviorResponse.restraintSeclusion</p>
<b>Death of Student Flag</b>	<p>Reports a value of Y when the <b>Student died during response</b> checkbox is marked on the Student Details editor.</p> <p>For multiple concatenated same-student Behavior Responses, when at least one of them has <b>Student died during response</b> checkbox marked, a value of Y reports. Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Management &gt; Response Details &gt; Student Details &gt; Student died during response</p> <p>BehaviorResponse.studentDiedResponse</p>
<b>Death of Personnel Flag</b>	<p>Reports a value of Y when the <b>Restraint/Seclusion - Staff Result</b> has a value of <b>DSM: Death of Staff Member</b> is selected. Otherwise, a value of N reports.</p> <p>For multiple concatenated same-student Behavior Responses, when at least one of them has a value of <b>DSM: Death of Staff Member</b> selected, a value of Y reports. Otherwise, a value of N reports.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Behavior Management &gt; Response Details &gt; Restraint/Seclusion - Staff Result &gt; DSM: Death of Staff Member</p> <p>BehaviorResponse.restraintSeclusion</p>

