

# Prior Year Leaver Parent (Texas v4.0)

Last Modified on 10/21/2024 8:20 am CDT

**Tool Search Term:** Ed-Fi

## Object Triggering Logic

Action	Trigger
POST	<p>Reports Guardians of students in Grades 07-12 from prior year calendars that have exited the district and do not have an enrollment in the current year.</p> <ul style="list-style-type: none"> <li>• Prior year is determined by the Ed-Fi configuration year.</li> <li>• Student's prior year enrollment must have an End Date and End Status = NOT NULL.</li> <li>• If more than one prior year enrollment exists use the most recent to determine if student has exited.</li> <li>• Do not send records if the Calendar Exclude checkbox is marked in the calendar the student is enrolled.</li> <li>• Do not send records if the School Exclude checkbox is marked in the calendar the student is enrolled.</li> <li>• Do not send a record if the State Exclude or No Show checkbox is marked on the enrollment.</li> </ul>
PUT	When any field not part of the natural key is changed.
DELETE	<ul style="list-style-type: none"> <li>• Prior year enrollment's End Status or End Date is removed.</li> <li>• An enrollment is created in the current year for the student.</li> </ul>

## Resource Toggle/Resync

Action	Business Rule
NONE	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
RESYNC	<ul style="list-style-type: none"> <li>• If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table</li> <li>• If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.</li> <li>• If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.</li> </ul>

## Natural Key Changes/Cascading Updates, Deletes

Action	Business Rule
DELETE / POST	Cascading Deletes: The logic for an Ed-FI ID change will update all resources impacted by this change.

## Scope Year

Logic
<p>A parent record will report when they are a guardian to a student with an enrollment aligned to a scoped year.</p> <ul style="list-style-type: none"> <li>The related pair start date must be null or on/before the scope year end date to report.</li> <li>The related pair end date must be null or on/after the scope year end date to report.</li> <li>Data will only send for the years that have valid configuration.</li> <li>A resync must be completed on the Parents resource when a new scope year is connected in order for this data to send.</li> </ul>
<p>When using data in Campus that has an effective date, the following logic will be applied to determine the scope year(s) to report the data to.</p> <ul style="list-style-type: none"> <li>Current Year: Records will be compared to today's date to determine if the record is eligible to report.</li> <li>Previous Years: The record's date must be on or before the schools year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.</li> <li>Future Years: The record's date must be on or after the schools year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.</li> </ul>
<p>When using data in Campus that have start and end dates, the following logic will be applied to determine the scope year(s) to report the data to.</p> <ul style="list-style-type: none"> <li>Current Year: The records start date must be on or before today's date and the records end date must be on or after today's date.</li> <li>Previous Years: The record's start date must be on or before the school year's end date and the record's end date must be after the school year's end date defined in the School Years editor. If blank, the default date of 6/30/xxxx is used.</li> <li>Future Years: The record's start date must be on or before the schools year's start date and the record's end date must be on or after the school year's start date defined in the School Years editor. If blank, the default date of 7/01/xxxx is used.</li> </ul>

## Identity Mapping Object Key

Campus Object Type	Object Key Data Source
Person	personID

## Event Queue Detail

Campus Table	ED-Fi Action	Fields
relatedPair	Post/Put/Delete	The primary table used for sending data for this resource
household	Put	Addresses
contact	Put	Email, Telephone
identity	put	First name, Last Name, Middle Name Suffix, Gender

## Object Data Elements

Data Element Labels in **bold** are part of the Natural Key and are required elements for data to send to Ed-Fi.

▶ [Click here to expand...](#)

DE#	Data Element Label	Business Requirement	Logic	M, C, or O	Location
DE100	id	The unique identifier of the resource.		M	
DE200	<b>parentUniqueid</b>	A unique alphanumeric code assigned to a parent.	Report Parent Unique State ID.	M	Census > I Demograp Unique Sta person.adc
DE300	addresses	Report the person's address(s).	<ol style="list-style-type: none"> <li>Reports the Primary address that is marked as "Mailing". <ul style="list-style-type: none"> <li>If more than one Primary Address is marked as Mailing, report</li> </ul> </li> </ol>	O	Household Mailing Household Start Date Household Start Date Household

			<p>report address with most recent Household Membership Start Date</p> <ul style="list-style-type: none"> <li>◦ Otherwise, report the address with most recent Address Start Date</li> </ul> <p>2. See Business Rule S3 in Scope Year logic to determine the eligibility of records.</p> <p>3. See Array section for data logic for each field</p>		Household Household
DE400	electronicMails	The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the individual or organization belongs	<p>1. Reports the email address entered for that person</p> <ul style="list-style-type: none"> <li>1. Do not report if Email is marked as "Private"</li> <li>2. If blank, does not report</li> <li>3. See Array section for data logic for each field</li> </ul>	O	Census > I Demograp contact.en
DE500	firstName	A name given to an individual at birth, baptism, or during another naming ceremony, or through legal change. NEDM First Name	Report the first name from the person's current identity record	M	Census > I Identities : identity.fir:

DE600	generationCodeSuffix	An appendage, if any, used to denote an individual's generation in his family (e.g., Jr., Sr., III).	Does not report.	C	Census > I Identities > identity.su
TX100	generationCode Descriptor	identifies the generation suffix, if any, which the person attaches to his name (e.g., Jr., Sr., III)	Report mapped Ed-Fi Code of Suffix.	O	Census > I Demograp identity.su
DE900	lastSurname	The name borne in common by members of a family. NEDM Last Name/Surname	Report the last name from the person's current identity record	M	Census > I Identities > identity.las
DE1100	maidenName	The person's maiden name, if applicable.	This field is optional, does not report.	O	
DE1200	middleName	A secondary name given to an individual at birth, baptism, or during another naming ceremony. NEDM Middle Name	Report the middle name from the person's current identity record	O	Census > I Identities > identity.mi
DE1400	personalidentification Documents	An unordered collection of parentIdentification Documents. This entity represents a parent or guardian of a student, such as mother, father or caretaker.	This field is optional, does not report.	O	
DE1500	personalTitlePrefix	A prefix used to denote the title, degree, position or seniority of the person.	This field is optional, does not report.	O	
DE1600	sexDescriptor	A person's gender.	1. Report the Gender from the	O	Census > I Identities >

			<p>Gender from the Person's current identity record</p> <ul style="list-style-type: none"> <li>◦ This is NOT legal gender.</li> </ul> <p>2. Report the following based on the value selected in the droplist</p> <ul style="list-style-type: none"> <li>◦ Female report 'Female'.</li> <li>◦ Male report 'Male'.</li> <li>◦ If blank or Non-binary, report 'Not Selected'.</li> </ul>		identities >  identity.Ge
DE1700	telephone	An unordered collection of parentTelephones. This entity represents a parent or guardian of a student, such as mother, father or caretaker.	<p>1. Reports the Phone numbers entered in the Personal Contact Information for that person</p> <ul style="list-style-type: none"> <li>◦ Does not report Phone Number if marked as "Private".</li> </ul> <p>2. If blank, does not report.</p> <p>3. See Business Rule S3 in Scope Year logic to determine the eligibility of records.</p> <p>4. See Array section for data logic for each field.</p>	O	Census > I Demograp Contact Ini Phone, Wo Phone, Pa  contact.ho contact. w contact.ce contact.pa
DE1800	_etag	A unique system-generated value that identifies the	This field is optional, does not report.	O	

that identifies the version of the resource

## Array Data Elements

[Click here to expand...](#)

### Addresses

#	Data Element Label	Business Requirement	Business Rules	M, C or O	Location
AE10	addressTypeDescriptor	Key for Address	All addresses will report as 'Home'.	M	
AE20	localeDescriptor	A general geographic indicator that categorizes U.S. territory (e.g., City, Suburban)	This is optional, does not report.	O	
AE30	stateAbbreviationDescriptor	The abbreviation for the state (within the United States) or outlying area in which an address is located	Reports the State for the address being reported.	M	Households > Adc Info > State address.state
AE40	apartmentRoomSuite Number	The apartment, room, or suite number of an address	Reports the value entered in Apt field if populated.	O	Households > Adc Info > Apt address.apt
AE50	buildingSiteNumber	The number of the building on the site, if more than one building	This is optional, does not report.	O	

#	Data Element Label	Business Requirement	Business Rules	M, C or O	Location
AE60	city	The name of the city in which an address is located	Reports the City for the address being reported.	O	Households > Add Info > City address.city
AE70	congressionalDistrict	The congressional district in which an address is located.	This is optional, does not report.	O	
AE80	countyFIPSCode	5 digit code consisting of the two digit state code followed by the three digit FIPS code for the county	This is optional, does not report.	O	
AE90	doNotPublishIndicator	An indication that the address should not be published.	Reports 'True' if the Private checkbox is checked on the address being reported Otherwise, report 'False'.	O	Households > Add Info > Private householdlocator
AE100	latitude	The geographic latitude of the physical address.	This is optional, does not report.	O	
AE110	longitude	The geographic longitude of the physical address.	This is optional, does not report.	O	
AE120	nameOfCounty	The name of the county, parish, borough, or	Reports the County for the addressing	O	Households > Add Info > County address.county



#	Data Element Label	comparable Business unit (within a state) in which an address is located.	being reported. Business Rules	M, C or O	Location
AE130	postalCode	The five or nine digit zip code portion of an address.	Reports the Zip Code for the address being reported.	M	Households > Address Info > Zip Code address.zip
AE140	streetNumberName	The street number and street name or post office box number of an address.	Reports Address PO Box + Number + Street + Tag + Prefix + Dir <ul style="list-style-type: none"> <li>If the PO Box is checked, add 'PO Box' in front of the Number being reported.</li> </ul>	M	Households > Address Info address.postOffice address.number address.street address.tag address.prefix address.dir
Periods Array	beginDate	The first date the address is valid. For physical addresses, the date the person moved to that address.	This is optional, do not report.	O	
	endDate	The last date the address is valid. For physical addresses, this would be the date the person moved from that address.	This is optional, do not report.	O	

## Parent Electronic Mail

DE#	Data Element Label	Business Requirement	Logic		Location
AE150	electronicMailTypeDescriptor	Key for ElectronicMail	<ol style="list-style-type: none"> <li>1. The Primary Email address will report as "Home/Personal".</li> <li>2. The Secondary Email address will report as "Work".</li> </ol>	M	
AE160	doNotPublishIndicator	An indication that the electronic email address should not be published.	This is optional, do not report.	O	
AE170	electronicMailAddress	The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the individual or organization belongs.,	Reports the email address entered for that person.	M	Census > People > Demograp > Email contact.en
AE180	primaryEmailAddress Indicator	An indication that the electronic mail address should be used as the principal electronic mail address for an individual or organization.	This is optional, do not report.	O	

## Parent Telephone

DE#	Data Element Label	Business Requirement	Logic	M, C, or O	Location										
AE190	telephoneNumberTypeDescriptor	Key for TelephoneNumber.	<p>Reports based on the Phone Number type entered in Campus based on the chart below:</p> <table border="1"> <thead> <tr> <th>Campus Phone</th> <th>Ed-Fi Code</th> </tr> </thead> <tbody> <tr> <td>Cell Phone</td> <td>Mobile</td> </tr> <tr> <td>Other Phone</td> <td>Home</td> </tr> <tr> <td>Work Phone</td> <td>Work</td> </tr> <tr> <td>Pager</td> <td>Other</td> </tr> </tbody> </table>	Campus Phone	Ed-Fi Code	Cell Phone	Mobile	Other Phone	Home	Work Phone	Work	Pager	Other	M	
Campus Phone	Ed-Fi Code														
Cell Phone	Mobile														
Other Phone	Home														
Work Phone	Work														
Pager	Other														
AE200	doNotPublishIndicator	An indication that the telephone number should not be published.	This is optional, does not report.	O											
AE210	orderOfPriority	The order of priority assigned to telephone numbers to define which number to attempt first, second, etc.,	This is optional, does not report.	O											
AE220	telephoneNumber	The 10-digit telephone number, including the area code, for the person.	<ol style="list-style-type: none"> <li>1. Reports the Phone numbers entered in the Personal Contact Information for that person.</li> <li>2. If blank, does not report.</li> </ol>	M	Census > People > Demographic > Personal Contact Information : Other Phone, Work Phone, Cell Phone, Pager										
AE230	textMessageCapability	An indication that	This is optional,	O											

	Indicator	the telephone number is technically capable of sending and receiving Short Message Service (SMS) text messages.,	does not report.	
--	-----------	--	------------------	--

## Type/Descriptors

[▶ Click here to expand...](#)

### Address Type Descriptor

<b>Code Value</b>	<b>Description</b>	<b>Namespace</b>	<b>Short Description</b>
Billing	Billing		Billing
Doubled - up (i.e., living with another family)	Doubled - up (i.e., living with another family)		Doubled - up (i.e., living with another family)
Father Address	Father Address		Father Address
Guardian Address	Guardian Address		Guardian Address
Home	Home		Home
Hotels/Motels	Hotels/Motels		Hotels/Motels
Mailing	Mailing		Mailing
Mother Address	Mother Address		Mother Address
Other	Other		Other
Physical	Physical		Physical
Shelter, Transitional housing, Awaiting Foster	Shelters, Transitional housing, Awaiting Foster Care		Shelters, Transitional housing, Awaiting Foster Care
Shipping	Shipping		Shipping
Temporary	Temporary		Temporary
Unsheltered	Unsheltered (e.g. cars, parks, campgrounds, temporary trailers including FEMA trailers, or abandoned buildings)		Unsheltered (cars, parks, temporary trailers, or abandoned buildings)
Work	Work		Work