

# PMR Detail Report (North Carolina)

Last Modified on 10/21/2024 8:20 am CDT

[Report Editor](#) | [Generate the Report](#) | [Report Layout](#) | [Next Steps](#)

Tool Search: NC PMR Extract

The **PMR (Principal's Monthly Report) Detail** contains enrollment, membership, and attendance information. It is collected by NCDPI at the end of each school month for nine months and is used as the source data for calculating the following:

- Average Daily Membership
- Average Daily Attendance
- Initial Enrollment
- Membership Last Day

See the [NC Principals Monthly Report Extract](#) article for information on required data setup, report logic, tool rights, and more.

NC PMR Extract Reporting > NC State Reporting > NC PMR Extract

**Instructions** +

**Set Up** +

**Report Options** -

Extract Type \* (Choose one)

School Month Sequence \* (Choose one)

Ad Hoc Filter

**Output Options** -

Report Processing Format Type

Submit to Batch Queue  HTML

Queue Options  CSV

High Priority

Keep Until I Delete

Queue Start Date and Time \*

**Batch Queue Results** -

Start Date End Date

Report Title	Queued Time ↓	Status
PMRExtract	08/22/2024 11:05:55 AM	COMPLETED

NC PMR Extract - PMR Detail Editor

## Report Editor

Data Element	Description
<b>Setup</b>	
<b>Search Calendars</b>	<p>Use the search field to narrow the list of calendars to select. Use the Expand All/Collapse All option. Place a checkbox next to the desired school and calendars.</p> <p>As noted previously, all calendars are automatically selected because this is a school-wide report.</p>
<b>Show Active Year Only</b>	<p>When set to ON, only those calendars for the school year are available for selection.</p> <p>When set to OFF, all calendars from all school years are available for selection based on the user's tool rights.</p>
<b>Report Options</b>	
<b>Extract Type</b>	Determines which PMR report generates. For this instance, select <b>PMR Detail</b> .
<b>School Month Sequence</b>	<p>Indicates which <a href="#">School Month</a> is being reported. Select one school month from the list.</p> <p>In Campus, <i>PMR Intervals</i> are called <i>School Months</i>.</p>
<b>Ad hoc Filter</b>	Allows selection of a filter that was previously created. Only students included on the selected filter return on the report.
<b>Output Options</b>	
<b>Report Processing</b>	<p>This is a complex report and requires several minutes to create the data snapshot. Because of this, it always needs to be generated using the <b>Submit to Batch</b> option.</p> <p>The Batch Queue processing can be used for both the report generation and the report review, allowing results to be reviewed at a later time.</p> <p>The Snapshot being compared is taken at the same time as the PMR summary and only students who report on the PMR summary are used in the counts. Submitting to Batch is useful when generating the report for several calendars or for more significant amounts of reported data. See the <a href="#">Batch Queue</a> article for more information.</p>
<b>Format Type</b>	Determines in which format the report generates - CSV or HTML.

Follow this workflow for generating the PMR Extract.

1. Generate the PMR Summary.
2. Generate the [Data Validation Reports](#).

3. Regenerate the PMR Summary.
4. Review the PMR Summary.
5. Submit Verification the PMR Summary.
6. Generate the remaining PMR Extracts.

## Generate the Report

Review the **PMR Getting Started** information for important setup, tool rights, report logic and workflow processes **BEFORE** generating the report.

1. Select **PMR Detail** from the **Extract Type** field.
2. Select the appropriate **School Month** from the dropdown list.
3. Choose an **Ad hoc Filter** to return only the student information included in the selected filter.
4. Select **Submit to Batch Queue**.
5. Select the desired **Format Type**.
6. Mark the desired **Queue Options**.
7. Click **Review**. The report displays in the selected format.

PMR Detail Records:7														
PSU	SchoolNumber	SchoolName	EndYear	PMR_Month	Submitted	SchoolMonthStartDate	SchoolMonthEndDate	CalendarInstructionalMinutes	StudentLastName	StudentFirstName	StudentID	Ethnicity	Sex	Summary
090	090368	West Bladen High	2024	1	1	08/28/2023	09/22/2023	360	Student	Amber	123456789	Black	F	Standard
090	090368	West Bladen High	2024	1	1	08/28/2023	09/22/2023	360	Student	Brian	234567890	Hispanic	M	Standard
090	090368	West Bladen High	2024	1	1	08/28/2023	09/22/2023	360	Student	Charles	345678901	White	F	Standard
090	090368	West Bladen High	2024	1	1	08/28/2023	09/22/2023	360	Student	Donna	456789012	White	F	Standard
090	090368	West Bladen High	2024	1	1	08/28/2023	09/22/2023	360	Student	Erik	567890123	Two Or More Races	F	Standard
090	090368	West Bladen High	2024	1	1	08/28/2023	09/22/2023	360	Student	Fiona	678901234	Black	M	Standard
090	090368	West Bladen High	2024	1	1	08/28/2023	09/22/2023	360	Student	Giles	789012345	White	M	Standard

PMR Detail Report - HTML Format

## Report Layout

Data Element	Description	Location
PSU	Reports the first three digits of the school's Public School Unit number of the selected school.  <i>Numeric, 3 digits</i>	District Information > State District Number  District.number

Data Element	Description	Location
<b>School Number</b>	<p>Reports the unique state school number of the selected school.</p> <p><i>Numeric, 6 digits</i></p>	<p>School Information &gt; State School Number</p> <p>School.number</p>
<b>School Name</b>	<p>Reports the name of the selected school from the editor.</p> <p><i>Alphanumeric, 20 characters</i></p>	<p>School Information &gt; School Name</p> <p>School.name</p>
<b>End Year</b>	<p>Reports the last four digits of the school year selected.</p> <p><i>Numeric, 4 digits</i></p>	<p>Calendar Information &gt; End Date</p> <p>Calendar.endDate</p>
<b>PMR Month</b>	<p>Reports the numeric value of the selected School Month from the report editor.</p> <p>When the PMR Interval is validated along with another PMR Interval, the school month plus the letter R (e.g., 1R).</p> <p><i>Numeric, 1 digit</i></p>	<p>School Month &gt; Name</p> <p>SchoolMonth.name</p>
<b>Submitted</b>	<p>When the data for the report has been verified (submitted to the state), a value of 1 reports.</p> <p>Otherwise, this column is blank.</p> <p><i>Numeric, 1 digit</i></p>	<p>N/A</p>
<b>School Month Start Date</b>	<p>Reports the start date of the selected School Month.</p> <p><i>Date Field, 10 characters (MM/DD/YYYY)</i></p>	<p>School Month &gt; Start Date</p> <p>SchoolMonth.startDate</p>
<b>School Month End Date</b>	<p>Reports the end date of the selected School Month.</p> <p><i>Date Field, 10 characters (MM/DD/YYYY)</i></p>	<p>School Month &gt; End Date</p> <p>SchoolMonth.endDate</p>

Data Element	Description	Location
<b>Calendar Instructional Minutes</b>	<p>Reports the total number of instructional minutes assigned to the calendar.</p> <p><i>Numeric, 3 digits</i></p>	<p>Calendar Information &gt; Student Day (Instructional Minutes)</p> <p>Calendar.studentDay</p>
<b>Student Last Name</b>	<p>Reports the student's Last Name.</p> <p>The Legal Last Name value reports when populated in the Protected Identity Information.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Identities &gt; Identity Information &gt; Last Name</p> <p>Identities.lastName</p> <hr/> <p>Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Last Name</p> <p>Identities.legalLastName</p>
<b>Student First Name</b>	<p>Reports the student's First Name.</p> <p>The Legal First Name value reports when populated in the Protected Identity Information.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Identities &gt; Identity Information &gt; First Name</p> <p>Identities.firstName</p> <hr/> <p>Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal First Name</p> <p>Identities.legalFirstName</p>
<b>Student State ID</b>	<p>Reports the student's state-assigned Identification number.</p> <p><i>Numeric, 10 digits</i></p>	<p>Demographics &gt; Person Identifiers &gt; Student State ID</p> <p>Person.stateID</p>
<b>Ethnicity</b>	<p>Reports the student's Race/Ethnicity.</p> <p><i>Alphanumeric, 10 characters</i></p>	<p>Demographics &gt; Person Information &gt; Race/Ethnicity</p> <p>Identity.raceEthnicity</p>

Data Element	Description	Location
<b>Sex</b>	<p>Reports the student's designated sex.</p> <p>The Birth Sex value reports when populated in the Protected Identity Information.</p> <p><i>Alphanumeric, 1 character (M or F)</i></p>	<p>Identities &gt; Identity Information &gt; Sex</p> <p>Identities.gender</p> <hr/> <p>Identities &gt; Identity Information &gt; Protected Identity Information &gt; Birth Sex</p> <p>Identities.legalGender</p>
<b>Summary Group</b>	<p>Reports the student's State Grade Level group.</p> <p><i>Alphanumeric, 8 characters</i></p>	<p>N/A</p>
<b>State Grade</b>	<p>Reports the Grade Level State Code for the student's grade level.</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Grade Level Setup &gt; State Grade Level Code</p> <p>Enrollments &gt; General Enrollment Information &gt; Grade</p> <p>Enrollment.grade</p>
<b>Admission Status</b>	<p>Reports the student's assigned Admission Status from their enrollment record.</p> <p><i>Alphanumeric, 4 characters</i></p>	<p>Enrollments &gt; State Reporting Fields &gt; Admission Status</p> <p>Enrollment.admissionStatus</p>
<b>Start Status</b>	<p>Reports the student's enrollment State Start Status.</p> <p><i>Alphanumeric, 2 characters</i></p>	<p>Enrollments &gt; General Enrollment Information &gt; State Start Status</p> <p>Enrollment.stateStartStatus</p>
<b>End Status</b>	<p>Reports the student's enrollment State End Status.</p> <p><i>Alphanumeric, 2 characters</i></p>	<p>Enrollments &gt; General Enrollment Information &gt; State End Status</p> <p>Enrollment.stateEndStatus</p>
<b>Enrollment Start Date</b>	<p>Reports the start date of the enrollment record.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>Enrollments &gt; General Enrollment Information &gt; Start Date</p> <p>Enrollment.startDate</p>

Data Element	Description	Location
<b>Transfer Days Override</b>	<p>Reports the number of days the student's membership is reduced at the receiving school for the days that were accounted for by the previous school.</p> <p><i>Numeric, 2 digits</i></p>	<p>Enrollments &gt; State Reporting Fields &gt; Year-Round Transfer Days Override</p> <p>Enrollment.yearRoundTransferDaysOverride</p>
<b>Effective Start Date</b>	<p>Indicates the date the student begins to count in membership based on the Enrollment Start Date minus the Transfer Days Override value.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>N/A</p>
<b>Enrollment End Date</b>	<p>Reports the end date of the enrollment record.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>Enrollments &gt; General Enrollment Information &gt; End Date</p> <p>Enrollment.endDate</p>
<b>Primary Enrollment</b>	<p>Indicates this is the student's primary enrollment.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Enrollments &gt; General Enrollment Information &gt; Service Type</p> <p>Enrollment.serviceType</p>
<b>ADA</b>	<p>Reports the Average Daily Attendance, based on the sum of the number of days in attendance for all students divided by the number of days in the school month, rounded to the nearest whole number.</p> <p>For PK grade levels, this ADA calculation displays as N/A.</p> <p><i>Numeric, 5 digits</i></p>	<p>Calculated value</p>

Data Element	Description	Location
<b>ADM</b>	<p>Reports the Average Daily Membership for all students using the <a href="#">Basic PMR Calculation</a>.</p> <p>Student Membership Days NVIO is divided by the number of days in the school month and rounded to the nearest whole number for EACH GRADE LEVEL. Once the grade level ADM is calculated, all grade level ADMs are added together to determine the ADM for the school. Each school's ADM in the LEA is added together to determine the LEA's ADM.</p> <p><i>Numeric, 5 digits</i></p>	Calculated value
<b>E1</b>	<p>Reports the aggregated number of enrollments where the Enrollment Start Status is <b>E1: Initial Enrollment - This Year</b>.</p> <p>This count also includes enrollment statuses of <b>R5: Re-Enroll - previous W1</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	Enrollments > State Start Status Code  Enrollment.stateStartStatus



Data Element	Description	Location
<b>E2</b>	<p>Reports the aggregated number of enrollments where the Enrollment Start Status is <b>E2: Initial Enrollment from non-NC Public School</b>.</p> <p>This count also includes enrollment statuses of <b>R6: Re-Enroll - previous W2</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	<p>Enrollments &gt; State Start Status Code</p> <p>Enrollment.stateStartStatus</p>
<b>R1</b>	<p>Reports the aggregated number of enrollments where the Enrollment Status is <b>R1: Re-Entry - previous in W1</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	<p>Enrollments &gt; State Start Status Code</p> <p>Enrollment.stateStartStatus</p>
<b>R2</b>	<p>Reports the aggregated number of enrollments where the Enrollment Start Status is <b>R2: Transfer within the same LEA</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	<p>Enrollments &gt; State Start Status Code</p> <p>Enrollment.stateStartStatus</p>

Data Element	Description	Location
<b>R3</b>	<p>Reports the aggregated number of enrollments where the Enrollment Start Status is <b>R3: Transfer from another LEA</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	<p>Enrollments &gt; State Start Status Code</p> <p>Enrollment.stateStartStatus</p>
<b>Start Status Total</b>	<p>Reports the aggregated sum of the values reported in the previous five fields.</p> <p><i>Numeric, 5 digits</i></p>	<p>Calculated value</p>
<b>W1</b>	<p>Reports the aggregated number of enrollments where the Enrollment End Status is <b>W1: Transfer Withdrawal</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	<p>Enrollments &gt; State End Status Code</p> <p>Enrollment.stateEndStatus</p>
<b>W2</b>	<p>Reports the aggregated number of enrollments where the Enrollment End Status is <b>W2: Early Leaver Withdrawal</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	<p>Enrollments &gt; State End Status Code</p> <p>Enrollment.stateEndStatus</p>

Data Element	Description	Location
<b>W3</b>	<p>Reports the aggregated number of enrollments where the Enrollment End Status is <b>W3: Death</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	<p>Enrollments &gt; State End Status Code</p> <p>Enrollment.stateEndStatus</p>
<b>W4</b>	<p>Reports the aggregated number of enrollments where the Enrollment End Status is <b>W4: Early Completer/Midyear Grad</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	<p>Enrollments &gt; State End Status Code</p> <p>Enrollment.stateEndStatus</p>
<b>W2T</b>	<p>Reports the aggregated number of enrollments where the Enrollment End Status is <b>W2T: Community College Adult High School (CCAHS)</b>.</p> <p>Logic only looks at the specific enrollment records, not the summary status totals.</p> <p><i>Numeric, 5 digits</i></p>	<p>Enrollments &gt; State End Status Code</p> <p>Enrollment.stateEndStatus</p>
<b>End Status Total</b>	<p>Reports the aggregated sum of the values reported in the previous five fields.</p> <p><i>Numeric, 5 digits</i></p>	<p>Calculated value</p>

Data Element	Description	Location
<b>MEM Last Day NVIO</b>	<p>Reports the total of the values reported in the previous fields using the following calculation:</p> <p>SUM (Field 3 through Field 7) minus (Field 9 through Field 13)</p> <p><i>Numeric, 5 digits</i></p>	Calculated value
<b>MEM Last Day VIO</b>	<p>Reports the aggregated sum of all enrollments as of the last day for students who have 10 consecutive absences marked as unexcused AND are absent on the following 11th day for any reason.</p> <p><i>Numeric, 5 digits</i></p>	Calculated value
<b>MEM Days NVIO</b>	<p>Reports the sum of the values reported for MEM Days VIO + Days Present + Days Absent Non-1H/1M/1S.</p> <p><i>Numeric, 5 digits</i></p>	Calculated value
<b>MEM Days VIO</b>	<p>Reports the total days of all reported enrollments for students who have 10 consecutive absences marked as unexcused AND are absent on the following 11th day for any reason.</p> <p><i>Numeric, 5 digits</i></p>	Calculated value.
<b>Instructional Days</b>	<p>Reports the total number of instructional days included in the school month.</p>	Calculated value.
<b>Days Present On Site</b>	<p>Reports the total membership days using the <a href="#">Basic PMR Calculation</a>.</p> <p><i>Numeric, 5 digits</i></p>	Calculated value.

Data Element	Description	Location
<b>Days Present Off Site (1H, 1M, 1Q, 1S)</b>	Reports the total membership days absent using the <a href="#">Basic PMR Calculation</a> AND the student's attendance event does not have a State Attendance Code is NOT 1H, 1M, or 1S.  <i>Numeric, 5 digits</i>	Calculated value.
<b>Days Present Remote (1R)</b>	Reports the total membership days absent using the <a href="#">Basic PMR Calculation</a> AND the student's attendance event has a State Attendance Code is 1R.  <i>Numeric, 5 digits</i>	Calculated value.
<b>Total Days Present</b>	Reports the total membership days the student was counted as present.	Calculated value.
<b>Days Absent</b>	Reports the total membership days the student was marked absent.  <i>Numeric, 5 digits</i>	Calculated value.
<b>Percent On-Site</b>	Reports the percentage of all present days where the Attendance State Code is NOT <b>1R: Present Off-Site</b> using the <a href="#">Basic PMR Calculation</a> .  <i>Numeric, 5 digits</i>	Calculated value.
<b>Percent Off-Site</b>	Reports the percentage of all present days where the Attendance State Code is <b>1R: Present Off-Site</b> using the <a href="#">Basic PMR Calculation</a> .  <i>Numeric, 5 digits</i>	Calculated value.

Data Element	Description	Location
<b>Generated Time</b>	Reports the time the data was generated.  <i>Alphanumeric, 15 characters (MM/DD/YYYY, HH:MM AM/PM)</i>	Calculated value
<b>Verified Time</b>	Reports the time the user clicked Submit Verification.  <i>Alphanumeric, 15 characters (MM/DD/YYYY, HH:MM AM/PM)</i>	Calculated value

## Next Steps

Generate one of the other reports to review PMR information:

- [PMR Summary](#)
- [PMR Detail](#)
- [Students Not Included in the PMR Summary](#)
- [GRS Summary](#)
- [GRS Detail](#)
- [PMR Best 1 of 2](#)