

# Calendars (Wisconsin v3.6)

Last Modified on 10/21/2024 8:20 am CDT

Tool Search: Ed-Fi

This entity represents a set of dates associated with an organization.

## Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	<p>A Calendars record will be created for each Calendar/Schedule Structure combination.</p> <ul style="list-style-type: none"> <li>When a new Calendar and Schedule Structure is created and saved via the Calendar Wizard.</li> <li>When a new Schedule Structure in an existing Calendar is created and saved.</li> <li>Do not send a record if the Calendars resource is toggled 'OFF' in the Calendars Resource Preferences.</li> <li>Do not send a record if the Calendar Exclude checkbox is checked.</li> <li>Do not send a record if the School Exclude checkbox is checked.</li> <li>Do not send a record if the Summer School checkbox is checked.</li> </ul>
Put	<p>When fields that are not part of the natural key are changed.</p> <ul style="list-style-type: none"> <li>Type - if the type is changed on the Calendar tab.</li> <li>Grade Levels - when a grade level is deleted from the Grade Levels tab it will be removed from the array.</li> <li>Grade Levels - when a grade level is added to the Grade Levels tab and a mapping exists already for that grade level.</li> </ul>
Delete	If a calendar and/or schedule structure is deleted.
Delete/Post	Delete if a 2nd Schedule Structure is added after 1st Calendar is sent.

## School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	No data will send if the School or Calendar is marked as Exclude.
Delete	If the Calendar is marked as exclude after the Calendar or any dependent data is sent, the calendar and all dependent data will delete upon a resync even if the resource is toggled 'OFF'.
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Resync	If a Calendar record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a Calendar record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

## Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
Post/Delete	<p>Natural Key change: If a 2nd schedule structure is added after data is sent, the first Calendar record will need to be Deleted/Posted with new Calendar Code logic to be Calendar ID + Schedule Structure ID.</p> <ul style="list-style-type: none"> <li>• If a calendar or schedule structure is moved via script, all data sent to the ODS will remain and the Delete tool will need to be used to remove all data sent.</li> <li>• If the School ID changes, a delete/post will occur with the cascading deletes from the School ID change triggers.</li> </ul>

## Scope Year Logic

This table describes scope year logic of this object.

Logic
<p>Calendars will only send for the school year to which they are aligned.</p> <ul style="list-style-type: none"> <li>• Data will only send for years that have valid configuration.</li> <li>• A resync must be completed on the resource when a new scope year is connected in order for this data to send.</li> </ul>

## Resource Preferences

This table describes the Resource Preferences of this object.

Data Element Label	Mapping Needed
calendarTypeDescriptor	calendar.type

## Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

campusObjectType	Object Key Data Source
ScheduleStructure	structureID

## Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
calendar	Post/Put/Delete	The primary table used for sending data for this resource.
gradelevel	Put	Will update the Grade Levels field if a grade level is added/removed to the school and a mapping exists for that grade level.

## Error Log

Error	Possible Causes/How to Fix
403 Forbidden: {"message": "Access to the resource could not be authorized for the requested action 'http://ed-fi.org/odsapi/actions/create.'"}	This is usually caused by a security set up error in the ODS. Contact the Ed-Fi Alliance for assistant on correct security setup in the ODS.
Error code return from Ed-Fi. 400: [message:Validation of 'Calendar' failed. CalendarTypeDescriptorId is required. ]	The Type field is not selected on the Calendar that is being sent or the Type selected on the Calendar is not mapped to an Ed-Fi Code in Resource Preferences.

## Object Data Elements

This table describes data elements sent within the Calendars resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.		M		
<b>Calendar Code</b>	The identifier for the Calendar.	<ol style="list-style-type: none"> <li>If there is only 1 schedule structure associated with the calendar, only report the Calendar ID.</li> <li>If there is more than 1 schedule structure associated with calendar, report the Calendar ID + Schedule Structure ID. <ul style="list-style-type: none"> <li>Reports the Calendar ID-Structure ID. <ul style="list-style-type: none"> <li>Report a dash between the two numbers.</li> </ul> </li> </ul> </li> </ol>	M	System Administration> Calendar> Calendar + System Administration> Calendar> Calendar> Schedule Structure	calendar.calendarID + schedulestructure.stru
<b>SchoolReference</b>	A reference to the related School resource.	<ol style="list-style-type: none"> <li>Reports the fields that are part of the Natural Key for the Schools resource.</li> </ol>	M		
<b>SchoolYearTypeReference</b>	A reference to the related School Year resource.	<ol style="list-style-type: none"> <li>Reports the End Year the calendar is associated.</li> </ol>	M		

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
calendarTypeDescriptor	Indicates the type of Calendar.	<ol style="list-style-type: none"> <li>Reports the Ed-Fi Code the Calendar Type is mapped to in Calendar Resource Preferences. <ul style="list-style-type: none"> <li>If the Type is not selected on the Calendar or not mapped, an error will occur.</li> </ul> </li> </ol>	M	System Administration> Calendar> Calendar> Type	calendar.type
gradeLevels	Indicates the Grade Level associated with the Calendar.	<ol style="list-style-type: none"> <li>See array logic below.</li> </ol>	O		

## Arrays

[Click here to expand...](#)

### Grade Levels

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
gradeLevelDescriptor	Indicates the GradeLevel associated with the Calendar.	<ol style="list-style-type: none"> <li>Report all unique Grade Levels for the Calendar/Schedule Structure that are mapped to an Ed-Fi Grade Level. <ul style="list-style-type: none"> <li>Do not report if the Grade Level is in a Calendar marked as Exclude.</li> </ul> </li> <li>If a grade level is not mapped, do not report.</li> </ol>	M	System Administration> Calendar> Calendar> Grade Levels	gradelevel.name

## Type/Descriptor

[Click here to expand...](#)

### Calendar Type Descriptor

Code Value	Description	Namespace	Short Description
Student Specific	Student Specific	uri://ed-fi.org/CalendarTypeDescriptor	Student Specific

Code Value	Description	Namespace	Short Description
School	School	uri://ed-fi.org/CalendarTypeDescriptor	School
IEP	IEP	uri://ed-fi.org/CalendarTypeDescriptor	IEP
Grade Level	Grade Level	uri://ed-fi.org/CalendarTypeDescriptor	Grade Level
Staff	Staff	uri://ed-fi.org/CalendarTypeDescriptor	Staff