

Student School Associations (Arizona 7.1)

Last Modified on 12/14/2025 8:45 pm CST

[Object Triggering Logic](#) | [Object Data Elements](#)

This association represents the school in which a student is enrolled.

To prepare for summer withdrawal students, districts need to perform a specific setup in order to send the Student School Association resource correctly. Please see [Appendix A](#) for further details.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

| Action | Trigger |
|--------|---|
| Post | <p>When a new enrollment is saved for a student. A record reports for each distinct enrollment in a School and Enrollment Start Date where 'State Exclude' is not checked.</p> <ul style="list-style-type: none"> When a student has two enrollments in the same School, Calendar & Schedule Structure with the same start date, report from the enrollment service type in the following order: <ol style="list-style-type: none"> 1. P: Primary Enrollment 2. S: Partial/Ancillary 3. N: Special Ed Services When an enrollment with a higher priority is deleted, the enrollment with lower priority posts a new record. Do not send records when the Calendar Exclude check box is checked in the calendar the student is enrolled. Do not send records when the School Exclude check box is checked in the calendar the student is enrolled. |
| Post | <p>When the start date for an enrollment is changed.</p> <ul style="list-style-type: none"> When an enrollment with a lower priority is changed, data does not send. |
| Post | <p>When the start status is changed from ZZZ to a different value.</p> |
| Put | <p>When an enrollment is updated for a student.</p> <ul style="list-style-type: none"> When a change is made to the Graduation > NCLB Cohort End Year field. When a student is assigned to a Graduation or CTE Program or the start and/or end dates are modified. When a student's start status is change. When a student's end status is changed. When a student's grade level is changed. When a student's End Action is changed. When a student's School Choice checkbox is checked or unchecked. When a student's Resident District field is changed. When a students Service Type is changed. When the Calendar reference is changed due to a Natural Key update on the Calendars resource. |
| Delete | <p>When an enrollment is deleted.</p> <ul style="list-style-type: none"> When a student has two enrollments in the same school for the same start date, records with lower priority do not trigger a delete. |
| Delete | <p>When the start date of an enrollment is changed.</p> |

Resource Toggle and Resync Logic

This table describes the Resource Toggle and Trigger logic of this object.

| Action | Business Rule |
|--------|--|
| None | When a resource is toggled to OFF after data has sent, all sent data remains in the ODS but no new data is sent. |
| Put | When the natural key of the Calendar Reference is changed, a put is done to update the Calendar Reference even when the Student School Association resource is turned OFF. |
| Resync | When a record is in the Ed-Fi Identity Mapping table and not in the ODS, it is deleted from the Ed-Fi Identity Mapping table. |
| Resync | When a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it is deleted from the ODS. |
| Resync | When a mapping is changed in Resource Preferences, a resync needs to be done to reflect the changes. |

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

| Action | Business Rule |
|-------------|--|
| Post/Delete | <p>Natural Key changes:</p> <ul style="list-style-type: none"> When the School ID changes, all data remains under the old number and a resync needs to be completed to populate data under the new number. The delete tool would need to be used to remove all data from the old School ID. When an Ed-Fi ID changes, this happens with the cascading deletes from the Ed-Fi ID Change trigger. When the enrollment start date changes, all dependent resources are deleted and reposted. When a dependent resource is turned off, all dependent resources are deleted and not reposted. |
| Delete | <p>Cascading Deletes: When the Student School Association is deleted, all dependent resources are deleted.</p> <ul style="list-style-type: none"> Student Parent Associations, Student Education Organization Associations, Student Section Associations, Graduation Plans, Student Program Associations, Student CTE Program Associations, Student Special Education Program Associations, Student Title 1 Part A Program Associations, Student Academic Records, Course Transcripts, Grades, Student Discipline Incident Associations, Discipline Actions, Student Cohort Associations, Student School Attendance Events, Student Section Attendance Events |

Scope Year Logic

This table describes scope year logic of this object.

| Logic |
|---|
| The record sends to the scope year for the school year the enrollment is associated with. |
| Data only sends for the years that have valid configuration. |

Resource Preferences

This table describes the Resource Preferences of this object.

| Data Element Label | Mapping Needed |
|--------------------------------|---|
| Entry Type Descriptors | Enrollment Start Status |
| Exit Withdraw Type Descriptors | Enrollment End Status |
| | Enrollment Graduation (Year End Status) |
| | Enrollment End Action |
| Exit Reason Descriptors | Enrollment Withdrawal Reason |
| Membership FTE Descriptors | Enrollment School Membership FTE |
| Membership Type Descriptors | Enrollment Local Service Type |
| Special Enrollment Descriptors | Enrollment Special Enrollment |
| Tuition Payer Descriptors | Enrollment Tuition Payer |

Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

| campusObjectType | Object Key Data Source |
|------------------|------------------------|
| Enrollment | enrollmentID |

Event Queue Detail

This table describes the Event Queue Detail of this object.

| Campus Table | Ed-Fi Action | Fields |
|----------------------|-----------------|--|
| enrollment | Post/Put/Delete | The primary table used for sending data for this resource. |
| person | Post/Delete | Student ID in Student Reference |
| graduation | Put | Class of School Year Type Reference |
| programs | Put | Graduation Plan Reference |
| programparticipation | Put | Graduation Plan Reference |

Object Data Elements

This table describes data elements sent within the Student School Association resource.

| Data Element | Business Requirements and Rules | Mandatory, Conditional or Optional | Location |
|--------------|--|------------------------------------|----------|
| id | The unique identifier of the resource. | M | |

| Data Element | Business Requirements and Rules | Mandatory, Conditional or Optional | Location |
|-------------------|---|------------------------------------|--|
| entryDate | <p>The month, day, and year on which an individual enters and begins to receive instructional services in a campus. Report the enrollment start dates. When there are enrollments with an end status of ZZZ and a subsequent enrollment with a start status of ZZZ, combine the enrollments and report the earliest start date (where the start status is NOT ZZZ) for the enrollment start date.</p> <p>The enrollments must be in the same school, grade, and local service type. Also, the enrollment start date must be the next instructional day after the ZZZ end status, or be before or equal to the ZZZ end status.</p> | M | Enrollments > Start Date enrollment.startdate |
| calendarReference | <p>A reference related to the Calendar resource. Reports the Calendar reference for the calendar in which the student is enrolled that is being reported.</p> <p>When the Calendar the student is enrolled in is mapped via the EdFi Calendar Override Mapping tool to a different calendar, reference that different calendar</p> | C | Configuration > Resource Preferences > Calendars > Calendar Override Mapping |

| Data Element | Business Requirements and Rules | Mandatory, Conditional or Optional | Location |
|--------------------------------|---|------------------------------------|----------|
| classOfSchoolYearTypeReference | <p>The year the student is expected to graduate.</p> <p>Reports the year selected in Student Information > General > Graduation > NCLB Cohort End Year.</p> <p>When NCLB Cohort End Year = Null, do not report</p> | C | |
| graduationPlanReference | <p>A reference to the related GraduationPlan resource.</p> <p>This is optional, does not report.</p> | O | |
| schoolReference | <p>A reference to the related School resource.</p> <p>Reports the fields that are part of the Natural Key for the School resource.</p> | M | |
| schoolYearTypeReference | <p>The school year the student is being reported in.</p> <p>Reports the end year of the calendar.</p> | O | |
| studentReference | <p>A reference to the related Student resource.</p> <p>Reports the reference for the student being reported.</p> <p>Note: The Ed-Fi ID reports from the Student State ID field.</p> | M | |
| educationPlans | <p>An unordered collection of studentSchoolAssociation EducationPlans. This association represents the school in which a student is enrolled.</p> <p>This is optional, does not report.</p> | O | |

| Data Element | Business Requirements and Rules | Mandatory, Conditional or Optional | Location |
|---------------------------------|---|------------------------------------|--|
| employedWhileEnrolled | An individual who is a paid employee or works in his or her own business, profession, or farm and at the same time is enrolled in secondary, postsecondary, or adult education. This is optional, does not report. | O | |
| entryGradeLevelDescriptor | The grade level or primary instructional level at which a student enters and receives services in a school or an educational institution during a given academic session. Reports the Ed-Fi Code from the Grade Level mapping for the grade selected on the student's enrollment. When a mapping is not available, the record errors. | M | Enrollments > Grade |
| entryGradeLevelReasonDescriptor | A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table. This is optional, does not report. | O | |
| entryTypeDescriptor | A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table. Reports the Ed-Fi Code Value mapped to the selected Start Status. When blank, do not report. | O | Enrollments > Start Status Enrollment.startstatus |

| Data Element | Business Requirements and Rules | Mandatory, Conditional or Optional | Location |
|------------------|--|------------------------------------|--|
| exitWithdrawDate | <p>The month, day, and year of the first day after the date of an individual's last attendance at a campus (when known), the day on which an individual graduated, or the date on which it becomes known officially that an individual left school. Reports the enrollment end date.</p> <p>When there are enrollments with an end status of ZZZ and a subsequent enrollment with a start status of ZZZ, combine the enrollments and report the latest end date (where the end status is NOT ZZZ) for the enrollment end date.</p> <p>The enrollments must be in the same school, grade, and local service type. Also, the enrollment start date must be the next instructional day after the ZZZ end status, or be before or equal to the ZZZ end status.</p> | O | <p>Enrollments > End Date</p> <p>Enrollment.enddate</p> |

| Data Element | Business Requirements and Rules | Mandatory, Conditional or Optional | Location |
|------------------------------|---|------------------------------------|---|
| exitWithdrawReasonDescriptor | <p>Withdrawal Reasons are a secondary reason for the withdrawal (the primary reason being the Withdrawal Activity Code). Withdrawal Reasons are optional, and does not apply to the great majority of students who withdraw from school prior to the last scheduled day of session.</p> <p>Reports based on the mapped value indicated in the Ed-Fi mapping tool tied to the attribute dictionary item selected.</p> <p>When a mapping does not exist, do not report.</p> | C | <p>Enrollments > Withdrawal Reason</p> <p>EnrollmentAZ.withdrawalreason</p> |
| exitWithdrawTypeDescriptor | <p>A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table. Reports the Ed-Fi Code mapped to the End Action. When not populated (null) reports the Ed-Fi Code mapped to the State End Status.</p> <p>The State End Status is based on the Local End Status selected. Local End Statuses are mapped to the State End Statuses through the Enrollment End Status Setup tool.</p> | C | <p>Enrollments > End Status</p> <p>Enrollment.endstatus</p> <p>Enrollments > End Action</p> <p>Enrollment.endAction</p> |

| Data Element | Business Requirements and Rules | Mandatory, Conditional or Optional | Location |
|---------------------------|---|------------------------------------|---|
| membershipTypeDescriptor | <p>Membership Type identifies whether a school has primary responsibility for managing a specific student's curriculum or not. The "P" code value allows the reporting of students who are enrolled in a SPED program but not enrolled in a school.</p> <p>Reports based on the mapped value indicated in the EdFi mapping tool, when it exists, tied to the attribute dictionary item selected.</p> <p>When a mapping does not exist, do not report.</p> | M | Enrollments > State Reporting Fields > Local Service Type |
| primarySchool | <p>Indicates whether a given enrollment record should be considered the primary record for a student. When omitted, the default is true.</p> <p>This is optional, does not report.</p> | O | |
| repeatGradeIndicator | <p>An indicator of whether the student is enrolling to repeat a grade level, either by failure or an agreement to hold the student back.</p> <p>This is optional, does not report.</p> | O | |
| residencyStatusDescriptor | <p>An indication of the location of a persons legal residence relative to (within or outside of) the boundaries of the public school attended and its administrative unit.</p> <p>This is optional, does not report.</p> | O | |

| Data Element | Business Requirements and Rules | Mandatory, Conditional or Optional | Location |
|--------------------------------------|---|------------------------------------|---|
| schoolChoiceTransfer | An indication of whether students transferred in or out of the school did so during the school year under the provisions for public school choice in accordance with Title I, Part A, Section 1116. This is optional, does not report. | O | |
| totalCommunityCollegeEnrolledCredits | The total value of credits for courses at community college. Reports the value from the 'Total CC CTE Credits' field, when populated. | C | Enrollments > State Reporting Fields > Total CC CTE Credits |
| totalPlannedInstructionalHours | The planned total number of clock hours for CTED courses. Reports the value from the Total CTE Hours field, when populated. | C | Enrollments > State Reporting Fields > Total CTE Hours |
| etag | | | |

Arrays

▶ [Click here to expand...](#)

Local Education Agencies

| Data Element | Business Requirement sand Rules | Mandatory, Conditional, or Optional | Location |
|------------------------------------|---------------------------------|-------------------------------------|----------|
| membershipResponsibilityDescriptor | Reports '03' (which = Funding) | M | n/a |

| Data Element | Business Requirement sand Rules | Mandatory, Conditional, or Optional | Location |
|-------------------------------|---|-------------------------------------|---|
| startDate | <p>The effective date of this FTE value. When the default value is being reported, the enrollment start date reports.</p> <p>When the first entered value is being reported, the enrollment start date reports.</p> <p>When a new value from custom student is created, the effective date on the record reports.</p> | M | <p>Enrollments > Start Date</p> <p>or</p> <p>Enrollments > Effective Date</p> |
| endDate | <p>The date this CTDS ceased being the student's funded district of residence. When there is a single "split enrollment" record, the Enrollment End Date the record is tied to reports.</p> <p>When there are subsequent "split enrollment" records, the latest instructional date prior to the next record's Effective Date value reports.</p> | C | <p>Enrollments > End Date</p> <p>or</p> <p>Enrollments > Effective Date</p> |
| localEducationAgencyReference | <p>localEducationAgencyId: The identifier assigned to a local education agency.</p> <p>School Identity Column. Student's District of Residence.</p> <p>This reports the entity ID for the district selected in the Resident District field. The Entity ID that corresponds with the District selected in the Resident District table reports.</p> | M | <p>Enrollments > Resident DistrictEnrollment.residentDistrict</p> |

membershipFTEs

| Data Element Label | Business Requirements and Rules | Mandatory, Conditional, or Optional | Location |
|--------------------------|--|-------------------------------------|--|
| fteStartDate | <p>The start date for the Student School Association Membership.</p> <p>When the default value is being reported, report the enrollment start date.</p> <p>When the first entered value is being reported, report the enrollment start date.</p> <p>When the value from custom student is being reported, report effective date on the record being reported.</p> | M | <p>Enrollments > Start Date</p> <p>Enrollment.startdate</p> <p>Enrollments > Effective Date</p> <p>customstudent.effectivedate</p> |
| membershipFTE Descriptor | <p>The ID of the Membership FTE Descriptor.</p> <p>When the Percent Enrolled field is not NULL, reports based on the mapped value indicated in the EdFi mapping tool, when it exists, tied to the attribute dictionary item selected.</p> <p>When the Percent Enrolled is NULL, or not NULL but there is no mapped value in the EdFi mapping tool, reports based on the value entered into the default field on the Percent Enrolled attribute.</p> <p>When Percent Enrolled is NULL, and the default field on the Percent Enrolled attribute is NULL, reports based on a value of '1.00'.</p> | M | <p>Attribute Dictionary > Enrollment > School Membership FTE > Default Value</p> <p>Enrollments > FTE %</p> <p>Enrollment.percentenrolled</p> <p>Customstudent.value</p> |

| Data Element Label | Business Requirements and Rules | Mandatory, Conditional, or Optional | Location |
|--------------------|--|-------------------------------------|---|
| fteEndDate | <p>The end date for the Student School Association Membership.</p> <p>When there is a single "split enrollment" record, reports the Enrollment End Date to which the record is tied.</p> <p>When there are subsequent "split enrollment" records, reports the latest instructional date prior to the next record's Effective Date value.</p> | C | <p>Enrollments > End Date</p> <p>Enrollment.endDate</p> <p>Customstudent.effectivedate</p> |

specialEnrollments

| Data Element Label | Business Requirements and Rules | Mandatory, Conditional, or Optional | Location |
|----------------------------|--|-------------------------------------|--|
| specialEnrollmentStartDate | <p>The start date for the Student School Association Special Enrollment.</p> <p>When the default value is being reported, reports the enrollment start date.</p> <p>When the first entered value is being reported, reports the enrollment start date.</p> <p>When the value from custom student is being reported, reports effective date on the record being reported.</p> | M | <p>Enrollments > Start Date</p> <p>Enrollment.startdate</p> <p>Enrollments > Effective Date</p> <p>customstudent.effectivedate</p> |

| Data Element Label | Business Requirements and Rules | Mandatory, Conditional, or Optional | Location |
|-----------------------------|--|-------------------------------------|---|
| specialEnrollmentDescriptor | <p>The ID of the Special Enrollment Descriptor.</p> <p>When the default value is entered and no other Special Enrollment record exists, reports the default value.</p> <p>When the Special Enrollment value exists, reports based on the mapped value indicated in the EdFi mapping tool, when it exists, tied to the attribute dictionary item selected.</p> <p>When a mapping does not exist, does not report.</p> | C | <p>Attribute Dictionary > Enrollment > Special Enrollment > Default Value</p> <p>enrollment.nclbChoice</p> <p>Enrollments > Special Enrollment</p> <p>customstudent.value</p> |
| specialEnrollmentEndDate | <p>The end date for the Student School Association Special Enrollment.</p> <p>When there is a single "split enrollment" record, reports the Enrollment End Date to which the record is tied.</p> <p>When there are subsequent "split enrollment" records, reports the latest instructional date prior to the next record's Effective Date value.</p> | C | <p>Enrollments > End Date</p> <p>enrollment.enddate</p> <p>customstudent.effectivedate</p> |

tuitionPayers

| Data Element Label | Business Requirements and Rules | Mandatory, Conditional, or Optional | Location |
|--------------------|---------------------------------|-------------------------------------|----------|
|--------------------|---------------------------------|-------------------------------------|----------|

| Data Element Label | Business Requirements and Rules | Mandatory, Conditional, or Optional | Location |
|-------------------------|---|-------------------------------------|---|
| payerStartDate | <p>The start date for the Student School Association Tuition Payer.</p> <p>When the default value is being reported, reports the enrollment start date.</p> <p>When the first entered value is being reported, reports the enrollment start date.</p> <p>When the value from custom student is being reported, report effective date on the record being reported.</p> | M | <p>Enrollments > Start Date</p> <p>enrollment.startdate</p> <p>Enrollments > Effective Date</p> <p>customstudent.effectivedate</p> |
| tuitionPayer Descriptor | <p>The ID of the Tuition Payer Descriptor.</p> <p>When State Aid is not NULL, report based on the the mapped value indicated in the EdFi mapping tool, when it exists, tied to the attribute dictionary item selected.</p> <p>When no mapping exists, continue below to the second bullet.</p> <p>When State Aid is NULL, reports based on the value entered into the default field on the Enrollment.stateAid attribute.</p> <p>When State Aid is NULL, and the default field on the Enrollment.stateAid attribute is NULL, reports based on a value of '1</p> | M | <p>Enrollments > Tuition Payer</p> <p>Enrollment.stateAid</p> <p>Attribute Dictionary > Enrollment > Tuition Payer > Default Value</p> <p>customstudent.value</p> |

| Data Element Label | Business Requirements and Rules | Mandatory, Conditional, or Optional | Location |
|--------------------|---|-------------------------------------|---|
| payerEndDate | <p>The end date for the Student School Association Tuition Payer.</p> <p>When there is a single "split enrollment" record, reports the Enrollment End Date to which the record is tied.</p> <p>When there are subsequent "split enrollment" records, reports the latest instructional date prior to the next record's Effective Date value.</p> | C | <p>Enrollments > End Date</p> <p>enrollment.enddate</p> <p>customstudent.effectivedate</p> |

Type/Descriptor

▶ [Click here to expand...](#)

Enrollment State Start Status Descriptors

| Code | Description |
|------|--|
| E | NON-SAIS DISTRICT USE ONLY! |
| E1 | 1st AZ enroll, from same school |
| E2 | 1st AZ enroll, from within district |
| E3 | 1st AZ enroll, from other district |
| E4 | NOT 1st AZ enroll, from other district |
| E5 | NOT 1st AZ enroll, from within district |
| E6 | 1st AZ enroll, from other state |
| E7 | 1st AZ enroll, from within district, dropout |
| E8 | 1st AZ enroll, other district, dropout |
| E9 | NOT 1st AZ enroll; from within district, dropout |
| E10 | NOT 1st AZ enroll, other district dropout |
| E11 | 1st AZ enroll this year for home taught student |
| E15 | 1st AZ enroll, from detention facility |
| E16 | NOT 1st AZ enroll, from detention facility |
| E17 | GCD awarded: attending AZ university |
| E18 | GCD awarded: attending AZ community college |
| E19 | GCD-eligible, enrolled in CTE program |
| E20 | GCD-eligible, pursuing additional board exam |

| Code | Description |
|------|--|
| EK | Transferred calendar tracks within the same school |
| P | Program Only |
| R1 | Readmission after a W1 |
| R2 | Readmission after a W2 |
| R3 | Readmission after a W3 |
| R4 | Readmission after a W4 |
| R5 | Readmission after a W5 |
| R6 | Readmission after a W6 |
| R9 | Readmission after a W9 |
| R10 | Readmission after a W10 |
| R11 | Readmission after a W11 |
| R12 | Readmission after a W12 |
| R21 | Readmission after a W21/S21 |
| R22 | Readmission after a W22 |
| RD | Mid-year Demoted re-entry |
| RP | Mid-year Promoted re-entry |

Exit Withdraw Type Descriptors

| Code | Name | Ed-Fi Code Value |
|------|--------------------------------------|------------------|
| W | Not State Reported District Use Only | |
| W1 | Transfer: other school | W1 |
| W2 | Illness | W2 |
| W3 | Expelled or long term suspension | W3 |
| W4 | Absence or status unknown | W4 |
| W5 | Dropout | W5 |
| W6 | Age | W6 |
| W7 | Graduated | W7 |
| W8 | Deceased | W8 |
| W9 | Transfer: home taught | W9 |
| W10 | Transfer: detention | W10 |
| W11 | GED | W11 |
| W12 | Vocational school | W12 |
| W13 | Completed (AIMS) | W13 |
| W14 | GCD-Eligible | W14 |

| Code | Name | Ed-Fi Code Value |
|------|--|------------------|
| W15 | GCD awarded | W15 |
| W17 | GCD awarded no criteria for four-year univ | W17 |
| W18 | CD awarded no criteria for AZ comm college | W18 |
| W19 | GCD eligible not in full-time CTE prog | W19 |
| W20 | GCD awarded, no post GCD participation | W20 |
| W21 | Transfer to another school out of state | W21 |
| W22 | Transferred to attend school in another country | W22 |
| WD | Mid Year Demote | WD |
| WP | Mid Year Promotion | WP |
| WK | Transferred calendar tracks within the same school | WK |
| S1 | Summer transfer - out of district | S1 |
| S4 | Summer absence or status unknown | S4 |
| S5 | Summer dropout | S5 |
| S6 | Summer not of school age | S6 |
| S7 | Summer early graduation | S7 |
| S8 | Summer deceased | S8 |
| S9 | Summer transfer - home taught | S9 |
| S10 | Summer transfer - detention | S10 |
| S11 | Summer GED | S11 |
| S12 | Summer transfer - vocational school | S12 |
| S99 | Summer transfer - within district | S99 |
| S19 | GCD, not enrolled in full-time CTE program | S19 |
| S21 | Transferred to attend school out of state | S21 |
| S22 | Transferred to attend school in another country | S22 |
| D1 | Eligible for GCD | D1 |
| D2 | Awarded GCD | D2 |

Enrollment End Action

| Code Value | Description |
|------------|-------------|
| D: Demote | D: Demote |
| P: Promote | P: Promote |
| R: Retain | R: Retain |

Enrollment Withdrawal Reason

| Code Value | Description |
|--|--|
| WR1: School identified for Federal Improvement | WR1: School identified for Federal Improvement |
| WR2: School persistently dangerous | WR2: School persistently dangerous |
| WR3: Individual Transfer Option | WR3: Individual Transfer Option |
| WR4: Pregnancy/Biological Parent | WR4: Pregnancy/Biological Parent |

Enrollment School Membership FTE

| Code Value | Description |
|------------|--|
| 0.00: 00% | 0.00: Student's course load is part time, equivalent to 0% of a full time program |
| 0.25: 25% | 0.25: 0.25 Student's course load is part time, equivalent to 25% of a full time program |
| 0.50: 50% | 0.50: 0.50 Student's course load is part time, equivalent to 50% of a full time program |
| 0.75: 75% | 0.75: 0.75 Student's course load is part time, equivalent to 75% of a full time program |
| 1.00: 100% | 1.00: 1.00 Student's course load is part time, equivalent to 100% of a full time program |

Enrollment Local Service Type

| Code Value | Description |
|-----------------------------------|--------------------------------|
| A: Ancillary | Ancillary |
| C: Concurrent Course Work Program | Concurrent Course Work Program |
| D: Dropout Recovery Program | Dropout Recovery Program |
| G: Grand Canyon Diploma | Grand Canyon Diploma |
| O: Program Only | Program Only |
| P: Primary | Primary |
| T: AOI | AOI |

Enrollment Special Enrollment

| Ed-Fi Code Value | Description |
|------------------|-----------------|
| 1 | CECA |
| 2 | CECB |
| 3 | Open Enrollment |

| Ed-Fi Code Value | Description |
|------------------|--------------------------|
| 4 | 976 - State Assistance |
| 5 | 823 - Interstate Compact |
| 6 | Type 03 HS Student |

Enrollment Tuition Payer

| Ed-Fi Code Value | Short Description | Description |
|------------------|---|--|
| 1 | 1 The "normal" setting for Arizona school children who generate state funding | The "normal" setting for Arizona school children who generate state funding. |
| 2 | Privately paid tuition, no tuition charged. | Privately paid tuition, no tuition charged. |
| 3 | Foreign Exchange Student | Foreign exchange student |
| 4 | Non-SPED (NSE) students in residential treatment centers | Non-SPED (NSE) students in residential treatment centers |
| 5 | JTED/Non-Resident Charter (concurrent) | JTED/Non-Resident Charter (concurrent) |
| 6 | ISEP Student | ISEP student |
| 7 | Other State funded formula | Students funded through other state formula programs |
| 8 | Non-AZ resident at specail school | Non-Arizona resident boarding at specialized school |

Appendix A - Summer Withdrawal Students

► [Click here to expand...](#)

When a student has finished their previous year's enrollment and intends to come back to the school the following year, but the student is a no show for the district, a Student School Association record must still be sent. The following setup options must be completed in order to report data correctly for summer withdrawal students:

1. Mark the 'No Show' checkbox on the student's enrollment.
2. Any Ed-Fi data that was previously sent for the student is automatically deleted after marking the 'No Show' checkbox, except for the Student School Association record.
3. This process must be completed each year in order to send data for summer withdrawal students correctly.