

CRDC Ad Hoc Filter Examples

Last Modified on 10/21/2024 8:20 am CDT

[APIB](#) | [ARRS](#) | [ATHL](#) | [COUR](#) | [DISC-1-4: Preschool Corporal Punishment](#) | [DISC-5-9: Preschool Suspensions and Expulsions](#) | [DISC-10-13: Corporal Punishment](#) | [DISC-14a-21: Discipline of Students With and Without Disabilities](#) | [DISC-22-27: Out-of-School Suspensions](#) | [HIBS](#) | [OFFN](#) | [PENR](#) | [RSTR](#) | [SECR](#) | [STAF](#)

Tool Search: Civil Rights Data Collection (CRDC) > Maintain Survey Results

This article covers basic ways to use the Campus [Ad hoc Reporting tools](#) to design Ad hoc filters that can produce the school mappings needed to identify data sets for the Civil Rights Data Collection (CRDC). If the required information is not entered into Campus, a filter will not be able to produce the data. The filters used within this document utilize the Filter Designer's [Query Wizard](#). Ad hoc fields vary by state; therefore, examples within this article may need to use different data elements from what appears in the examples.

Also note, the Query Wizard returns data based on AND. For most of the examples, logical expressions should be entered to indicate an AND or OR is required. This is not represented in all of the captured images, but should be incorporated into your queries.

Ad Hoc filters will not report any student or course that is not enrolled or assigned to the school the filter is being run. Any students or courses that need to be added to a school's mapping will need to be manually added using the Quick Search feature in the school's mapping tool.

The CRDC is run for previous years' data, not current years' data.

Images may display reference to a particular year. Users should update the year as appropriate for reporting. Information noted in each of the queries is current with CRDC requirements, regardless of the year displayed.

APIB

▶ [Click here to expand...](#)

APIB-1, APIB-2

IB Programme, Student Enrollment in IB Programme

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

*Query Name:

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.legalGender"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="histEnrollment.startDate"/>	<input type="text" value="<="/>	<input type="text" value="10/01/2017"/>
X 5	<input type="text" value="histEnrollment.endDate"/>	<input type="text" value=">="/>	<input type="text" value="10/01/2017"/>
X 6	<input type="text" value="courseSection.type"/>	<input type="text" value="="/>	<input type="text" value="IB"/>
X 7	<input type="text" value="histEnrollment.endDate"/>	<input type="text" value="IS NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="student.legalGender"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text"/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="student.legalGender"/>	<input type="text" value="Record Count"/>
<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value="Record Count"/>
<input type="text" value="student.personID"/>	<input type="text" value="Distinct Count"/>
<input type="text"/>	<input type="text"/>

Filter identifying Gifted & Talented IB Students

APIB-3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14

Advanced Placement by EL

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type. This filter can be use to find AP courses and subtotal by gender & race for EL students. Change the course numbers for each subject area to find results for AP questions APIB-3,4,6,7,8,9,10,11,12,13, & 14.

*Query Name:

Short Description:

Long Description:

Filter the data

	ID	*Field	Operator	Value
X	1	student.gender		
X	2	student.raceEthnicityFed		
X	3	histEnrollment.startDate	<=	10/01/2017
X	4	histEnrollment.endDate	>=	10/01/2017
X	5	courseSection.courseName		
X	6	courseSection.courseNumber	IN	123A, 123B
X	7	courseSection.honorsCode		
X	8	student.personID		
X	9	lep.programStatus	IN	LEP, Exited LEP
X	10	lep.exitDate	>=	10/01/2017
X	11	lep.exitDate	IS NULL	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	lep.programStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter for AP Courses and Subtotal by Gender & Race for EL Students

Advanced Placement by IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type. This filter can be used to find AP courses and subtotal by gender & race for IDEA students. Change the course numbers for each subject area to find results for AP questions APIB-3,4,6,7,8,9,10,11,12,13, & 14.

*Query Name:

Short Description:

Long Description: This filter can be use to find AP courses and subtotal by gender & race. +

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.gender		
<input type="checkbox"/>	2 student.raceEthnicityFed		
<input type="checkbox"/>	3 histEnrollment.startDate	<=	10/01/2017
<input type="checkbox"/>	4 histEnrollment.endDate	>=	10/01/2017
<input type="checkbox"/>	5 courseSection.courseName		
<input type="checkbox"/>	6 courseSection.courseNumber	IN	123A, 123B
<input type="checkbox"/>	7 courseSection.honorsCode		
<input type="checkbox"/>	8 student.personID		
<input type="checkbox"/>	9 histEnrollment.endDate	IS NULL	
<input type="checkbox"/>	10 histEnrollment.specialEdStatus	=	Y
<input type="checkbox"/>	11 histEnrollment.disability1	IS NOT NULL	

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description: This filter can be use to find AP courses and subtotal by gender & race.

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus ▾	Ascending ▾
Tier 2	▾	Ascending ▾
Tier 3	▾	Ascending ▾
Tier 4	▾	Ascending ▾
Tier 5	▾	Ascending ▾

Aggregate/Sub Total by	Aggregate Type
student.personID ▾	Distinct Count ▾
▾	▾
▾	▾
▾	▾

Filter for AP Courses and Subtotal by Gender & Race for IDEA Students

Advanced Placement by Gender and Race

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type. This filter can be used to find AP courses and subtotal by gender & race. Change the course numbers for each subject area to find results for AP questions APIB-3,4,6,7,8,9,10,11,12,13, 14.

*Query Name:

Short Description:

Long Description: This filter can be use to find AP courses and subtotal by gender & race. +

Filter the data

	ID	*Field	Operator	Value
X	1	student.gender		
X	2	student.raceEthnicityFed		
X	3	histEnrollment.startDate	<=	10/01/2017
X	4	histEnrollment.endDate	>=	10/01/2017
X	5	courseSection.courseName		
X	6	courseSection.courseNumber	IN	123A, 123B
X	7	courseSection.honorsCode		
X	8	student.personID		
X	9	histEnrollment.endDate	IS NULL	

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description: This filter can be use to find AP courses and subtotal by gender & race.

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count
student.personID	Distinct Count

Filter for AP Courses and Subtotal by Gender & Race

ARRS

▶ [Click here to expand...](#)

ARRS-1 Instances of Referrals to Law Enforcement; AARS-2: Students Without Disabilities - Referred to Law Enforcement

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** ARRS-1a: Discipline of Students without Disabiliti

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.gender		
X 3	student.raceEthnicityFed		
X 4	histEnrollment.startDate		
X 5	histEnrollment.endDate		
X 6	histEnrollment.specialEdStatus	<>	Y
X 7	behaviorDetail.policeNotified	= TRUE	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** ARRS-1a: Discipline of Students without Disabiliti

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count
student.personID	Distinct Count

Filter identifying discipline of students without disabilities

ARRS-3: Students With Disabilities - Referred to Law Enforcement

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X	1 student.personID		
X	2 student.gender		
X	3 student.raceEthnicityFed		
X	4 histEnrollment.startDate		
X	5 histEnrollment.endDate		
X	6 histEnrollment.specialEdStatus	=	Y
X	7 behaviorDetail.policeNotified	= TRUE	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count
student.personID	Distinct Count

Filter Identifying Students with Disabilities Referred to Law Enforcement Agency

ARRS-4: Incidences of School-Related Arrests; ARRS-5: Students Without Disabilities - School-Related Arrest

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.personID	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	2 student.gender	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	3 student.raceEthnicityFed	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	4 histEnrollment.startDate	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	5 histEnrollment.endDate	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	6 histEnrollment.specialEdStatus	<>	Y <input type="button" value="v"/>
<input type="checkbox"/>	7 behaviorDetail.lawEnforcement	=	Y <input type="button" value="v"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name: ARRS-1b: Discipline of Students without Disabiliti

Short Description:

Long Description: +

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count
student.personID	Distinct Count

Filter Identifying Students With School-Related Arrest

ARRS-6: Students With Disabilities - School-Related Arrest

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** ARRS-2b: Discipline of Students with Disabilities

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	histEnrollment.startDate		
5	histEnrollment.endDate		
6	histEnrollment.specialEdStatus	=	Y
7	behaviorDetail.lawEnforcement	=	Y

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** ARRS-2b: Discipline of Students with Disabilities

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count
student.personID	Distinct Count

Filter Identifying Students With Disabilities With School-Related Arrest

ATHL

▶ [Click here to expand...](#)

ATHL-1 & ATHL-2 Single-Sex Interscholastic Athletics

Create a filter similar to the example below using the **Query Wizard** and the **Course/Section** Data Type. This filter identifies athletics courses with only male or female enrollment. The course number and name report; however, the reported courses are not necessarily single-sex activities.

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	courseInfo.courseNumber		
2	courseInfo.courseName		
3	sectionInfo.sectionID		
4	rosters.maleStudentCount	=	0
5	rosters.maleStudentCount	>	0
6	rosters.femaleStudentCount	=	0
7	rosters.femaleStudentCount	>	0
8	courseInfo.activityCode	=	AT

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Single-Sex Interscholastic Athletics

COUR

▶ [Click here to expand...](#)

COUR-22: Single-Sex Academic Classes Indicator/COUR-23: Single-Sex Academic Classes Detail

Create a filter similar to the example below using the **Query Wizard** and the **Course/Section** Data Type. This filter identifies classes with only male or female enrollment. The course number and name report; however, the reported courses are not necessarily single-sex classrooms. Users need to create different filters to find courses for each subject area being reported.

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	courseInfo.courseNumber	=	123, 84579, 43987
2	courseInfo.courseName		
3	sectionInfo.sectionID		
4	rosters.maleStudentCount	=	0
5	rosters.maleStudentCount	>	0
6	rosters.femaleStudentCount	=	0
7	rosters.femaleStudentCount	>	0

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Example - Ad hoc Filter Identifying Single Sex Classes

DISC-1-4: Preschool Corporal Punishment

▶ [Click here to expand...](#)

Preschool Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

Sample Ad Hoc Filter

***Query Name:** DISC-4 PreSc Corporal Punishment

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.gender		
X 3	student.raceEthnicityFed		
X 4	student.grade	=	PK
X 5	behaviorDetail.resolutionCode	=	CORP
X 6	function.Resolution Code	>=	1

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Sample Ad Hoc Filter

***Query Name:** DISC-4 PreSc Corporal Punishment

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter For Preschool Students with Corporal Punishment

Preschool Corporal Punishment - with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

The image shows two screenshots from the Infinite Campus interface. The left screenshot is the 'Query Wizard' for a query named 'DISC-4 PreSc Corporal Punishment IDEA'. It shows a list of categories on the left and a list of selected fields on the right. The field 'function.Behavior Resolution' is highlighted with a red box. The right screenshot is the 'Function Editor' for the 'Behavior Resolution' function. It shows a list of fields on the left and a list of parameters on the right. The field 'resolutionCode' is highlighted with a red box. A red arrow points from the 'function.Behavior Resolution' field in the Query Wizard to the 'resolutionCode' field in the Function Editor.

Sample Ad Hoc Filter

The image shows a screenshot of the 'Query Wizard' for a query named 'DISC-4 PreSc Corporal Punishment IDEA'. It shows a filter table with 9 rows. The 9th row is 'function.Behavior Resolution' with the operator '>=' and the value '1'. Below the filter table is a section for 'Logical Expression (Optional)' with a text area and instructions.

ID	*Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	student.grade	=	PK
5	behaviorDetail.resolutionCode	=	CORP
6	histEnrollment.specialEdStatus	=	Y
7	histEnrollment.disability1	IS NOT NULL	
8	histcal.endYear	=	2018
9	function.Behavior Resolution	>=	1

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Sample Ad Hoc Filter

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying the Number of IDEA Preschool Students who Received Corporal Punishment

Preschool Instances of Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-All

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade	=	PK
3	behaviorDetail.resolutionCode	=	CORP

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Sample Ad Hoc Filter

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-All

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying the Number of Instances of Corporal Punishment for Preschool Children

Preschool Instances of Corporal Punishment with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade	=	PK
3	behaviorDetail.resolutionCode	=	CORP
4	histEnrollment.specialEdStatus	=	Y
5	histEnrollment.disability1	IS NOT NULL	
6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-5 PreSch Instances of Corporal Punish-IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying the Number of Instances of Corporal Punishment for IDEA Preschool Children

DISC-5-9: Preschool Suspensions and Expulsions

▶ [Click here to expand...](#)

Preschool Instances of Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
2	<input type="text" value="student.grade"/>	<input "="" type="text" value="="/>	<input type="text" value="PK"/>
3	<input type="text" value="behaviorDetail.resolutionCode"/>	<input "="" type="text" value="="/>	<input type="text" value="OSS"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name: DISC-2 PreSch Instances of Suspension - All

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

*Filter Identifying the Number Instances of Suspension for
Preschool Students*

Preschool Instances of Suspension with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-2 PreSch Instances of Suspension - IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade	=	PK
3	behaviorDetail.resolutionCode	=	OSS
4	histEnrollment.specialEdStatus	=	Y
5	histEnrollment.disability1	IS NOT NULL	
6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-2 PreSch Instances of Suspension - IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

*Filter Identifying the Number Instances of Suspension for IDEA
 Preschool Students*

Preschool Suspensions and Expulsions - One or More Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-1a - PreSch Sus and Exp - One or More OSS

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Activity Registration

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- function.Resolution Count

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Resolution Count

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior
 - Behavior Incident
 - Behavior Event
 - Behavior Role
 - Behavior Response
 - Behavior Resolution
 - allPlacementSpd
 - attendanceCode
 - auxiliaryCode
 - Campus/Dist/Assignment
 - disClassDate
 - hearingCode
 - lawEnforcement
 - lawContactName
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - oaDetermination
 - removalReason
 - resolutionCode
 - resolutionID

Parameters: behaviorDetail.resolutionCode

Save Cancel

***Query Name:** DISC-1a - PreSch Sus and Exp - One or More OSS

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	student.grade	=	PK
5	behaviorDetail.resolutionCode	=	OSS
6	function.Resolution Count	>=	1

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-1a - PreSch Sus and Exp - One or More OSS

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Preschool Students with One or More Out of School Suspension

Preschool Suspensions and Expulsions - One or More Out-of-School Suspension - with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-1a PreSch Sus and Exp - 1 or More OSS IDEA

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- State Localized Elements
- All Enrollments
- Core elements
 - enrollmentID
 - personID
 - calendarID
 - structureID
 - grade
 - serviceType
 - active
 - classRankExclude
 - startDate
 - startStatus
 - startComments
 - endDate
 - endStatus
 - endComments
 - endAction
 - nextCalendar
 - nextGrade
 - sevingDistrict
 - enrollmentGUID
 - withdrawDate

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- function:ResolutionCount**
- hisEnrollment.specialEducation
- hisEnrollment.disability1
- hisEnrollment.endDate

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows logging a new column that is not based on any field selection - this will output the Constant value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Resolution Count

***Function:** Distinct Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Role
- Behavior Response
- Behavior Resolution
 - assignmentSpeed
 - attendanceCode
 - auxiliaryCode
 - CampusDotAssignment
 - discussignDate
 - issuingCode
 - lawEnforcement
 - lawContactName
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPay
 - outDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate

Parameters: behaviorDetail.resolutionCode

Save Cancel

***Query Name:** Disc-1a PreSch Sus and Exp - 1 or More OSS IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		<input type="text"/>
X 2	student.gender		<input type="text"/>
X 3	student.raceEthnicityFed		<input type="text"/>
X 4	student.grade		PK
X 5	behaviorDetail.resolutionCode	=	OSS
X 6	function.Resolution Count	>=	1
X 7	histEnrollment.specialEdStatus	=	Y
X 8	histEnrollment.disability1	IS NOT NULL	
X 9	histEnrollment.endDate	=	2020

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3)) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-1a PreSch Sus and Exp - 1 or More OSS IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying IDEA Preschool Students with One or More Out of School Suspension

Preschool Suspensions and Expulsions - Expulsions

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

Query Name: Disc-1b PreSch Sus and Exp - Expulsions

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields:

- EL
- currentProgramStatus
- lepID
- districtID
- personID
- lepGUID
- programStatus
- identifiedDate
- expectedExitDate
- exitDate
- exitReason
- firstYearMonitoring
- secondYearMonitoring
- thirdYearMonitoring
- fourthYearMonitoring
- fifthYearMonitoring
- parentNotifiedDate
- parentDeclined
- parentDeclinedDate
- nep
- comments
- modifiedByID

Selected Fields:

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode
- functionResolutionCount

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

Name: Resolution Count

Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields:

- Behavior
- Behavior Incident
- Behavior Event
- Behavior Role
- Behavior Response
- Behavior Resolution
- asPlacementSpec
- attendanceCode
- auxiliaryCode
- CampusIDAssignment
- discussDate
- hearingCode
- lawEnforcement
- lawContactName
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oalDetermination
- removalReason
- resolutionCode
- resolutionID

Parameters:

- behaviorDetail.resolutionCode

Save Cancel

Query Name: Disc-1b PreSch Sus and Exp - Expulsions

Short Description:

Long Description:

Filter the data

ID	Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	student.grade		PK
5	behaviorDetail.resolutionCode	=	EXP
6	functionResolutionCount	>=	1

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="student.gender"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text"/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="student.gender"/>	<input type="text" value="Record Count"/>
<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value="Record Count"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Filter Identifying Preschool Students with Expulsions

Preschool Suspensions and Expulsions - Expulsions - with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.gender
- student.raceEthnicityFed
- student.grade
- behaviorDetail.resolutionCode**
- function.resolution
- histEnrollment.specialEdStatus
- histEnrollment.disability1
- histcal.endYear

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior
- Behavior Incident
- Behavior Event
- Behavior Role
- Behavior Response
- Behavior Resolution
 - altPlacementSpeed
 - attendanceCode
 - auxiliaryCode
 - CampusDefAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - notAssessToPay
 - oidDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName

Parameters

behaviorDetail.resolutionCode

Save Cancel

***Query Name:** DISC-1c PreSch Sus and Exp - Expulsions IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.gender		
X 3	student.raceEthnicityFed		
X 4	student.grade	=	PK
X 5	behaviorDetail.resolutionCode	=	EXP
X 6	function.resolution	>=	1
X 7	histEnrollment.specialEdStatus	=	Y
X 8	histEnrollment.disability1	IS NOT NULL	
X 9	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-1c PreSch Sus and Exp - Expulsions IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying IDEA Preschool Students with Expulsions

DISC-10-13: Corporal Punishment

[Click here to expand...](#)

Corporal Punishment Indicator

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade		
3	behaviorDetail.resolutionCode	=	CORP

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Students with a Corporal Punishment Indicator

Corporal Punishment Indicator with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-3 Instances of Corporal Punishment IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	student.grade		
5	behaviorDetail.resolutionCode	=	CORP
6	histEnrollment.specialEdStatus	=	Y
7	histEnrollment.disability1	IS NOT NULL	
8	histcal.endYear	=	2018
9	function.Behavior Resolution	>=	1

***Query Name:** DISC-3 Instances of Corporal Punishment IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	

Filter Identifying IDEA Students with a Corporal Punishment Indicator

Instances of Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-6 Instances of Corporal Punish

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade		
3	behaviorDetail.resolutionCode	=	CORP

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-6 Instances of Corporal Punish

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying Number of Instances of Corporal Punishment for Students in Grades K-12

Instances of Corporal Punishment with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-6 Instances of Corporal Punish IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.grade		
X 3	behaviorDetail.resolutionCode	=	CORP
X 4	histEnrollment.specialEdStatus	=	Y
X 5	histEnrollment.disability1	IS NOT NULL	
X 6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-6 Instances of Corporal Punish IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.specialEdStatus	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying Instances of Corporal Punishment - IDEA


DISC-14a-21: Discipline of Students

With and Without Disabilities

▶ [Click here to expand...](#)

Discipline of Students with Disabilities - Expulsions with Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.



***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="Y"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.behavior.resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 10	<input type="text" value="behaviorDetail.serviceProvided"/>	<input type="text" value="="/>	<input type="text" value="1"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student_gender	Ascending
Tier 2	student_raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student_gender	Record Count
student_raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - Expulsions with Educational Services

Discipline of Section 504 Students with Disabilities - Expulsions with Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student_personID
- student_stateID
- student_gender
- student_raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollment.year
- Function Behavior Resolution**
- histEnrollment.grade
- behaviorDetail.serviceProvided
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value:

Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusCodeAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oalDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text"/>	<input type="text" value="Y"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="function.Behavior Resolution"/>	<input type="text" value=">"/>	<input type="text" value="1"/>
X 9	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 10	<input type="text" value="behaviorDetail.serviceProvided"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 11	<input type="text" value="histEnrollment.section504"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 12	<input type="text" value="histEnrollment.disability1"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Expulsions with Educational Services

Discipline of Students with Disabilities - Expulsions without Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- NotEnrolledGrade
- function.behavior.resolution**
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By Search Clear

All Fields

- Behavior Resolution
- abPlacementSped
- attendanceCode
- auxiliaryCode
- Campus/DotAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oaDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	EXP
X 6	histEnrollment.specialEdStatus	=	Y
X 7	histcal.endYear	=	2018
X 8	histEnrollment.grade	NOT IN	PK
X 9	function.behavior.resolution	>=	1
X 10	behaviorDetail.serviceProvided	=	0

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description:


Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Discipline of Section 504 Students with Disabilities - Expulsions without Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.



***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text"/>	<input type="text"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="function.Behavior Resolution"/>	<input type="text" value=">"/>	<input type="text" value="1"/>
X 9	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 10	<input type="text" value="behaviorDetail.serviceProvided"/>	<input type="text" value="="/>	<input type="text" value="0"/>
X 11	<input type="text" value="histEnrollment.section504"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 12	<input type="text" value="histEnrollment.disability1"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3)) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9f IDEA Expulsions without Ed Services 504

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Expulsions without Educational Services

Discipline of Students with Disabilities - Expulsions Under Zero-Tolerance

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9g IDEA Expulsions Zero Tolerance

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution**
- behaviorDetail.zeroTolerance**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDotAssignment
- disc.AssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- calDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters: behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="Y"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.behavior resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 10	<input type="text" value="behaviorDetail.zeroTolerance"/>	<input type="text" value="= TRUE"/>	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - Expulsions Under Zero-Tolerance

Discipline of Section 504 Students with Disabilities - Expulsions Under Zero-Tolerance

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYear
- Function Behavior Resolution**
- histEnrollmentGrade
- behaviorDetail.zeroTolerance
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- adPlacementSped
- attendanceCode
- auxiliaryCode
- CampusIdofAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassToPlay
- oaDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	EXP
X 6	histEnrollment.specialEdStatus	=	Y
X 7	histcal.endYear	=	2018
X 8	function.Behavior Resolution	>	1
X 9	histEnrollment.grade	NOT IN	PK
X 10	behaviorDetail.zeroTolerance	=	TRUE
X 11	histEnrollment.section504	=	1
X 12	histEnrollment.disability1	IS NOT NULL	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Expulsions Under Zero-Tolerance

Transfer to Alternative School for Students with Disabilities

Create a filter similar to the example below using the **Query Wizard** and the **Student Data Type**.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFcd
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- Function: behavior resolution
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusIdOfAssignment
- discAssDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- calDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

- behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	EXP
X 6	histEnrollment.specialEdStatus	=	Y
X 7	histcal.endYear	=	2018
X 8	histEnrollment.grade	NOT IN	PK
X 9	function.behavior.resolution	>=	1
X 10	behaviorDetail.serviceProvided	=	ALT

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Transfer to Alternative School for Students with Disabilities

Discipline of Students without Disabilities - Expulsions with Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student Data Type**.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusOfAssignment
- discAssigDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- colDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.personID		
<input type="checkbox"/>	2 student.stateID		
<input type="checkbox"/>	3 student.gender		
<input type="checkbox"/>	4 student.raceEthnicityFed		
<input type="checkbox"/>	5 behaviorDetail.resolutionCode	=	EXP
<input type="checkbox"/>	6 histEnrollment.specialEdStatus	=	N
<input type="checkbox"/>	7 histcal.endYear	=	2018
<input type="checkbox"/>	8 histEnrollment.grade	NOT IN	PK
<input type="checkbox"/>	9 function.behavior resolution	>=	1
<input type="checkbox"/>	10 behaviorDetail.serviceProvided	=	1

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students without Disabilities - Expulsions with Educational Services

Discipline of Students without Disabilities - Expulsions without Educational Services

Create a filter similar to the example below using the **Query Wizard** and the **Student Data Type**.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- hpo.programStatus
- behaviorDetail.resolutionCode**
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- Campus/DoAssignment
- discAssgnDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oalDetermination
- removalReason
- resolutionCode**
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="EXP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="N"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.behavior.resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 10	<input type="text" value="behaviorDetail.serviceProvided"/>	<input type="text" value="="/>	<input type="text" value="0"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="student.gender"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text"/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="student.gender"/>	<input type="text" value="Record Count"/>
<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value="Record Count"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Filter Identifying Discipline of Students without Disabilities - Expulsions without Educational Services

Discipline of Students without Disabilities - Expulsions Under Zero-Tolerance

Create a filter similar to the example below using the **Query Wizard** and the **Student Data Type**.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histical.endYear
- histEnrollment.grade
- function.behavior.resolution**
- behaviorDetail.zeroTolerance

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDefAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oalDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.personID		
<input type="checkbox"/>	2 student.stateID		
<input type="checkbox"/>	3 student.gender		
<input type="checkbox"/>	4 student.raceEthnicityFed		
<input type="checkbox"/>	5 behaviorDetail.resolutionCode	=	EXP
<input type="checkbox"/>	6 histEnrollment.specialEdStatus	=	N
<input type="checkbox"/>	7 histcal.endYear	=	2018
<input type="checkbox"/>	8 histEnrollment.grade	NOT IN	PK
<input type="checkbox"/>	9 function.behavior resolution	>=	1
<input type="checkbox"/>	10 behaviorDetail.zeroTolerance	= TRUE	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-7g non-IDEA Expulsions Zero Tolerance

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students without Disabilities - Expulsions Under Zero-Tolerance

Transfer to Alternative School for Students without Disabilities

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-8a non-IDEA Expulsions Trans Alt School

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution
- behaviorDetail.serviceProvided

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusOfAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- calDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.personID		
<input type="checkbox"/>	2 student.stateID		
<input type="checkbox"/>	3 student.gender		
<input type="checkbox"/>	4 student.raceEthnicityFed		
<input type="checkbox"/>	5 behaviorDetail.resolutionCode	=	EXP
<input type="checkbox"/>	6 histEnrollment.specialEdStatus	=	N
<input type="checkbox"/>	7 histcal.endYear	=	2018
<input type="checkbox"/>	8 histEnrollment.grade	NOT IN	PK
<input type="checkbox"/>	9 function.behavior.resolution	>=	1
<input type="checkbox"/>	10 behaviorDetail.serviceProvided	=	ALT

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-8a non-IDEA Expulsions Trans Alt School

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student_gender	Ascending
Tier 2	student_raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student_gender	Record Count
student_raceEthnicityFed	Record Count

Filter Identifying Transfer to Alternative School for Students without Disabilities

Discipline of Students with Disabilities - Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9a IDEA received corp pun

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student_personID
- student_stateID
- student_gender
- student_raceEthnicityFed
- behaviorDetail_resolutionCode
- histEnrollment_specialEdStatus
- histical_endYear
- histEnrolledGrade
- Function: Behavior Resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSped
 - attendanceCode
 - auxiliaryCode
 - Campus/DropAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - oaDetermination
 - removalReason
 - resolutionCode**
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters: behaviorDetail_resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="CORP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="Y"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 9	<input type="text" value="function.Behavior Resolution"/>	<input type="text" value=">="/>	<input type="text" value="1"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - Corporal Punishment

Discipline of Section 504 Students with Disabilities - Corporal Punishment

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollment.section504
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - allPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusIDAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - notPaidToPlay
 - outDetermination
 - removalReason
 - resolutionCode
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters:

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="CORP"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text"/>	<input type="text"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="function.Resolution Code"/>	<input type="text" value=">="/>	<input type="text" value="1"/>
X 9	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 10	<input type="text" value="histEnrollment.section504"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 11	<input type="text" value="histEnrollment.disability1"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Corporal Punishment

Discipline of Section 504 Students with Disabilities - One or More In-School Suspensions

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollmentYr
- Function Behavior Resolution**
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value:

Filter By: Search Clear

All Fields:

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- Campus(DidAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- calDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	ISS
X 6	histEnrollment.specialEdStatus		
X 7	histcal.endYear	=	2018
X 8	function.Behavior Resolution	>=	1
X 9	histEnrollment.grade	NOT IN	PK
X 10	histEnrollment.section504	=	1
X 11	histEnrollment.disability1	IS NOT NULL	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - One or More In-School Suspensions

DISC-22-27: Out-of-School Suspensions

[Click here to expand...](#)

Discipline of Students without Disabilities - Only One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-7c non-IDEA received 1 OSS

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Behavior Resolution

*Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDotAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oalDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters: behaviorDetail.resolutionCode

Save Cancel

***Query Name:** Disc-7c non-IDEA received 1 OSS

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.stateID		
3	student.gender		
4	student.raceEthnicityFed		
5	behaviorDetail.resolutionCode	=	OSS
6	histEnrollment.specialEdStatus	=	N
7	histcal.endYear	=	2018
8	histEnrollment.grade	NOT IN	PK
9	function.behavior.resolution	=	1

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name: Disc-7c non-IDEA received 1 OSS

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Non-IDEA Students who Received One Out of School Suspension

Discipline of Students without Disabilities - More than One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: Disc-7d non-IDEA received more than 1 OSS

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEDStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name: Behavior Resolution

*Function: Record Count

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- altPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDisAssignment
- discAssignDate
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- caIDetermination
- removalReason
- resolutionCode
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

behaviorDetail.resolutionCode

Save Cancel

*Query Name:

Short Description:

Long Description: +

Filter the data

	ID *Field	Operator	Value
X	1 <input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X	2 <input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X	3 <input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X	4 <input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X	5 <input type="text" value="behaviorDetail.resolutionCode"/>	=	<input type="text" value="OSS"/>
X	6 <input type="text" value="histEnrollment.specialEdStatus"/>	=	<input type="text" value="N"/>
X	7 <input type="text" value="histcal.endYear"/>	=	<input type="text" value="2018"/>
X	8 <input type="text" value="histEnrollment.grade"/>	NOT IN	<input type="text" value="PK"/>
X	9 <input type="text" value="function.behavior.resolution"/>	>	<input type="text" value="1"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Non-IDEA Students who Received More than One Out of School Suspension

Discipline of Students with Disabilities - Only One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histcal.endYear
- histEnrollment.grade
- function.behavior.resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceCode
- auxiliaryCode
- CampusDotAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oaIDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 <input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	2 <input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	3 <input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	4 <input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	5 <input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="OSS"/>
<input type="checkbox"/>	6 <input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="Y"/>
<input type="checkbox"/>	7 <input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
<input type="checkbox"/>	8 <input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
<input type="checkbox"/>	9 <input type="text" value="function.behavior.resolution"/>	<input type="text" value="="/>	<input type="text" value="1"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - Only One Out-of-School Suspension

Discipline of Section 504 Students with Disabilities - Only One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student Data Type**.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialIDStatus
- histical_endYear
- Function Behavior Resolution**
- histEnrollment.grade
- histEnrollment.section504
- histEnrollment.disability1

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
- allPlacementSped
- attendanceSped
- auxiliaryCode
- CampusDisAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- noPassNoPlay
- oalDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.stateID		
X 3	student.gender		
X 4	student.raceEthnicityFed		
X 5	behaviorDetail.resolutionCode	=	OSS
X 6	histEnrollment.specialEdStatus		
X 7	histcal.endYear	=	2018
X 8	function.Behavior Resolution	=	1
X 9	histEnrollment_grade	NOT IN	PK
X 10	histEnrollment.section504	=	1
X 11	histEnrollment.disability1	IS NOT NULL	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - Only One Out-of-School Suspension

Discipline of Students with Disabilities - More than One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histical.endYear
- histEnrollment.grade
- function.behavior.resolution

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

*Name:

*Function:

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusOfAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - oedDetermination
 - removalReason
 - resolutionCode
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resolutionLengthSchoolDays

Parameters

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 student.personID		
<input type="checkbox"/>	2 student.stateID		
<input type="checkbox"/>	3 student.gender		
<input type="checkbox"/>	4 student.raceEthnicityFed		
<input type="checkbox"/>	5 behaviorDetail.resolutionCode	=	OSS
<input type="checkbox"/>	6 histEnrollment.specialEdStatus	=	Y
<input type="checkbox"/>	7 histcal.endYear	=	2018
<input type="checkbox"/>	8 histEnrollment.grade	NOT IN	PK
<input type="checkbox"/>	9 function.behavior.resolution	>	1

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** Disc-9d IDEA received more than 1 OSS

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count

Filter Identifying Discipline of Students with Disabilities - More than One Out-of-School Suspension

Discipline of Section 504 Students with Disabilities - More than One Out-of-School Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** Disc-9d IDEA received more than 1 OSS 504

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields:

- Student
- Demographics
- School Boundaries
- School Calendar
- School
- District
- Learner
- Counselor
- Learner Planning
- Census
- Health
- Medicaid
- Behavior
- Attendance
- Assessment
- Grading
- Learner Portfolio
- Standards Portfolio
- Locker
- Fee
- Transportation
- Activities
- Meetings

Selected Fields:

- student.personID
- student.stateID
- student.gender
- student.raceEthnicityFed
- behaviorDetail.resolutionCode
- histEnrollment.specialEdStatus
- histEnrollment.disability1
- Function Behavior Resolution**

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Behavior Resolution

***Function:** Record Count

Constant value: Add

Filter By: Search Clear

All Fields:

- Behavior Resolution
- placementSpeed
- attendanceCode
- activityCode
- CampusDofAssignment
- discAssignDate
- hearingCode
- lawEnforcement
- modificationDate
- modificationDescription
- modificationLength
- modificationReason
- notificationPlay
- oidDetermination
- removalReason
- resolutionCode**
- resolutionID
- resolutionName
- resolutionComments
- resolutionEndDate
- resolutionEndTimeStamp
- resolutionLength
- resolutionLengthSchoolDays

Parameters:

- behaviorDetail.resolutionCode

Save Cancel

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.stateID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.resolutionCode"/>	<input type="text" value="="/>	<input type="text" value="OSS"/>
X 6	<input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text"/>	<input type="text"/>
X 7	<input type="text" value="histcal.endYear"/>	<input type="text" value="="/>	<input type="text" value="2018"/>
X 8	<input type="text" value="function.Behavior Resolution"/>	<input type="text" value=">"/>	<input type="text" value="1"/>
X 9	<input type="text" value="histEnrollment.grade"/>	<input type="text" value="NOT IN"/>	<input type="text" value="PK"/>
X 10	<input type="text" value="histEnrollment.section504"/>	<input type="text" value="="/>	<input type="text" value="1"/>
X 11	<input type="text" value="histEnrollment.disability1"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.section504	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Discipline of Section 504 Students with Disabilities - More than One Out-of-School Suspension

Instances of Suspension with Section 504

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-11 Instances of Suspensions 504

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.grade	NOT IN	PK
X 3	behaviorDetail.resolutionCode	=	OSS
X 4	histEnrollment.specialEdSetting	=	N
X 5	histEnrollment.section504	=	1
X 6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-11 Instances of Suspensions 504

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying Instances of Suspension

Instances of Suspension with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-11 Instances of Suspensions IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade	NOT IN	PK
3	behaviorDetail.resolutionCode	=	OSS
4	histEnrollment.specialEdSetting	=	Y
5	histEnrollment.section504	=	0
6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying Instances of Suspension with IDEA

Instances of Suspension without IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-11 Instances of Suspensions non-IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		
X 2	student.grade	NOT IN	PK
X 3	behaviorDetail.resolutionCode	=	OSS
X 4	histEnrollment.specialEdSetting	=	N
X 5	histEnrollment.section504	=	0
X 6	histcal.endYear	=	2018

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** DISC-11 Instances of Suspensions non-IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	behaviorDetail.resolutionCode	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.resolutionCode	Record Count

Filter Identifying Instances of Suspension without IDEA

School Days Missed Due to Out-of-School

Suspension

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** DISC-12 School Days Missed Due to Suspension

Short Description:

Long Description:

Select categories & fields

Filter By: Search Clear

All Fields

- Student
 - Demographics
 - School Boundaries
 - School Calendar
 - School
 - District
 - Learner
 - Counselor
 - Learner Planning
 - Census
 - Health
 - Medicaid
 - Behavior
 - Attendance
 - Assessment
 - Grading
 - Learner Portfolio
 - Standards Portfolio
 - Locker
 - Fee
 - Transportation
 - Activities
 - Meetings

Selected Fields

- student.personID
- student.grade
- student.gender
- student.raceEthnicityFed
- function.Days Missed

Add Function Edit Function

Function Editor

The Function Editor allows the application of logic to columns that are output when the Ad Hoc Data Export tool is utilized. A constant function allows outputting a new column that is not based on any field selection - this will output the Constant Value entered for every record returned. The Concatenate function allows appending selected fields. The Coalesce function allows for returning alternate results if the first field would return a null. Both Concatenate and Coalesce will apply logic in the order the parameters are selected.

***Name:** Days Missed

***Function:** SUM

Constant value: Add

Filter By: Search Clear

All Fields

- Behavior Resolution
 - altPlacementSped
 - attendanceCode
 - auxiliaryCode
 - CampusIdAssignment
 - discAssignDate
 - hearingCode
 - lawEnforcement
 - modificationDate
 - modificationDescription
 - modificationLength
 - modificationReason
 - noPassNoPlay
 - calDetermination
 - removalReason
 - resolutionCode
 - resolutionID
 - resolutionName
 - resolutionComments
 - resolutionEndDate
 - resolutionEndTimeStamp
 - resolutionLength
 - resonanceLengthSchoolDays

Parameters: BehaviorDetail resolutionLength

Save Cancel

***Query Name:** DISC-12 School Days Missed Due to Suspension

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.grade	NOT IN	PK
3	student.gender		
4	student.raceEthnicityFed		
5	function.Days Missed		

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3)) AND 4 AND (NOT 5 OR 6)

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="student.gender"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text"/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="function.Days Missed"/>	<input type="text" value="SUM"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Filter Identifying School Days Missed Due to Out-of-School Suspension

HIBS

▶ [Click here to expand...](#)

HIBS-1, 2, 3: Allegations of Harassment or Bullying

Allegations of Harassment or Bullying

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="sch.name"/>	<input type="text" value=""/>	<input type="text" value=""/>
X 2	<input type="text" value="behaviorDetail.harassmentType"/>	<input type="text" value="IS NOT NULL"/>	<input type="text" value=""/>
X 3	<input type="text" value="behaviorDetail.harassmentID"/>	<input type="text" value=""/>	<input type="text" value=""/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Example of HIBS filter

***Query Name:**

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="sch.name"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="behaviorDetail.harassmentType"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text" value=""/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text" value=""/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text" value=""/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="behaviorDetail.harassmentID"/>	<input type="text" value="Distinct Count"/>
<input type="text" value=""/>	<input type="text" value=""/>
<input type="text" value=""/>	<input type="text" value=""/>
<input type="text" value=""/>	<input type="text" value=""/>

Filter Identifying Students with Allegations of Harassment or Bullying

HIBS-4, 5, 6: Students Reported as Harassed or Bullied

Students Reported as Harassed or Bullied

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	<input type="text" value="sch.name"/>	<input type="text"/>	<input type="text"/>
X 2	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X 3	<input type="text" value="student.gender"/>	<input type="text"/>	<input type="text"/>
X 4	<input type="text" value="student.raceEthnicity"/>	<input type="text"/>	<input type="text"/>
X 5	<input type="text" value="behaviorDetail.role"/>	<input type="text" value="="/>	<input type="text" value="Victim"/>
X 6	<input type="text" value="behaviorDetail.harassmentType"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>
X 7	<input type="text" value="behaviorDetail.harassmentID"/>	<input type="text"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Example of Bullying filter

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="sch.name"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="behaviorDetail.harassmentType"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text" value="student.gender"/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text" value="student.raceEthnicity"/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text"/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="student.gender"/>	<input type="text" value="Record Count"/>
<input type="text" value="student.raceEthnicity"/>	<input type="text" value="Record Count"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Filter Identifying Students Reported as Harassed or Bullied

HIBS-7, 8, 9: Students Disciplined for Harassment or Bullying

Students Disciplined for Harassment or Bullying

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

***Query Name:**

Short Description:

Long Description: +

Filter the data

ID	*Field	Operator	Value
<input type="checkbox"/>	1 sch.name		
<input type="checkbox"/>	2 student.personID		
<input type="checkbox"/>	3 behaviorDetail.role	=	Offender
<input type="checkbox"/>	4 behaviorDetail.harassmentType	IS NOT NULL	
<input type="checkbox"/>	5 behaviorDetail.harassmentID		
<input type="checkbox"/>	6 student.gender		
<input type="checkbox"/>	7 student.raceEthnicityFed		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Example

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="sch.name"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="student.gender"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text"/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="student.gender"/>	<input type="text" value="Record Count"/>
<input type="text" value="student.raceEthnicityFed"/>	<input type="text" value="Record Count"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Filter Identifying Students Disciplined for Harassment or Bullying

OFFN

▶ [Click here to expand...](#)

OFFN-1: Number of Incidents

Offenses - Number of Incidents

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type. Change the Code list to match each of the categories needing to report.

*Query Name: OFFN-1: Offenses – Number of Incidents

Short Description: Change the Code list for match each of the categories needing to report

Long Description: +

Filter the data

ID	*Field	Operator	Value
1	sch.name		
2	behaviorDetail.incidentID		
3	behaviorDetail.code	IN	05, 06

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name: OFFN-1: Offenses – Number of Incidents

Short Description: Change the Code list for match each of the categories needing to report

Long Description: +

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	sch.name	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.incidentID	Distinct Count

Filter Identifying Number of Incidents

OFFN-2: Offenses - Firearm Use

Offenses with Firearm Use

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type. Change the Code list to match each of the categories needing to report.

*Query Name: OFFN-2: Offenses - Firearm Use

Short Description: Change the Code list for match each of the weapons needing to report

Long Description: +

Filter the data

ID	*Field	Operator	Value
1	sch.name		
2	behaviorDetail.incidentID		
3	behaviorDetail.weaponCode	IN	01,03

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Offenses with Firearm Use

OFFN-3: Offenses - Homicide

Offenses with Homicide

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type. Change the Code value to match the behavior event(s) that are equal to homicide.

***Query Name:** OFFN-3: Offenses - Homicide

Short Description: Change the code value to match the behavior event(s) that are equal to homicide

Long Description: +

Filter the data

ID	*Field	Operator	Value
1	sch.name		
2	behaviorDetail.incidentID		
3	behaviorDetail.code	IN	25

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Offenses with Homicide

OFFN-4: Offenses - Homicide

Offenses with Homicide

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type. Change the Code value to match the behavior event(s) that are equal to homicide.

*Query Name: OFFN-3: Offenses - Homicide

Short Description: Change the code value to match the behavior event(s) that are equal to homicide

Long Description:

Filter the data

ID	*Field	Operator	Value
1	sch.name		
2	behaviorDetail.incidentID		
3	behaviorDetail.code	IN	25

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Offenses with Homicide

PENR

▶ [Click here to expand...](#)

PENR-1 & PENR-2: Gifted and Talented Program Indicator

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

***Query Name:** PENR-1 & 2 Gifted & Talented Indicator/enroll

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	histEnrollment.startDate	<=	10/01/2017
5	histEnrollment.endDate	>=	10/01/2017
6	histEnrollment.giftedTalented	=	1

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** PENR-1 & 2 Gifted & Talented Indicator/enroll

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	student.gender	Ascending
Tier 2	student.raceEthnicityFed	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.gender	Record Count
student.raceEthnicityFed	Record Count
student.personID	Distinct Count

Filter Identifying Gifted & Talented Students

PENR-2: Gifted and Talented Student Enrollment

Gifted and Talented Students with an IDEA indicator

Create a filter similar to the example below using the Query Wizard and the Student Data Type:

*Query Name:

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	student.personID		<input type="text"/>
X 2	student.gender		<input type="text"/>
X 3	student.raceEthnicityFed		<input type="text"/>
X 4	histEnrollment.startDate	<=	10/01/2017
X 5	histEnrollment.endDate	>=	10/01/2017
X 6	histEnrollment.giftedTalented	=	1
X 7	histEnrollment.specialEdStatus	=	Y
X 8	histEnrollment.disability1	IS NOT NULL	

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.giftedTalented	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Gifted & Talented Students with an IDEA indicator

Gifted and Talented Students with an EL indicator

Create a filter similar to the example below using the Query Wizard and the Student Data Type:

***Query Name:** PENR- 2 Gifted & Talented Indica EL

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	student.personID		
2	student.gender		
3	student.raceEthnicityFed		
4	histEnrollment.startDate	<=	10/01/2017
5	histEnrollment.endDate	>=	10/01/2017
6	histEnrollment.giftedTalented	=	1
7	lep.programStatus	=	LEP
8	lep.exitDate	>=	10/01/2017
9	lep.exitDate	IS NULL	

Logical Expression (Optional):
(4 and 5 and 6 and 7) and (8 or 9)

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** PENR- 2 Gifted & Talented Indica EL

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	histEnrollment.giftedTalented	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying Gifted & Talented Students with an EL indicator

PENR-3 & PENR-4: Dual Enrollment

Create a filter similar to the example below using the Query Wizard and the Student Data Type. This example uses a custom field on the Course to determine eligibility for Dual Enrollment. Change the fields used to identify Dual Enrollment courses for your District/State.

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
2	<input type="text" value="student.legalGender"/>	<input type="text"/>	<input type="text"/>
3	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
4	<input type="text" value="histEnrollment.startDate"/>	<input type="text" value="<="/>	<input type="text" value="10/01/2017"/>
5	<input type="text" value="histEnrollment.endDate"/>	<input type="text" value=">="/>	<input type="text" value="10/01/2017"/>
6	<input type="text" value="customCourse.enrollmentType"/>	<input type="text" value="="/>	<input type="text" value="DUAL"/>
7	<input type="text" value="histEnrollment.endDate"/>	<input type="text" value="IS NULL"/>	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description: This example uses a custom field on the Course to determine eligibility for

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="student.legalGender"/> ▾	<input type="text" value="Ascending"/> ▾
Tier 2	<input type="text" value="student.raceEthnicityFed"/> ▾	<input type="text" value="Ascending"/> ▾
Tier 3	<input type="text"/> ▾	<input type="text" value="Ascending"/> ▾
Tier 4	<input type="text"/> ▾	<input type="text" value="Ascending"/> ▾
Tier 5	<input type="text"/> ▾	<input type="text" value="Ascending"/> ▾

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="student.legalGender"/> ▾	<input type="text" value="Record Count"/> ▾
<input type="text" value="student.raceEthnicityFed"/> ▾	<input type="text" value="Record Count"/> ▾
<input type="text" value="student.personID"/> ▾	<input type="text" value="Distinct Count"/> ▾
<input type="text"/> ▾	<input type="text"/> ▾

Filter Identifying Students with Dual Enrollment

PENR-4: Dual Enrollment

Dual Enrollment with EL

Create a filter similar to the example below using the Query Wizard and the Student Data Type. This example uses a custom field on the Course to determine eligibility for Dual Enrollment. Change the fields used to identify Dual Enrollment courses for your District/State.

*Query Name:

Short Description:

Long Description:

Filter the data

	ID	*Field	Operator	Value
X	1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
X	2	<input type="text" value="student.legalGender"/>	<input type="text"/>	<input type="text"/>
X	3	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
X	4	<input type="text" value="histEnrollment.startDate"/>	<input "="" type="text" value="<="/>	<input type="text" value="10/01/2017"/>
X	5	<input type="text" value="histEnrollment.endDate"/>	<input "="" type="text" value=">="/>	<input type="text" value="10/01/2017"/>
X	6	<input type="text" value="customCourse.enrollmentType"/>	<input "="" type="text" value="="/>	<input type="text" value="DUAL"/>
X	7	<input type="text" value="lep.programStatus"/>	<input "="" type="text" value="="/>	<input type="text" value="LEP, Exited LEP"/>
X	8	<input type="text" value="lep.exitDate"/>	<input "="" type="text" value=">="/>	<input type="text" value="10/01/2017"/>
X	9	<input type="text" value="lep.exitDate"/>	<input type="text" value="IS NULL"/>	<input type="text"/>
X	10	<input type="text" value="histEnrollment.endDate"/>	<input type="text" value="IS NULL"/>	<input type="text"/>

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:**

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	customCourse.enrollmentType ▾	Ascending ▾
Tier 2	▾	Ascending ▾
Tier 3	▾	Ascending ▾
Tier 4	▾	Ascending ▾
Tier 5	▾	Ascending ▾

Aggregate/Sub Total by	Aggregate Type
student.personID ▾	Distinct Count ▾
▾	▾
▾	▾
▾	▾

Filter Identifying EL students with Dual Enrollment

Dual Enrollment with IDEA

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type. This example uses a custom field on the Course to determine eligibility for Dual Enrollment. Change the fields used to identify Dual Enrollment courses for your District/State.

*Query Name:

Short Description:

Long Description:

Filter the data

	ID *Field	Operator	Value
✕	1 <input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
✕	2 <input type="text" value="student.legalGender"/>	<input type="text"/>	<input type="text"/>
✕	3 <input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
✕	4 <input type="text" value="histEnrollment.startDate"/>	<input type="text" value="<="/>	<input type="text" value="10/01/2017"/>
✕	5 <input type="text" value="histEnrollment.endDate"/>	<input type="text" value=">="/>	<input type="text" value="10/01/2017"/>
✕	6 <input type="text" value="customCourse.enrollmentType"/>	<input type="text" value="="/>	<input type="text" value="DUAL"/>
✕	7 <input type="text" value="histEnrollment.specialEdStatus"/>	<input type="text" value="="/>	<input type="text" value="Y"/>
✕	8 <input type="text" value="histEnrollment.disability1"/>	<input type="text" value="IS NOT NULL"/>	<input type="text"/>
✕	9 <input type="text" value="histEnrollment.endDate"/>	<input type="text" value="IS NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** PENR-4 Dual Enrollment IDEA

Short Description:

Long Description: This example uses a custom field on the Course to determine eligibility for

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	customCourse.enrollmentType ▾	Ascending ▾
Tier 2	▾	Ascending ▾
Tier 3	▾	Ascending ▾
Tier 4	▾	Ascending ▾
Tier 5	▾	Ascending ▾

Aggregate/Sub Total by	Aggregate Type
student.personID ▾	Distinct Count ▾
▾	▾
▾	▾
▾	▾

Save To: User Account
 Folder: -:CRDC Ad Hoc Screen Shots ▾

Filter Identifying IDEA students with Dual Enrollment

PENR-5 & PENR-6: Credit Recovery

Create a filter similar to the example below using the Query Wizard and the Student Data Type. This example uses Course Numbers to determine eligibility for Credit Recovery. You may have to change the fields used to identify Credit Recovery courses.

***Query Name:**

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
2	<input type="text" value="student.legalGender"/>	<input type="text"/>	<input type="text"/>
3	<input type="text" value="student.raceEthnicityFed"/>	<input type="text"/>	<input type="text"/>
4	<input type="text" value="histEnrollment.startDate"/>	<input "="" type="text" value="<="/>	<input type="text" value="10/01/2017"/>
5	<input type="text" value="histEnrollment.endDate"/>	<input "="" type="text" value=">="/>	<input type="text" value="10/01/2017"/>
6	<input type="text" value="courseSection.courseNumber"/>	<input type="text" value="STARTS WITH"/>	<input type="text" value="CR"/>
7	<input type="text" value="courseSection.courseName"/>	<input type="text"/>	<input type="text"/>
8	<input type="text" value="histEnrollment.endDate"/>	<input type="text" value="IS NULL"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	courseSection.courseNumber	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
student.personID	Distinct Count

Filter Identifying students with Credit Recovery

RSTR

▶ [Click here to expand...](#)

RSTR-1a, 1b, & 1c: Non-IDEA Students Subjected to Restraint or Seclusion

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** RSTR-1a, 1b & 1c: Non-IDEA Subjected to Restraint

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	sch.name		
2	student.personID		
3	student.gender		
4	student.raceEthnicity		
5	behaviorDetail.role	=	Offender
6	behaviorDetail.responseCode	IS NOT NULL	
7	behaviorDetail.responseType		
8	histEnrollment.startDate	<=	10/01/2017
9	histEnrollment.endDate	>=	10/01/2017
10	histEnrollment.specialEdStatus	<>	Y

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Non-IDEA Students Subjected to Restraint or Seclusion

RSTR-2a, 2b, & 2c: IDEA Students Subjected to Restraint or Seclusion

IDEA Students Subjected to Restraint or Seclusion

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

*Query Name: RSTR-2a, 2b & 2c: IDEA Students Subjected to Restr

Short Description:

Long Description: +

Filter the data

	ID	*Field	Operator	Value
X	1	sch.name		
X	2	student.personID		
X	3	student.gender		
X	4	student.raceEthnicity		
X	5	behaviorDetail.role	=	Offender
X	6	behaviorDetail.responseCode	IS NOT NULL	
X	7	behaviorDetail.responseType		
X	8	histEnrollment.startDate	<=	10/01/2017
X	9	histEnrollment.endDate	>=	10/01/2017
X	10	histEnrollment.specialEdStatus	=	Y

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

*Query Name:

Short Description:

Long Description: +

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="sch.name"/> ▾	<input type="text" value="Ascending"/> ▾
Tier 2	<input type="text" value="behaviorDetail.responseType"/> ▾	<input type="text" value="Ascending"/> ▾
Tier 3	<input type="text" value="student.gender"/> ▾	<input type="text" value="Ascending"/> ▾
Tier 4	<input type="text" value="student.raceEthnicity"/> ▾	<input type="text" value="Ascending"/> ▾
Tier 5	<input type="text"/> ▾	<input type="text" value="Ascending"/> ▾

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="student.gender"/> ▾	<input type="text" value="Record Count"/> ▾
<input type="text" value="student.raceEthnicity"/> ▾	<input type="text" value="Record Count"/> ▾
<input type="text"/> ▾	<input type="text"/> ▾
<input type="text"/> ▾	<input type="text"/> ▾

Filter Identifying IDEA Students Subjected to Restraint or Seclusion

RSTR-3: Instances of Restraint or Seclusion

Number of Instances of Restraint for 504 Students

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** RSTR-3: Num of Instances Restraint-504 Only

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	sch.name		
2	student.personID		
3	histEnrollment.startDate	<=	10/01/2017
4	histEnrollment.endDate	>=	10/01/2017
5	behaviorDetail.responseCode	IS NOT NULL	
6	behaviorDetail.responseType		
7	spProgram.code	=	504

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

***Query Name:** RSTR-3: Num of Instances Restraint-504 Only

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	sch.name	Ascending
Tier 2	behaviorDetail.responseType	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.responseCode	Distinct Count

Filter Identifying Number of Instances of Restraint for 504 Students

Number of Instances of Restraint for IDEA Students

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:**

Short Description:

Long Description: +

Filter the data

	ID	*Field	Operator	Value
✕	1	<input type="text" value="sch.name"/>	<input type="text"/>	<input type="text"/>
✕	2	<input type="text" value="student.personID"/>	<input type="text"/>	<input type="text"/>
✕	3	<input type="text" value="histEnrollment.startDate"/>	<=	<input type="text" value="10/01/2017"/> ▼
✕	4	<input type="text" value="histEnrollment.endDate"/>	>=	<input type="text" value="10/01/2017"/> ▼
✕	5	<input type="text" value="histEnrollment.specialEdStatus"/>	=	<input type="text" value="Y"/> ▼
✕	6	<input type="text" value="behaviorDetail.responseCode"/>	IS NOT NULL	<input type="text"/>
✕	7	<input type="text" value="behaviorDetail.responseType"/>	<input type="text"/>	<input type="text"/>

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Number of Instances of Restraint for IDEA Students

*Query Name:

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	<input type="text" value="sch.name"/>	<input type="text" value="Ascending"/>
Tier 2	<input type="text" value="behaviorDetail.responseType"/>	<input type="text" value="Ascending"/>
Tier 3	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 4	<input type="text"/>	<input type="text" value="Ascending"/>
Tier 5	<input type="text"/>	<input type="text" value="Ascending"/>

Aggregate/Sub Total by	Aggregate Type
<input type="text" value="behaviorDetail.responseCode"/>	<input type="text" value="Distinct Count"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Filter Identifying Number of Instances of Restraint for IDEA Students

Number of Instances of Restraint for Non-IDEA Students

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type.

***Query Name:** RSTR-3: Num of Instances Restraint-non IDEA

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
X 1	sch.name		
X 2	student.personID		
X 3	histEnrollment.startDate	<=	10/01/2017
X 4	histEnrollment.endDate	>=	10/01/2017
X 5	histEnrollment.specialEdStatus	<>	Y
X 6	behaviorDetail.responseCode	IS NOT NULL	
X 7	behaviorDetail.responseType		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter for Non-IDEA Students

***Query Name:** RSTR-3: Num of Instances Restraint-non IDEA

Short Description:

Long Description:

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	sch.name	Ascending
Tier 2	behaviorDetail.responseType	Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
behaviorDetail.responseCode	Distinct Count

Filter for Non-IDEA students

SECR

▶ [Click here to expand...](#)

SECR-1 Security Staff

Create a filter similar to the example below. In this example, the filter identifies FTE employees by title. The title is not specified in this example. It is up to the school districts to determine how these positions are tracked. The filter works if the district is using the title on a user's district assignment tab to track this data.

Filter the data

ID	Field	Operator	Value
1	schoolEmployment.title		
2	function.FTE		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying FTE Employees by Title

STAF

▶ [Click here to expand...](#)

STAF-1: Teachers - FTE Count and Certification

Total FTE of Classroom Teachers for Census/Staff Data Type

Create a filter similar to the example below using the **Query Wizard** and the **Census/Staff** Data Type. In this example, the filter identifies school employees who have a Teacher assignment and adds their FTE (Full-time Equivalency) to produce a total.

Filter the data

ID	*Field	Operator	Value
1	schoolEmployment.teacher	= TRUE	
2	function.FTE		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying the Total FTE of Classroom Teachers

Total FTE of Classroom Teachers Meeting All State Licensing/Certification Requirements for Census/Staff Data Type

A filter can be designed to identify teacher credentials; however, state licensing/certification requirements must be known prior to reporting data to ensure data accuracy. Teacher credential information can be found at Staff > Census > Credentials > Licensure/Certification

- Remove the function and replace it with the field schoolEmployment.fteInAssignment.
- The FTE will need to be added manually for teachers meeting the requirements.

Create a filter similar to the example below using the **Query Wizard** and the **Census/Staff** Data Type. In this example, the filter identifies the teacher's FTE and reports whether or not he/she has state licensing/certifications.

Filter the data

ID	*Field	Operator	Value
1	schoolEmployment.teacher	= TRUE	
2	employmentCredential.fullCertification		
3	employmentCredential.employmentCredentialType		
4	employmentCredential.licenseType		
5	schoolEmployment.fteInAssignment	IS NOT NULL	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Total FTE of Teachers with Certification

Total FTE of Classroom Teachers for HR Person Data Type

Create a filter similar to the example below using the **Query Wizard** and the **HR Person** Data Type. In this example, the filter identifies school employees who have a Teacher assignment and adds their FTE (Full-time Equivalency) to produce a total.

Filter the data

ID	*Field	Operator	Value
1	hrWorkAssignmentHist.teacher	= TRUE	
2	function.FTE		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying the Total FTE of Classroom Teachers

Total FTE of Classroom Teachers Meeting All State Licensing/Certification Requirements for HR Person Data Type

A filter can be designed to identify teacher credentials; however, state licensing/certification requirements must be known prior to reporting data to ensure data accuracy. Teacher credential information can be found at Human Resources > Personnel > Personnel Master > Qualifications

- Remove the function and replace it with the field hrWorkAssignmentHist.fte.
- The FTE will need to be added manually for teachers meeting the requirements.

Create a filter similar to the example below using the **Query Wizard** and the **HR Person** Data Type. In this example, the filter identifies the teacher's FTE and reports whether or not he/she has state licensing/certifications.

Filter the data

ID *Field	Operator	Value
1 hrWorkAssignmentHist.fte	IS NOT NULL	
2 hrWorkAssignmentHist.teacher	= TRUE	
3 hrWAQualificationsHist.fullCertification		
4 hrWAQualificationsHist.employmentCredentialType		
5 hrWAQualificationsHist.licenseType		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Total FTE of Teachers with Certification

STAF-2: Teachers Years of Experience

Teacher Years of Experience for Census/Staff Data Type

Create a filter similar to the example below using the **Query Wizard** and the **Census/Staff** Data Type. In this example, the filter identifies the teacher's District Employment start date and FTE. The total FTE will have to be calculated manually.

Filter the data

ID *Field	Operator	Value
1 employment.districtStartDate	>=	05/01/2009
2 schoolEmployment.fteInAssignment		
3 schoolEmployment.teacher	= TRUE	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying the FTE of Classroom Teachers in their First/Second Year of Teaching

Teacher Years of Experience for HR Person Data Type

Create a filter similar to the example below using the **Query Wizard** and the **HR Person** Data Type. In this example, the filter identifies the teacher's Employment History start date and FTE. The

total FTE will have to be calculated manually.

Filter the data

ID	*Field	Operator	Value
1	hrEmploymentHistory.startDate	>=	05/01/2009
2	hrWorkAssignmentHist.fte		
3	hrWorkAssignment.teacher	= TRUE	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying the FTE of Classroom Teachers in their First/Second Year of Teaching

STAF-3: Teacher Absenteeism

This item of the CRDC requires data only available in Campus Human Resources (HR).

Because Campus does not track teacher absenteeism the same way it tracks student absenteeism, the date information generated by this Ad hoc filter must be manually checked to be considered accurate.

Create a filter similar to the example below using the **Query Wizard** and the **HR Person** Data Type. In this example, the filter identifies both the start and end dates of teacher absences that occurred during the reported school year and the teacher's FTE. Additionally, the teacher's first and last names, as well as school ID, report.

Filter the data

ID *Field	Operator	Value
1 hrLeaveEvent.startDate	>=	09/06/2010
2 hrLeaveEvent.endDate	<=	06/14/2011
3 hrDemographics.firstName		
4 hrDemographics.lastName		
5 hrWorkAssignment.schoolID		
6 hrWorkAssignmentHist.fte		
7 hrWorkAssignmentHist.teacher	= TRUE	

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Teacher Absenteeism and FTE

STAF-4: School Counselors

School Counselor FTE for Census/Staff Data Type

Create a filter similar to the example below using the **Query Wizard** and the **Census/Staff** Data Type. In this example, the filter identifies school employees with a counselor assignment and reports the sum of their FTE.

Filter the data

ID *Field	Operator	Value
1 schoolEmployment.counselor	= TRUE	
2 function.CounselorFTE		

Add

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying the FTE of School Counselors

School Counselor FTE for HR Person Data Type

Create a filter similar to the example below using the **Query Wizard** and the **HR Person Data Type**. In this example, the filter identifies school employees with a counselor assignment and reports the sum of their FTE.

Filter the data

ID	*Field	Operator	Value
1	function.CounselorFTE		
2	hrWorkAssignmentHist.counselor	= TRUE	

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying the FTE of School Counselors

STAF-5: Support Services Staff

Create a filter similar to the example below. In this example, the filter identifies FTE employees by title. The title is not specified in this example. It is up to the school districts to determine how these positions are tracked. The filter works if the district is using the title on a user's district assignment tab to track this data.

Filter the data

ID	*Field	Operator	Value
1	schoolEmployment.title		
2	function.FTE		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
 Allowed symbols: AND OR NOT () IDs
 Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying FTE Employees by Title

STAF-6: Current Year and Previous Year Teachers Count

Create a filter similar to the example below using the **Query Wizard** and **Census/Staff** data type. In this example, the filter reports teachers employed at a school. The filter groups the data by the school the teacher is employed and a record count of the number of teachers employed at a school is reported.

Filter the data

ID	Field	Operator	Value
1	individual.staffNumber		
2	schoolEmployment.schoolName		

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Filter Identifying Teachers

Group the data into sections that can have aggregates/sub-totals

Grouping	Group by	Group Order
Tier 1	schoolEmployment.schoolName	Ascending
Tier 2		Ascending
Tier 3		Ascending
Tier 4		Ascending
Tier 5		Ascending

Aggregate/Sub Total by	Aggregate Type
individual.staffNumber	Record Count

Filter Identifying Teachers

