

# Data Extract Utilities

Last Modified on 10/01/2025 8:11 am CDT

As of June 30th, 2025, the Data Extract Utility PULL method has been discontinued. Impacts:

- PULL .bat files previously created with the PULL Client tool (ExtractWizardHelper.bat a.k.a. exportWizard) no longer function.
- The PULL Client tool, which is used for authenticating into Infinite Campus, no longer functions correctly and results in a connection error for users still attempting to utilize this method.
- On the Data Extract Utility screen within Infinite Campus, PULL mode has been renamed to Test Extract. The Test Extract button will continue to function.

It's important to note that customers using other delivery methods (SFTP, FTPS, SMB) have **not** been affected by this change.

## Tool Search: Data Extract Utilities

The Data Extract Utilities tools provide an automated data extract tool for transferring data via a flat file from Infinite Campus servers. The tools can also upload Campus data into third-party software.

The following tools are available within the Data Extract Utilities:

- [Data Extract](#)
- [Data Extract Zip](#)
- [Data Extract History](#)

Data Extract Utilities ☆
System Settings > Data Utilities > Data Extract Utilities

Extract Instance Name	Delivery Mode	Server	Frequency Scheduled	Extract Mode	Stopped	Last Run	Actions
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Break Bad Tool	SFTP	Break Bad Tool		sql			<a href="#">Edit</a> <a href="#">Show History</a>
Filetest	SMB	addev2022a		adhoc		Extract ran successfully	<a href="#">Edit</a> <a href="#">Show History</a>
FTPS Test HTML	FTPS	addev2022a		sql			<a href="#">Edit</a> <a href="#">Show History</a>
FTPSMWTestEX	FTPS	addev2022a		sql			<a href="#">Edit</a> <a href="#">Show History</a>
FTPSMWTestIM	FTPS	addev2022a		sql			<a href="#">Edit</a> <a href="#">Show History</a>
ggag	SFTP	ag		adhoc			<a href="#">Edit</a> <a href="#">Show History</a>
Integration Test Colter	SFTP	addev2022a.infinite...	daily 08/26/2025 08:53	sql			<a href="#">Edit</a> <a href="#">Show History</a>
MWTest	SFTP Legacy (Being Deprecated)	addev2022a		adhoc			<a href="#">Edit</a> <a href="#">Show History</a>
My Testing 1	SMB	addev2022a		sql			<a href="#">Edit</a> <a href="#">Show History</a>

+ New

Data Extract Utilities Editor

See the [Data Extract Utilities Tool Rights](#) article for information on available tool rights for the Data Extract Utilities.

**Note:** When the Date Extract Utility, Data Extract Zip, and Data Extract History tools were combined into one tool (Campus.2539), the previous tool rights did not automatically translate into the tool rights for the combined tool. Admins will have to re-grant tool rights to the Data Extract Utilities.

## Data Extract Utilities Editor

The following table provides definitions of the data elements available in the Data Extract Utilities Editor.

Field	Description
<b>Extract Instance Name</b>	The name of the Extract.
<b>Delivery Mode</b>	The mode in which the extract will be delivered. Options are: <ul style="list-style-type: none"> <li>• SMB</li> <li>• SFTP Legacy (Being Deprecated)</li> <li>• SFTP</li> <li>• FTPS</li> </ul>
<b>Server</b>	The IP Address of the server connecting to and uploading data from the Data Extract Utility.
<b>Frequency Scheduled</b>	Lists the frequency the extract runs.
<b>Extract Mode</b>	Displays how the data will be extracted. Options are: <ul style="list-style-type: none"> <li>• Ad Hoc</li> <li>• SQL</li> <li>• Prism</li> </ul>
<b>Stopped</b>	Indicates if the extract has been stopped from sending.
<b>Last Run</b>	Indicates if the extract was generated successfully the last time the extract was run.
<b>Actions</b>	Allows the user to edit an extract or show the history of the extract.

## Data Extract Tool

► [Click here to expand...](#)

The Data Extract tool provides an automated data extract tool for transferring data via a flat file from Infinite Campus servers. This tool can also upload Campus data into third-party software.

Data Extract Utilities ☆
System Settings > Data Utilities > Data Extract Utilities

### New Extract

#### Admin/Vendor Provided Data

Delivery Mode:  
SFTP

Server: (Required)

Path:

Username: (Required)  
admin

Password:

Port: (Default SFTP-22)

SFTP Key Exchange:

#### Delivery Configuration

Extract Method  
☒ AdHoc  
☐ SQL  
☐ Prism

AdHoc Filter: (Required)  
Select a Filter

User Group to Notify  
No User Group

Error Notification:

Use Data Warehouse Connection:

Back Save

### File Information

Extract Instance Name: (Required)

File Extension:  
CSV (.csv)

Column Delimiter:  
CSV (.csv)

Output File Name: (Required)

Character Set:  
US-ASCII

### File Extract Format

Append Date to File Name  
☒ No Date  
☐ yyyyymmdd  
☐ yyyyymmddhhmmssSS

Include Header Rows:

Include Double Quotes: ⓘ  
☒

### Data Extract Schedule

Frequency  
NONE

Start Date:  
09/09/2025

Start Time  
hour:minute

Stop Automated Extract: ⓘ  
☐

## Data Extract Field Definitions



The following table provides definitions of the data elements available in the Data Extract Editor.

You can remove Social Security Numbers from reporting in the 3 default extracts by setting the parameter @includeSSN bit = 0


Your third-party SFTP server must allow list Campus IPs so traffic can pass. For more information, [see this article](#).

Field	Description
<b>Admin/Vendor Provided Data</b>	
<b>Delivery Mode</b>	<p>Indicates how the extract will be delivered.</p> <ul style="list-style-type: none"> <li>• <b>SMB</b> - <i>Server Message Block</i>. This works with an operating system higher than Windows XP; used in Windows networks to allow resources such as files on one machine to be shared on other machines as if they were local.</li> <li>• <b>SFTP Legacy (Being Deprecated)</b> - <i>Secure File Transfer Protocol</i>. <div> <p>This is an outdated implementation of SFTP that does not support modern key exchange or cipher algorithms. Once this delivery mode is removed, users should transition to the other SFTP option as soon as possible to avoid disruptions.</p> </div> </li> <li>• <b>SFTP</b> - <i>Secure File Transfer Protocol</i>. An encrypted form of file transfer between a local system and any system on the network. This is an updated library that supports modern key exchange algorithms.</li> <li>• <b>FTPS</b> - <i>File Transfer Protocol Secured</i>. An encrypted form of file transfer between a local system and any system on the network. This option also allows different encryption methods: <ul style="list-style-type: none"> <li>◦ <b>Implicit</b></li> <li>◦ <b>Explicit</b></li> </ul> </li> </ul>
<b>Server</b>	<p>The IP Address of the server connecting to and uploading data from the Data Extract Utility.</p> <div> <p>Your third-party SFTP server must allow list Campus IPs so traffic can pass. For more information, <a href="#">see this article</a>.</p> </div> <div> <p>Limited to 100 characters</p> </div>
<b>Path</b>	The location on the destination server where the file will be written. This needs to be an absolute path and include the / upload indicator.
<b>Username</b>	The username used to access the destination server.
<b>Password</b>	Password used to access the destination server.

Field	Description
<b>Port (Default SFTP=22)</b>	<p>Indicates the Port value required to connect to the server.</p> <ul style="list-style-type: none"> <li>SFTP default = 22</li> <li>FTPS default = 990</li> </ul>
<b>SFTP Key Exchange</b>	<p>Only applicable if the SFTP Delivery Mode is selected.</p> <p>Indicates you want to use the SFTP Key Exchange for this extract.</p> <p>If you leave the Password field blank, your extract will exclusively authenticate through passwordless SFTP Key Exchange. If you leave the Password field filled in, your extract can fail over to authenticating with username/password authentication in the event your SFTP Key Exchange authentication has an issue.</p> <p>See the <a href="#">Data Extract Utility SFTP Key Exchange Manager</a> article for more information on this option and process.</p>
<b>SFTP Key Exchange Configuration</b>	<p>Only applicable if the SFTP Delivery Mode is selected and the SFTP Key Exchange checkbox is marked.</p> <p>If a key pair has been properly configured and tested within the Data Extract Utility SFTP Key Exchange Manager, select the key to be used for authenticating this extract.</p> <p>See the <a href="#">Data Extract Utility SFTP Key Exchange Manager</a> article for more information on this option and process.</p>
<b>Delivery Configuration</b>	
<b>Extract Method</b>	<p><b>Ad Hoc</b> - If choosing Ad Hoc, select any saved filter to which the user has rights. This option generates the same filter as in ad hoc and carries over the same restrictions. It must be completed in 5 minutes. When a user no longer has rights to a filter, the utility stops running on a schedule. Ad hoc filters used by the Data Extract Utility are automatically scoped to data within the active year. This is the equivalent of running the ad hoc filter for the year marked as Active in <a href="#">School Year Setup</a>.</p> <p><b>SQL</b> - Provides a text area to enter a SQL query. If choosing SQL, enter the text of the query used to generate the file.</p> <p><b>Prism</b> - Provides a text area to enter a Prism call. If choosing Prism, choose the Prism call for a PDF report and add the Prism information. This option requires a Firefox browser add-on of Convert Form Methods.</p>

Field	Description
User Group to Notify	If an error occurs while using Data Extract Utilities, this group will be notified via a Notifications message. To utilize this functionality, you must have the <b>Error Notification</b> checkbox marked.
Error Notification	<p>If marked, any errors that occur will send a notification to the Notifications area of Infinite Campus to all users within the user group selected in the User Group to Notify dropdown list.</p> <div></div>
Use Data Warehouse	If the district has a Data Warehouse, use that database instead of the live database.
File Information	
Extract Instance Name	The name of the extract.
File Extension	<p>Extension of the file.</p> <p>CSV, HTML, TAB, TXT, and custom file extensions can be added through the <a href="#">Core Attribute Dictionary</a>.</p> <div></div>

Field	Description
<b>Column Delimiter</b>	<p>Indicates how data in the file will be divided. Options are:</p> <ul style="list-style-type: none"> <li>• <b>TAB</b> - Uses the tab character to separate each of the columns used for storing data.</li> <li>• <b>CSV</b> - Comma-separated values file is used for data structured in lists.</li> <li>• <b>Tilde (~)</b> - Uses the tilde character (~) to separate each of the columns in the file used for data storage.</li> <li>• <b>Vertical Bar ( )</b> - Uses the vertical bar character ( ) to separate each of the columns in the file used for data storage.</li> </ul>
<b>Output File Name</b>	The file name as it will appear in the destination folder. Often, a third-party tool needs/requires this file name.
<b>Character Set</b>	<p>Select the character encoding standard used in the file.</p> <ul style="list-style-type: none"> <li>• <b>US-ASCII</b> - The American Standard Code for Information is a common character encoding standard for electronic communication.</li> <li>• <b>UTF-8</b> - The Unicode Transformation Format is a variable-width character encoding capable of encoding all valid code points in Unicode using one to four 8-bit bytes.</li> </ul>
<b>File Extract Format</b>	
<b>Append Date to Filename</b>	When selected, includes a date in the file, so as not to overwrite an existing file. Choose the format of the date, either the normal date format of <i>yyyymmdd</i> or date and time format of <i>yyyymmddhhmmssSS</i> .
<b>Include Header Rows?</b>	When selected, a header row will be included as part of the file.
<b>Include Double Quotes?</b>	When selected, quotes around each piece of data in the column are included.
<b>Data Extract Schedule</b>	

Field	Description
<b>Data Extract Schedule</b>	<p>Lists the frequency, date, time, and day of the week the extract runs.</p> <div data-bbox="384 331 1302 577">  </div> <p>Frequency options include:</p> <ul style="list-style-type: none"> <li>• None</li> <li>• Daily</li> <li>• Weekly</li> <li>• Monthly</li> <li>• Yearly</li> </ul> <p>If this needs to stop for any reason, mark the <b>Stop Automated Extract</b> checkbox.</p>

## Create a New Extract

The creation of new extracts should be done by technical administrators only.

1. Select the **New** icon.
2. Select **Extract** and click **Submit**. The Detail Information section will appear.
3. Enter the required fields.
4. Choose the other necessary items for adding the extract by populating and marking the appropriate fields, as defined above.
5. Click the **Save** icon when finished. You can modify the extract to determine when it should be generated.

At this time, a user can select one of the available buttons to test the extract, test the connection to the database, or run the extract. Extracts will be displayed in a new window in the selected format.

- The **Test Extract** button generates the requested information by SQL or Ad hoc. Data is not written to the database or stored in any location.
- The **Test Connection** button checks the connection to the entered server by attempting to write a 1-byte file to the location set up. If it is successful, there is a success ribbon displayed, and if it is unsuccessful, it will provide a pop-up with the reason the connection failed.
- The **Run Extract** button runs and generates the extract, sends and stores the file where needed (in case of an issue when it is an auto-run extract).



## Troubleshooting/Errors

Error	Explanation
<p>Unable to negotiate key exchange</p> <p>(client: [list of supported algorithms] / server: diffie-hellman-group14-sha1,diffie-hellman-group-exchange-sha1)"</p>	<p>This error means the SFTP server your Campus site is trying to communicate with does not support new enough algorithms to work with the Data Extract Utility's latest SFTP mode. The issue is that the SFTP server you're connecting to is only offering up these older key exchange algorithms when your Campus site's Data Extract Utility client tries to communicate with it:</p> <ul style="list-style-type: none"> <li>• diffie-hellman-group1-sha1</li> <li>• diffie-hellman-group-exchange-sha1</li> </ul> <p>SHA1 is now considered an insecure key exchange algorithm, so our latest SFTP implementation does not support it.</p> <p>You will need to contact the third parties/individuals who administer this SFTP server and request that they update their server/SFTP software to support at least one of the more modern and secure key exchange algorithms mentioned in the "client:" part of the error message.</p> <p>As soon as the SFTP server is updated to support any of the more secure key exchange algorithms, then you'll be able to use the latest SFTP mode for any connection currently receiving this error. Until this update occurs, you'll need to continue using the legacy SFTP mode.</p>

## Data Extract Zip Tool

► [Click here to expand...](#)

The Data Extract Zip tool functions like the Data Extract tool, where users can upload a file to export to a third-party system. Unlike the Data Extract tool, the Zip Tool allows users to upload multiple files to export to a third-party system.

## New Extract

### Admin/Vendor Provided Data

<b>Delivery Mode:</b> <input type="text" value="SFTP"/>	<b>Server: (Required)</b> <input type="text"/>	<b>Path:</b> <input type="text" value="\"/>
<b>Username: (Required)</b> <input type="text"/>	<b>Password:</b> <input type="password"/>	<b>Port: (Default SFTP=22)</b> <input type="text" value="22"/>
<b>SFTP Key Exchange:</b> <input type="checkbox"/>		

### Delivery Configuration

**Student Photo Extract:**  
☐

**Select Extracts To Include**  
☐ Testing1

**User Group to Notify**

**Error Notification:**  
☐

Data Extract Zip

## File Information

**Extract Instance Name: (Required)**

**Output File Name: (Required)**

## File Extract Format


**Append Date to File Name**  
☒ No Date  
☐ yyyyymmdd  
☐ yyyyymmddhhmmssSS

## Data Extract Schedule

**Frequency**

**Start Date:**

**Start Time**

**Stop Automated Extract:**   
☐


Data Extract Zip


## Data Extract Zip Tool Definitions

The following table provides definitions of the data elements available in the Zip Tool Editor.

Field	Description
<b>Delivery Mode</b>	<p>Indicates how the extract is delivered.</p> <ul style="list-style-type: none"> <li>• <b>SMB</b> - <i>Server Message Block</i>. This works with an operating system higher than Windows Xp; used in Windows networks to allow resources such as files on one machine to be shared on other machines as if they were local.</li> <li>• <b>SFTP Legacy (Being Deprecated)</b> - This is an outdated version of SFTP which will be deprecated in the future. Users should transition to the other SFTP option as soon as possible to avoid disruptions once this delivery mode is removed.</li> <li>• <b>SFTP</b> - <i>Secure File Transfer Protocol</i>. An encrypted form of file transfer between a local system and any system on the network.</li> <li>• <b>FTPS</b> - <i>File Transfer Protocol Secured</i>. An encrypted form of file transfer between a local system and any system on the network. This option also allows different encryption methods: <ul style="list-style-type: none"> <li>◦ <b>Implicit</b></li> <li>◦ <b>Explicit</b></li> </ul> </li> </ul>
<b>Server</b>	A computer that provides client stations with access to files and printers as shared resources to a computer network. Can be an IP address or a server domain name.
<b>Path</b>	Indicates the navigation path the user takes to find the server or files. This needs to be an absolute path and include the / upload indicator.
<b>Username</b>	Username used to access the destination server.
<b>Password</b>	Password used to access the destination server.
<b>Port: (Default=22)</b>	<p>Indicates the value required to connect to the server.</p> <ol style="list-style-type: none"> <li>1. SFTP default = 22</li> <li>2. FTPS default = 990</li> </ol>

Field	Description
<b>SFTP Key Exchange</b>	<p>Only applicable if the SFTP Delivery Mode is selected.</p> <p>Indicates you want to use the SFTP Key Exchange for this extract.</p> <p>If you leave the Password field blank, your extract will exclusively authenticate through passwordless SFTP Key Exchange. If you leave the Password field filled in, your extract can fail over to authenticating with username/password authentication in the event your SFTP Key Exchange authentication has an issue.</p> <p>See the <a href="#">Data Extract Utility SFTP Key Exchange Manager</a> article for more information on this option and process.</p>
<b>SFTP Key Exchange Configuration</b>	<p>Only applicable if the SFTP Delivery Mode is selected and the SFTP Key Exchange checkbox is marked.</p> <p>If a key pair has been properly configured and tested within the Data Extract Utility SFTP Key Exchange Manager, select the key to be used for authenticating this extract.</p> <p>See the <a href="#">Data Extract Utility SFTP Key Exchange Manager</a> article for more information on this option and process.</p>
<b>Delivery Configuration</b>	
<b>Student Photo Extract</b>	<p>Creates a zip file of the picture directory. Only files for students with an enrollment record in the selected active school year are included.</p> <p>When this is marked, the following is not available:</p> <ul style="list-style-type: none"> <li>Select Instance to Include section</li> </ul> <p>Note: Photos are generated with a <b>[personID].jpg</b> naming convention.</p> <p><b>This is NOT available in State Edition.</b></p>
<b>Select Extracts To Include</b>	<p>Mark the file instances to include in the zip file.</p> <p>These options display every instance of extracts that were previously created.</p> <p><b>This option is not available when the Student Photo Extract is selected.</b></p>
<b>User Group to Notify</b>	<p>This group is notified via a Notifications message when an error occurs while using the Data Extract Utilities. You must have the Error Notification checkbox marked to utilize this functionality.</p>

Field	Description
<b>Error Notification</b>	<p>If marked, any errors that occur are sent to the Notifications area of Infinite Campus to all users within the user group selected in the User Group to Notify dropdown list.</p> 
<b>File Information</b>	
<b>Extract Instance Name</b>	The name of the extract.
<b>Output File Name</b>	File name associated with the extract being generated. Often a third-party tool needs this name.
<b>File Extract Format</b>	
<b>Append Date to Filename</b>	When selected, includes a date in the file, so as not to overwrite an existing file. Choose the format of the date, either the normal date format of <i>yyyymmdd</i> or date and time format of <i>yyyymmddhhmmssSS</i> .
<b>Data Extract Schedule</b>	

Field	Description
<b>Data Extract Schedule</b>	<p>Lists the frequency, date, time and day of the week the extract runs.</p> <div data-bbox="459 329 1415 584">  </div> <p>Frequency options include:</p> <ul style="list-style-type: none"> <li>• None</li> <li>• Daily</li> <li>• Weekly</li> <li>• Monthly</li> <li>• Yearly</li> </ul> <p><b>Note:</b> When Student Photo Extract is marked and the Frequency is set to Weekly or Monthly, the Start Time must be between 10:00 p.m. and 4:00 a.m.</p> <p>When this needs to stop for any reason, mark the <b>Stop Automated Extract</b> checkbox.</p>

## Create Zip Tool Extract

The creation of new extracts should be done by technical administrators only.

1. Select **New**.
2. Select the **Zip Extract** option and click **Submit**.
3. Enter the required fields.
4. Choose the other necessary items for adding the extract by populating and marking the appropriate fields, as defined above.
5. Click **Save** when finished. Additional modifications may be made to the extract to determine when the extract should be generated.

At this time, a user can select the available buttons to test the connection to the server or run the extract.

1. The **Test Connection** button checks the connection to the entered server by attempting to write a 1-byte file to the location set up. If it is successful, a success ribbon is displayed, and if it is unsuccessful, a pop-up with the reason the connection failed is provided.
2. The **Run Extract** button runs and generates the extract, sends and stores the file where needed (in case of an issue when it is an auto-run extract).

## Create a Student Photo Extract Zip Tool

1. Select **New**.
2. Select the **Zip Extract** option and click **Submit**.
3. Enter the required fields.
4. Mark the **Student Photo Extract** checkbox.
5. Choose the other necessary items for adding the extract by populating and marking the appropriate fields, as defined above.
6. In the **Data Extract Schedule**, choose the desired **Frequency**.
7. Click **Save** when finished. Additional modifications may be made to the extract to determine when the extract should be generated.

A user can select the available buttons to test the connection to the server or generate the extract.

1. The **Test Connection** button checks the connection to the entered server by attempting to write a 1-byte file to the location set up. If it is successful, there is a success ribbon displayed, and if it is unsuccessful, it will provide a pop-up with the reason the connection failed.
2. The **Run Extract** button runs and generates the extract, sends and stores the file where needed (in case of an issue when it is an auto-run extract).

When the Student Photo Extract zip file has been successfully sent to the destination server, or there was an error generating the zip file, it is removed from the app server.

## Data Extract History

► [Click here to expand...](#)

The Data Extract History tool lists the available extracts that were run and whether they successfully completed or if there was an issue with completion. This is a read-only view and can be used for troubleshooting.

Data Extract Utilities ☆

System Settings > Data Utilities > Data Extract Utilities

Extract Instance Name	Delivery Mode	Server	Frequency Scheduled	Extract Mode	Stopped	Last Run	Actions
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Break Bad Tool	SFTP	Break Bad Tool		sql			<a href="#">Edit</a> <a href="#">Show History</a>
Filetest	SMB	addev2022a		adhoc		Extract ran successfully	<a href="#">Edit</a> <a href="#">Show History</a>
FTPS Test HTML	FTPS	addev2022a		sql			<a href="#">Edit</a> <a href="#">Show History</a>
FTPSMWTTestEX	FTPS	addev2022a		sql			<a href="#">Edit</a> <a href="#">Show History</a>

Show History

## Data Extract History

History table of Filetest

Start Time	End Time	Result	Server	Error Description	Ran By
09/03/2025 10:43:25 AM	09/03/2025 10:43:37 AM	Success	b9909092-app001		admin
09/03/2025 10:43:06 AM	09/03/2025 10:43:19 AM	Success	addev2022a	Test-Extract	admin

1

1 - 2 of 2 items

[Back](#)

*Data Extract History*