Custom Tool Setup

Last Modified on 06/09/2025 2:53 pm CDT

<u>Step 1. Create a Custom Tool | Step 2. Define Custom Tool Attributes | Step 3. Add Data to the</u> <u>Custom Tool | Step 4. Publish the Tool to Districts - State Edition Only | Review and Modify Existing</u> <u>Custom Tools/Links</u>

Tool Search: Custom Tool Setup

Custom Tool Setup allows you to create custom tools for tracking local or state-level information. You can also use this tool to embed hyperlinks to appear as a tool within the Infinite Campus navigation and have these links open in a new tab or within the workspace.

Custom tools are district-wide, but information can be displayed or hidden from users through the assignment of tool rights. Custom tools can also be added to the Parent and Student Portals. Tools created at the state level can be published down to DIS-linked districts and these tools can only be modified or deleted by the state.

| istom Tool Setup ☆ | | Sy | stem Settings $>$ Custom Data and Links $>$ Cu | istom |
|---|---|--|--|-------|
| ustom Tool Editor | | | | |
| e Custom Tool Editor allows users to create | e custom data objects for tracking local or sta | te-level information as well as custom shortcu | t links which can be added to the main menu. | |
| H 4 1 V 1 - H | | | 1 - 8 of 8 items | |
| Fool Name 📫 | Classic Look Menu Placement | New Look Menu Placements | Tool Туре | |
| T | | T | T | |
| Additional District Info | Custom Links and Reports | | URL Link | |
| Policies | Campus Community | | URL Link | |
| District Roster | Home | Instruction > Students | URL Link | |
| Zip Codes | Home | | URL Link | |
| Certifications | Home | | URL Link | |
| Bus Routes | Zip Codes | | URL Link | |
| Locker Zones | Custom Links and Reports | My Account > My Data | URL Link | |
| Parent Outreach | State Programs | | Single Screen Editor | |
| H 4 1 ► H | | | 1 - 8 of 8 items | |
| | | | | |
| w Custom Tool | | | | |
| | | | | |

See the <u>Custom Data and Links Tool Rights</u> article for information about tool rights for this and related tools.

Step 1. Create a Custom Tool

1. To create a new custom tool, select the New Custom Tool button. The New Custom Tool



Setup editor will appear on the left.

| Custom Tool Se | tup ☆ | System Settings $>$ Custom Data and Links $>$ Custom Tool Setup |
|---|-----------------------|---|
| Custom Tool E | New Custom Tool Setup | |
| The Queters Teel F | Tool Type * | |
| The Custom Tool E be added to the ma | | • |
| | Single Screen Editor | |
| ie e 1 | List Element Editor | |
| Tool Name ↑ | Table Editor | |
| | URL Editor | |
| assignment | URL Link | |
| behavior | 1 | |
| District Roster | | |
| test | | |
| Test no url | | |
| ter 2 | | |
| New Custom Tool | Save | |

2. Select the **Tool Type**. See the table below for more information about each option:

| Single Screen Editor | Click here to expand The Single Screen Editor is used to collect a single set of data that will only have one record. If data needs to be historical and referenced over the school year, the Single Screen Editor option cannot be used. This tool type can be placed in any of the available custom tool |
|-------------------------|--|
| List Element | Iocations.Click here to expand |
| Editor | The List Element Editor option holds multiple sets of data and will track information over a period of time (multiple records). The user can choose which type of record to post a value for, unlike the table editor, where only the same type of data is available. A Status Date is required for each record. The tool type is not available for placement in District Information or School. |



| Table Editor | Click here to expand The Table Editor option holds lists of associated values to be displayed for the same record, such as totals. Unlike the list editor, there is only one type of record created, for which multiple values may display. This option uses a date and time field to track entries. Only one entry for any given time is allowed, meaning two entries with the time of 10:10 AM cannot be saved. This tool type can be placed in any of the available custom tool locations. |
|--------------|--|
| URL Editor | Click here to expand The URL Editor option allows you to insert an external website as a selectable tool within the Infinite Campus navigation structure and control whether this website opens in a new tab or within the workspace (an area within the Infinite Campus product itself). Unlike the URL Link option, this option can be designated to be available for only students or all people. |
| | The Target field designates if the URL is opened in a new browser tab or within the workspace (keeping you within Infinite Campus. Websites with a Content Security Policy that prohibits the use of their site within other sites will prevent the page from appearing (i.e., google.com, amazon.com, etc) |
| | The Pass User Session field is used for auto-authentication for other external sites (especially for custom reporting). The following describes each option: None - This option is used for inserting links when no Campus user sessions are passed to the link. If authentication is required, the user will be required to login each time he/she visits. Send username, calendar, personID as plain text params - Indicates these elements will be used to authenticate the user into the link's site. This includes the personID, userID, username, calendarID, sectionID, contextID and contextIDType elements. Encrypt URL-encoded username, password, etc Indicates that the credentials for logging a user into Campus should also be used to log the user in to the link's site. The parameters added to the URL include personID, userID, username, password, calendarID, sectionID, contextIDType and timeStamp. |
| | Parameters referenced in the Send username, calendar, personID as plain text params and Encrypt URL-encoded username, password etc options are defined as follows: |



| | personID - The personID of the currently logged-in user userID - The userID of the currently logged-in user username - The username of the currently logged-in user calendarID - The calendarID of the currently selected calendar. sectionID - This sectionID pertains to the sectionID most recently selected in Instruction. contextIDType - The most recently selected context type: personID if you most recently viewed a person, sectionID if you most recently viewed a viewed a User Account. contextID - The ID value of that most recently selected context type. Corresponds to contextIDType. Either a personID value, sectionID value, or userID value |
|----------|--|
| | External URLs are automatically added to your <u>Content Security</u> <u>Policy</u> . If a custom tab is later deleted, the associated URL is automatically removed from the district's Content Security Policy. |
| URL Link | Click here to expand The URL Link option allows you to insert an external website as a selectable tool within the Infinite Campus navigation structure and control whether this website opens in a new tab or within the workspace (an area within the Infinite Campus product itself). The Target field designates if the URL is opened in a new browser tab or within the workspace (keeping you within Infinite Campus. Websites with a Content Security Policy that prohibits the use of their site within other sites will prevent the page from appearing (i.e., google.com, amazon.com, etc) |
| | The Code is the alias/tooltip that appears when the user hovers the mouse over the link. The Pass User Session field is used for auto-authentication for other external sites (especially for custom reporting). The following describes each option: None - This option is used for inserting links when no Campus user sessions are passed to the link. If authentication is required, the user will be required to login each time he/she visits. Send username, calendar, personID as plain text params - Indicates these elements will be used to authenticate the user into the link's site. This includes the personID, userID, username, calendarID, sectionID, contextID and contextIDType elements. |



that the credentials for logging a user into Campus should also be used to log the user in to the link's site. The parameters added to the URL include personID, userID, username, password, calendarID, sectionID, contextID, and contextIDType.

Parameters referenced in the Send username, calendar, personID as plain text params and Encrypt URL-encoded username, password etc options are defined as follows:

- **personID** The personID of the currently logged-in user
- **userID** The userID of the currently logged-in user
- username The username of the currently logged-in user
- **calendarID** The calendarID of the currently selected calendar.
- **sectionID** This sectionID pertains to the sectionID most recently selected in Instruction.
- contextIDType The most recently selected context type: personID if you most recently viewed a person, sectionID if you most recently viewed a section in a tool other than Instruction, userID if you most recently viewed a User Account.
- **contextID** The ID value of that most recently selected context type. Corresponds to contextIDType. Either a personID value, sectionID value, or userID value

External URLs are automatically added to your <u>Content Security</u> <u>Policy</u>. If a custom tab is later deleted, the associated URL is automatically removed from the district's Content Security Policy

- 3. Fill out the editor, which will vary depending on the Tool Type selected.
- 4. Select the **Classic Look Menu Placement**. This is where the custom tool/URL will appear within Classic Campus.
- 5. Once the editor has been filled out, click **Save**. The custom tool is now saved, and you will be asked to select where in the New Look of Infinite Campus it should live.

| Custom Tool Saved | × |
|--|---|
| Your custom tool is saved. You can now place this tool in the New Navigatio menu by using the Custom Tool Placement Editor or selecting the Create New Look Placement link in this tool. | n |
| Close | |

 Click the Custom Tool Placement Editor hyperlink in the message shown above or click the Create New Look Menu Placement hyperlink (see image below). Select the Menu Item and Category where this new custom tool will appear for users and click Save.



| New Custom Tool Setup | |
|--|--------|
| Tool Type * Single Screen Editor | |
| | |
| Search Option * District | |
| | |
| Tool Name * Additional District Information | |
| | |
| Classic Look Menu Placement * | |
| System Administration > Resources > District Info | |
| New Look Menu Placements No Existing Placements | |
| Create New Look Menu Placement | |
| Save Create Tool Mapping Save Description | |
| Menu Item * | |
| School & District Settings | • |
| Category * | |
| District | • |
| Sort Name (Optional) | |
| Save | Cancel |

Once saved, the tool will now appear in its designated area. For example, in the image above, the Additional District Info custom tool was assigned to School & District Settings > District and now appears in this category for all users (see below).

| | "D | Additional District Info 숙 말 Save Ø Delete All | 3 | | School 8 |
|-------------------------------------|-------------|---|---|--|--|
| Fees FRAM Grading & Standards | > > > | Select District | Additional District Info District Population Participa | ting in Program | |
| Health Office | > | School & District Setting | JS | | \$ |
| Insights | Í | District | Schools | Lockers | Transportation |
| My Account | > | District Information | School Information | Locker Location Setup | Batch End and Delete Wizard |
| eporting | > | Additional District Info County Setup | Department Setup Room Setup | Locker Setup Lock Setup | Bus Setup Student Bus Assignment Report |
| cheduling & Courses | > | District County Setup | | Combination Rotation Wizard Locker Assignments Report | Transportation Roll Forward Wizard |
| chool & District Settings | > | Grade Level Age Setup Grade Level Definitions | \mathbf{N} | Locker Assignments Report Locker Batch End Wizard Locker Schedule Wizard | Transportation Summary Report |
| chool Store | > > | School Boundaries Override Setup | | Students Without Lockers Report Vacant Locker Report | |
| ystem Settings ser Management | > | | | | |

7. If you created a URL Editor or URL Link, you are finished, and users can now access this link within Infinite Campus. If you created a tool, move on to Step 2 below.

Step 2. Define Custom Tool Attributes

Now that your custom tool has been created, custom attributes need to be added so you can designate which fields it contains and what information it will gather.

- 1. Navigate to the <u>Custom Attribute/Dictionary</u> tool.
- 2. Click the **New** icon. The Campus Attribute Detail editor will appear below.

| Custom Attribute/Dictionary ☆ | System Settings > Custom Data and Links > Custom Attribute/Dictionary |
|--|---|
| New P Save Delete | |
| Langus Atholas Dictionary Editor Langus Atholas Dictionary Editor Curse Consent Con | Ĵ |
| Comments | |
| | l |

- 3. Enter the **Display Name** of the field you would like to add. This is the name that appears in the UI for the field.
- 4. Select the **Screen Location**. This is where you would select the custom tool you just created. For example, the Additional District Info tool is selected since it was created in previous



steps.

- 5. Enter the **Field Name**. This is the name used to identify the field in the database.
- 6. Select the **Data Type**. This determines the type of field presented to users. See the table below for more information.

| Data Type | Details |
|-------------------|---|
| textBox | Creates a text box. |
| | Users are allowed to enter up to 255 alphanumeric and special characters. |
| drop-down list | Creates a dropdown list. Limited to 15 alphanumeric characters. |
| dataField | Creates a date field. |
| | Users must enter the date in MM/DD/YYYY, MM-DD-YY or MMDDYY format. |
| numberField | Creates a number field. |
| | Only numeric characters (no decimals) are allowed. Max default value is 10. |
| floatField | Creates a float field. |
| | Only numeric characters are allowed with one decimal point. Max default value is 10. The value can be without a decimal point. If the default value has a decimal, only 2 numbers to the right of the decimal are allowed. |
| timeField | Creates a time field. |
| | Users must enter values in HH:MM AM/PM or HH:MM military time. Values should include a semicolon. |
| ssnField | Creates a field for Social Security Number input. |
| | Users must enter a number pattern of XXX-XX-XXXX where $X = a$ numeric value between 0-9. Dashes should be included when entering Social Security Numbers. 11 characters total (this includes the dashes between numbers). |
| phoneField | Creates a field for entering phone numbers. |
| | Users should enter phone values in (999)999-9999 or (999)999-9999x9999 format where: • 9 = a numeric value between 0-9 • x = the delimiter for entering an extension number |



| Data Type | Details |
|------------|--|
| emailField | Creates a field for entering an email address. Users must enter email addresses in XXXXX@XXXX.XXX where: X = any alphanumeric or special characters Users may enter multiple periods Number of total characters does not surpass 100 |
| | @ is required |
| moneyField | Creates a field for entering a monetary value. Users must enter a value between 0-9. One decimal point is allowed but only two numbers right of the decimal point is allowed. Values entered can contain the \$ special character but is not required. |
| checkBox | Creates a checkbox. |

7. Enter any additional information. See the table below for more information about these fields.

| Fields | Description |
|------------------|--|
| Default Value | The default value which auto-populates in the field when a new record is created. |
| | Note that default values are NOT saved in the database tables. |
| | |
| Max Size | The maximum number of characters allowed for entry in the field. |
| Seq | The order of the field within the tool. For example, Field A has a seq of 1, and Field B has a Seq of 2. Field 1 will be listed first, followed by Field 2. Fields are displayed in numeric or alphabetic order if no sequence is indicated. |
| | rields die displayed in hamene of diplasede order if no sequence is indicated. |
| Required | If marked, this checkbox indicates that the field must be filled out (or checked) for the user to be able to save a record for the custom tool. The field name displays in red text (instead of black) and is followed by an asterisk (*) to indicate that it is required. |



| Fields | Description |
|-------------------|--|
| Copies Forward | When marked, the data associated with the attribute is copied forward into the calendar for the next school year. |
| | This option applies to things that are cloned or rolled forward from year to year. For example, calendars are copied from one year to the next, courses are copied forward, enrollments are copied forward. |
| | People are not tied to a calendar, therefore attributes associated with people are not copied forward, even when this checkbox is marked. |
| | This option is not available for data fields assigned to a custom tab. |
| | |
| Hide Portal | If marked, this checkbox indicates that the custom field will not be displayed in the Student or Parent Portal. It will also be hidden in the Student and Parent Portal if no associated data is saved in the database for the selected individual. |
| | This field does not apply or appear to state-level users. |
| Comments | Any comments related to the custom field. These comments do not display for users interacting with the field. |

- 8. Click **Save**. The field has now been added to your custom tool.
- 9. If the field you added to your custom tool requires values for selection, such as a dropdown field, locate and select the field in the list at the top of the screen.

For example, in the image below, a dropdown list called Participating in Program was added to the Additional District Info custom tool. The tool was located in the list and the Dictionary link was selected, opening an editor at the bottom of the screen where field values can be entered.

| Infinite Campus |
|--------------------|
|--------------------|


| | Participating in Program C "Field Name "D ProgPart d Max Size Seq | creen Location ustom Tab: Additional District Info ata Type op-down list lide Required Hide Portal | ~ | | |
|--|---|--|-------|--------------------------|------------------|
| Sustom Attribute/Diction | ary ☆ | | | System Settings > Custor | n Data and I |
| Campus Attributes/Dictionary Editor Campus Attributes/Dictionary Editor Cational District Population Cationary (0 Entries) Cationary | | | | | |
| Honor Roll | | | | | |
| the Hausahald | | | | | Add Ro |
| Participating in Program Dictionary D tail | Name | Seq | Value | Standard Code | Add Ro Active |
| Participating in Program Dictionary D tail | Name State Reading Program | Seq 2 | Value | Standard Code | |
| Participating in Program Dictionary D tail Code | | | Value | Standard Code | Active |
| Participating in Program Dictionary D tail Code X State Reading | State Reading Program | 2 | Value | Standard Code | Active X |

- 10. Enter all necessary field values, and once finished, click Save. Your custom field is now available in your custom tool, and values are available within this field.
- 11. Repeat steps 1-10 until all fields have been added to the tool. Once all fields and field values have been entered, move on to Step 3 below.

Step 3. Add Data to the Custom Tool

Once your custom tool has been created, fields have been added, and attributes have been added to fields, you are now ready to add data to your custom tool.

For example, in the image below, the user navigated to the Additional District Info tool created in the steps above and entered data within the added fields.



Step 4. Publish the Tool to Districts -State Edition Only

For users in a State Edition of Infinite Campus, you can publish custom tools and links down to DISlinked districts.

To do this:

nfinite 🗠

- 1. Navigate to the Publish Custom Tool.
- 2. Select your custom tool in the Custom Tool List. In the example below, the Additional District Info tool is selected.
- 3. Select the Tool Status:
 - If set to active, the tool will appear as available to DIS-linked districts once you complete the publish process.
 - If set to Inactive/Visible the tool will still appear for district users but will not available for use.
 - If set Inactive/Hidden the tool will not appear nor be available for any district users.
- 4. Determine which districts will receive the tool by selecting an **Ad Hoc Filter** or selecting a

district in the Unselected Districts window and clicking the _--> button.

5. Click **Publish**. The tool has now been published to DIS-linked districts in the Classic View and New Look locations defined for the custom tool.

| Publish Custor | n Tool ☆ | | System Settings > Custom Data a | nd Links > Publish Custom |
|---|---|---|---------------------------------|---------------------------|
| 🕒 Publish 🛛 🐼 Ur | n-publish 🔒 View Publish History | | | |
| Custom Tool List | | | | |
| Published Nan | | | | |
| S TAM | | | | |
| Addi ew t | tional District Info est2 | | | |
| aaa | | | | |
| | | | | |
| Publish button = Publ To U Un-Publish button = Rem Publish Custom Tool Deta *Select Tool Status | tributes or Placements Changed, Re-publish ish (push down) Custom Tool/Placements and Attrib n-Publish a Custom Tool for a single district remove ove a Custom Tool/Placements and Attributes from ii | that district from the Selected District se | | |
| A: Active | | | | |
| Published By: Publis | hed Date: Count of published districts: 0 | | | |
| Select Districts to Receive | Teel | | | |
| Ad Hoc Filter | District Ad Hoc Filter: | | | |
| O Au Hoc Filter | none selected v | | | |
| District Selection | | | | |
| | Unselected Districts | Selected Districts | | |
| | Bozeman Public Schools Butte Public Schools North Star Public School | > | ^ | |
| | | | | |

Once a tool is published, a checkmark will appear in the **Published** column in this tool as well as within the Custom Tool Setup tool.

| Publish Custom Tool ☆ Custom Tool List Published Additional District Info ew test2 aaa st | | Sys | tem Settings > Custom Data and I | Links > Publish Custom Tool | |
|--|---|-----------------------------------|-------------------------------------|---|---------------------------|
| | Custom Too | l Setup ☆ | | System Settings > Custom Data | and Links > Custom Tool S |
| Tool Published Attributes or Placements Changed Publish button - Publish (jush down) Custom ToolPl To Un-Publish acustom Tool for a si Un-Publish button - Remove a Custom ToolPlacements | Custom To The Custom To be added to the | ool Editor allows users to create | custom data objects for tracking lo | cal or state-level information as well as custom | shortcut links which can |
| | H 4 1 | I > H | | | 1 - 10 of 10 items |
| | Published | Tool Name ↑ | Classic Look Menu Placement | New Look Menu Placements | Tool Type |
| | 1 | aaa st | Student Information > General | | Table Editor |
| | ø | Additional District Info | Student Information > General | Student Information > General Student Administration | List Element Editor |
| | | Custom outline link | Home | | URL Link |
| | ٥ | ew test2 | Student Information > General | Student Information > General | Table Editor |
| | | Jens Custom tab | District Information | | Table Editor |
| | ۵ | Mary Custom Tab | Student Information > General | | List Element Editor |
| | | | Student Information > | | URL Editor |



Review and Modify Existing Custom Tools/Links

You can quickly locate an existing tool or link by utilizing the search fields at the top of each column of the Custom Tool Editor. These search fields dynamically filter results, meaning as you continue to enter characters, the list of tools/links continues to get refined to match what is entered.

For example in the image below, entering 'bus' in the Tool Name search field narrowed the results to just the Student Bus Waivers tool.

| Custom Tool Setup ☆ | | | System Settings > Cus | stom Data and Links > C |
|--|--|---|--------------------------|-------------------------|
| Custom Tool Editor | | | | |
| The Custom Tool Editor allows users to create cu | istom data objects for tracking local or state-l | evel information as well as custom shortcut | links which can be addec | d to the main menu. |
| | | | | 1 - 1 of 1 items |
| Tool Name ↑ | Classic Look Menu Placement | New Look Menu Placements | Tool Type | |
| bus Y | T | | | T |
| Student Bus Waivers | Student Information > General | | Single Screen Editor | |
| k < 1 → 1 → N | | | | 1 - 1 of 1 items |

Each column also provides filtering options which can be applied to entered search text clicking

the 🚺 icon and selecting a filter parameter.

| | s to create custom data objects for tracking local | or state level information as well as sustan | n chartaut linka which can be adde | d to the main mon |
|---------------------|--|--|-------------------------------------|-------------------|
| | | or state-level mormation as well as custon | n shortcut links which can be adder | 1 - 1 of 1 items |
| Tool Name ↑ | Classic Look Menu Placement | New Look Menu Placements | Tool Type | |
| bus | | T | T | T |
| Student Bus Waivers | Is equal to nformation > General | | Single Screen Editor | |
| H 4 1 V | Is not equal to Contains | | | 1 - 1 of 1 item: |
| | Does not contain | | | |
| | Starts with | | | |